


## J N W D C E

### Double-Sided Rectangular Worksurface – Cross Grain – Exposed Beam



This worksurface with cross grain orientation provides a primary or secondary surface for two users in multiple applications. The width is adapted to expose the beam laterally.

#### WHAT'S INCLUDED

1 worksurface, 4 wire management clips, grommets or access doors (if specified) and cable trays (not included with None (NN) option).

#### WHAT'S EXCLUDED

Structural Beam, Chicago Structural Beam, Supports, Worksurface Reinforcement Channel, Cable Tray for Access Door and Square Grommet Cover.

#### NOTES

Power and Data Access options are not all available for every dimensions. Refer to specification software for available options.

When Power and Data Access option (GB, GC, SA, SL, SO or SR) is specified, the Access Door Finish (NA) must be specified.

When Power and Data Access option (AA, AC or AO) is specified, the Grommet Finish (NA) must be specified.

When Power and Data Access option (NN) is specified, the Access Door (NA) and Grommet (NA) Finishes must be specified.

#### PRODUCT OPTIONS

| Lateral Beam Configuration | Depth      | Width  | Power and Data Access  |
|----------------------------|------------|--|--|
| <b>D</b> Double-Sided Beam | 36, 48, 60 | 24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60 | <b>AC</b> Access Door – Center                                   |
| <b>S</b> Single-Sided Beam |            |  | <b>AO</b> Access Door – Justified – Opposite                     |
|                            |            |  | <b>AA</b> Access Door – Justified – Adjacent                     |
|                            |            |  | <b>BO</b> Access Door – Justified – Opposite/Grommet – Center    |
|                            |            |  | <b>BA</b> Access Door – Justified – Adjacent/Grommet – Center    |
|                            |            |  | <b>ER</b> End Access Door/Grommet – Center                       |
|                            |            |  | <b>GB</b> Grommets – Both  |
|                            |            |  | <b>GC</b> Grommet – Center                                       |
|                            |            |  | <b>SL</b> Square Cut-Out – Offset Left/Grommet – Center          |
|                            |            |  | <b>SR</b> Square Cut-Out – Offset Right/Grommet – Center         |
|                            |            |  | <b>SO</b> Square Cut-Out – Justified – Opposite/Grommet – Center |
|                            |            |  | <b>SA</b> Square Cut-Out – Justified – Adjacent/Grommet – Center |
|                            |            |  | <b>NN</b> None (Shown)   |

#### SAMPLE ORDER CODE

|                 |           |           |           |
|-----------------|-----------|-----------|-----------|
| <b>JNWDCE D</b> | <b>48</b> | <b>60</b> | <b>BO</b> |
|-----------------|-----------|-----------|-----------|

#### PRODUCT OPTIONS CONTINUED

| Screen Mounting Holes        | Worksurface Finish  | User Edge Trim Style        | Edge Trim Finish | Access Door Finish       | Grommet Finish           |
|------------------------------|---------------------|-----------------------------|------------------|--------------------------|--------------------------|
| <b>W</b> With Mounting Holes | Foundation Laminate | <b>6</b> 3 mm Straight Trim | Edge Trim Colors | Foundation               | <b>25</b> Crisp Grey     |
| <b>N</b> No Mounting Holes   |                     | <b>8</b> 1.5 mm Flat Trim   |                  | Mica                     | <b>26</b> Soft Gris      |
|                              |                     |                             |                  | Accent                   | <b>60</b> Platinum       |
|                              |                     |                             |                  | <b>NA</b> Not Applicable | <b>68</b> Anthracite     |
|                              |                     |                             |                  |                          | <b>74</b> Storm White    |
|                              |                     |                             |                  |                          | <b>83</b> Very White     |
|                              |                     |                             |                  |                          | <b>NA</b> Not Applicable |

#### SAMPLE ORDER CODE

|          |           |          |           |           |           |
|----------|-----------|----------|-----------|-----------|-----------|
| <b>N</b> | <b>LW</b> | <b>6</b> | <b>ST</b> | <b>60</b> | <b>60</b> |
|----------|-----------|----------|-----------|-----------|-----------|

See Pricing on the following page.

**J N W D C E**  
**Double-Sided Rectangular**  
**Worksurface – Cross Grain –**  
**Exposed Beam (Continued)**

**DIMENSIONS**  
INCHES / MM

| D         | W         |
|-----------|-----------|
| 36 / 914  | 24 / 610  |
| 36 / 914  | 27 / 686  |
| 36 / 914  | 30 / 762  |
| 36 / 914  | 33 / 838  |
| 36 / 914  | 36 / 914  |
| 36 / 914  | 39 / 991  |
| 36 / 914  | 42 / 1067 |
| 36 / 914  | 45 / 1143 |
| 36 / 914  | 48 / 1219 |
| 36 / 914  | 51 / 1295 |
| 36 / 914  | 54 / 1372 |
| 36 / 914  | 57 / 1448 |
| 36 / 914  | 60 / 1524 |
| 48 / 1219 | 24 / 610  |
| 48 / 1219 | 27 / 686  |
| 48 / 1219 | 30 / 762  |
| 48 / 1219 | 33 / 838  |
| 48 / 1219 | 36 / 914  |
| 48 / 1219 | 39 / 991  |
| 48 / 1219 | 42 / 1067 |
| 48 / 1219 | 45 / 1143 |
| 48 / 1219 | 48 / 1219 |
| 48 / 1219 | 51 / 1295 |
| 48 / 1219 | 54 / 1372 |
| 48 / 1219 | 57 / 1448 |
| 48 / 1219 | 60 / 1524 |
| 60 / 1524 | 24 / 610  |
| 60 / 1524 | 27 / 686  |
| 60 / 1524 | 30 / 762  |
| 60 / 1524 | 33 / 838  |
| 60 / 1524 | 36 / 914  |
| 60 / 1524 | 39 / 991  |
| 60 / 1524 | 42 / 1067 |
| 60 / 1524 | 45 / 1143 |
| 60 / 1524 | 48 / 1219 |
| 60 / 1524 | 51 / 1295 |
| 60 / 1524 | 54 / 1372 |
| 60 / 1524 | 57 / 1448 |
| 60 / 1524 | 60 / 1524 |

**PRICING**

| GROMMETS – BOTH (GB) | GROMMET – CENTER (GC) | NONE (NN) | SQUARE CUT-OUT – JUSTIF. – ADJAC. OR OPP./GROMM. – CENTER (SA or SO)<br>SQUARE CUT-OUT – OFF. LEFT OR RIGHT/GROMM. – CENTER (SL or SR) |
|----------------------|-----------------------|-----------|--|
| n/a                  | 230                   | 230       | n/a  |
| n/a                  | 246                   | 246       | n/a  |
| n/a                  | 261                   | 261       | n/a  |
| n/a                  | 276                   | 276       | n/a  |
| n/a                  | 291                   | 291       | n/a  |
| n/a                  | 307                   | 307       | n/a  |
| n/a                  | 323                   | 323       | n/a  |
| n/a                  | 339                   | 339       | n/a  |
| 353                  | 353                   | 353       | 353  |
| 369                  | 369                   | 369       | 369  |
| 384                  | 384                   | 384       | 384  |
| 401                  | 401                   | 401       | 401  |
| 416                  | 416                   | 416       | 416  |
| n/a                  | 273                   | 273       | n/a  |
| n/a                  | 292                   | 292       | n/a  |
| n/a                  | 312                   | 312       | n/a  |
| n/a                  | 333                   | 333       | n/a  |
| n/a                  | 353                   | 353       | n/a  |
| n/a                  | 373                   | 373       | n/a  |
| n/a                  | 395                   | 395       | n/a  |
| n/a                  | 414                   | 414       | n/a  |
| 435                  | 435                   | 435       | 435  |
| 455                  | 455                   | 455       | 455  |
| 474                  | 474                   | 474       | 474  |
| 495                  | 495                   | 495       | 495  |
| 514                  | 514                   | 514       | 514  |
| n/a                  | 315                   | 315       | n/a  |
| n/a                  | 341                   | 341       | n/a  |
| n/a                  | 366                   | 366       | n/a  |
| n/a                  | 391                   | 391       | n/a  |
| n/a                  | 416                   | 416       | n/a  |
| n/a                  | 440                   | 440       | n/a  |
| n/a                  | 465                   | 465       | n/a  |
| n/a                  | 490                   | 490       | n/a  |
| 514                  | 514                   | 514       | 514  |
| 538                  | 538                   | 538       | 538  |
| 562                  | 562                   | 562       | 562  |
| 588                  | 588                   | 588       | 588  |
| 612                  | 612                   | 612       | 612  |

Pricing is continued on the following page.

## J N W D C E

### Double-Sided Rectangular Worksurface – Cross Grain – Exposed Beam (Continued)

DIMENSIONS  
INCHES / MM

PRICING

| D         | W         | ACCESS DOOR –<br>CENTER (AC) | ACCESS DOOR – JUSTIFIED –<br>ADJAC. OR OPPOSITE (AA or AO) | ACCESS DOOR – JUSTIF. – ADJAC. OR OPP./GROMM. – CENTER (BA or BO)<br>OR END ACCESS DOOR/GROMMET (ER) |
|-----------|-----------|------------------------------|--|--|
| 48 / 1219 | 30 / 762  | 498                          | n/a  | n/a  |
| 48 / 1219 | 36 / 838  | n/a                          | 519  | n/a  |
| 48 / 1219 | 33 / 838  | 539                          | 539  | n/a  |
| 48 / 1219 | 39 / 991  | n/a                          | 559  | n/a  |
| 48 / 1219 | 42 / 1067 | 580                          | 580  | n/a  |
| 48 / 1219 | 45 / 1143 | n/a                          | 599  | n/a  |
| 48 / 1219 | 48 / 1219 | n/a                          | 620  | 620  |
| 48 / 1219 | 51 / 1295 | n/a                          | 640  | 640  |
| 48 / 1219 | 54 / 1372 | n/a                          | 659  | 659  |
| 48 / 1219 | 57 / 1448 | n/a                          | 680  | 680  |
| 48 / 1219 | 60 / 1524 | n/a                          | 699  | 699  |
| 60 / 1524 | 30 / 762  | 552                          | n/a  | n/a  |
| 60 / 1524 | 33 / 838  | n/a                          | 576  | n/a  |
| 60 / 1524 | 36 / 914  | 601                          | 601  | n/a  |
| 60 / 1524 | 39 / 991  | n/a                          | 626  | n/a  |
| 60 / 1524 | 42 / 1067 | 651                          | 651  | n/a  |
| 60 / 1524 | 45 / 1143 | n/a                          | 675  | n/a  |
| 60 / 1524 | 48 / 1219 | n/a                          | 699  | 699  |
| 60 / 1524 | 51 / 1295 | n/a                          | 724  | 724  |
| 60 / 1524 | 54 / 1372 | n/a                          | 748  | 748  |
| 60 / 1524 | 57 / 1448 | n/a                          | 773  | 773  |
| 60 / 1524 | 60 / 1524 | n/a                          | 798  | 798  |