


## J N W D S E

### Double-Sided Rectangular Worksurface – Exposed Beam



This worksurface provides a primary or secondary surface for two users in multiple applications. The width is adapted to expose the beam laterally.

#### WHAT'S INCLUDED

1 worksurface, 4 wire management clips, grommets or access doors (if specified) and cable trays (not included with None (NN) option).

#### WHAT'S EXCLUDED

Structural Beam, Chicago Structural Beam, Supports, Worksurface Reinforcement Channel, Cable Tray for Access Door and Square Grommet Cover.

#### NOTES

Power and Data Access options are not all available for every dimensions. Refer to specification software for available options.

When Power and Data Access option (GB, GC, SA, SL, SO or SR) is specified, the Access Door Finish (NA) must be specified.

When Power and Data Access option (AA, AC, AL, AO or AR) is specified, the Grommet Finish (NA) must be specified.

When Power and Data Access option (NN) is specified, the Access Door (NA) and Grommet (NA) Finishes must be specified.

#### PRODUCT OPTIONS

Lateral Beam Configuration	Depth	Width	Power and Data Access
<b>D</b> Double-Sided Beam	36, 48, 60	24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78, 81, 84, 90, 96	<b>AC</b> Access Door – Center
<b>S</b> Single-Sided Beam			<b>AL</b> Access Door – Offset Left
			<b>AR</b> Access Door – Offset Right
			<b>AO</b> Access Door – Justified – Opposite
			<b>AA</b> Access Door – Justified – Adjacent
			<b>BL</b> Access Door – Offset Left/Grommet – Center
			<b>BR</b> Access Door – Offset Right/Grommet – Center
			<b>BO</b> Access Door – Justified – Opposite/Grommet – Center
			<b>BA</b> Access Door – Justified – Adjacent/Grommet – Center
			<b>ER</b> End Access Door/Grommet – Center
			<b>GB</b> Grommets – Both
			<b>GC</b> Grommet – Center
			<b>SL</b> Square Cut-Out – Offset Left/Grommet – Center
			<b>SR</b> Square Cut-Out – Offset Right/Grommet – Center
			<b>SO</b> Square Cut-Out – Justified – Opposite/Grommet – Center
			<b>SA</b> Square Cut-Out – Justified – Adjacent/Grommet – Center
			<b>NN</b> None (Shown)

#### SAMPLE ORDER CODE

JNWDSE D	48	60	BL
----------	----	----	----

#### PRODUCT OPTIONS CONTINUED

Screen Mounting Holes	Worksurface Finish	User Edge Trim Style	Edge Trim Finish	Access Door Finish	Grommet Finish
<b>W</b> With Mounting Holes	Foundation Laminate	<b>6</b> 3 mm Straight Trim <b>8</b> 1.5 mm Flat Trim	Edge Trim Colors	Foundation	<b>25</b> Crisp Grey
<b>N</b> No Mounting Holes				Mica	<b>26</b> Soft Gris
				Accent	<b>60</b> Platinum
				<b>NA</b> Not Applicable	<b>68</b> Anthracite
					<b>74</b> Storm White
					<b>83</b> Very White
					<b>NA</b> Not Applicable

#### SAMPLE ORDER CODE

N	LW	6	ST	60	60
---	----	---	----	----	----

See Pricing on the following page.

**J N W D S E**  
**Double-Sided Rectangular**  
**Worksurface – Exposed Beam (Continued)**

**DIMENSIONS**  
**INCHES / MM**

**PRICING**

D	W	GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – JUSTIF. – ADJAC. OR OPP./GROMM. – CENTER (SA or SO) SQUARE CUT-OUT – OFF. LEFT OR RIGHT/GROMM. – CENTER (SL or SR)
36 / 914	24 / 610	n/a	250	250	n/a
36 / 914	27 / 686	n/a	268	268	n/a
36 / 914	30 / 762	n/a	285	285	n/a
36 / 914	33 / 838	n/a	300	300	n/a
36 / 914	36 / 914	n/a	317	317	n/a
36 / 914	39 / 991	n/a	335	335	n/a
36 / 914	42 / 1067	n/a	352	352	n/a
36 / 914	45 / 1143	n/a	369	369	n/a
36 / 914	48 / 1219	385	385	385	385
36 / 914	51 / 1295	402	402	402	402
36 / 914	54 / 1372	418	418	418	418
36 / 914	57 / 1448	437	437	437	437
36 / 914	60 / 1524	453	453	453	453
36 / 914	63 / 1600	469	469	469	469
36 / 914	66 / 1676	486	486	486	486
36 / 914	69 / 1753	504	504	504	504
36 / 914	72 / 1829	519	519	519	519
36 / 914	75 / 1905	537	537	537	537
36 / 914	78 / 1981	551	551	551	551
36 / 914	81 / 2057	568	568	568	568
36 / 914	84 / 2134	585	585	585	585
36 / 914	90 / 2286	619	n/a	619	n/a
36 / 914	96 / 2438	652	n/a	652	n/a
48 / 1219	24 / 610	n/a	297	297	n/a
48 / 1219	27 / 686	n/a	318	318	n/a
48 / 1219	30 / 762	n/a	340	340	n/a
48 / 1219	33 / 838	n/a	363	363	n/a
48 / 1219	36 / 914	n/a	385	385	n/a
48 / 1219	39 / 991	n/a	407	407	n/a
48 / 1219	42 / 1067	n/a	431	431	n/a
48 / 1219	45 / 1143	n/a	451	451	n/a
48 / 1219	48 / 1219	474	474	474	474
48 / 1219	51 / 1295	495	495	495	495
48 / 1219	54 / 1372	516	516	516	516
48 / 1219	57 / 1448	539	539	539	539
48 / 1219	60 / 1524	560	560	560	560
48 / 1219	63 / 1600	582	582	582	582
48 / 1219	66 / 1676	604	604	604	604
48 / 1219	69 / 1753	624	624	624	624
48 / 1219	72 / 1829	646	646	646	646
48 / 1219	75 / 1905	668	668	668	668
48 / 1219	78 / 1981	689	689	689	689
48 / 1219	81 / 2057	711	711	711	711
48 / 1219	84 / 2134	733	733	733	733
48 / 1219	90 / 2286	776	n/a	776	n/a
48 / 1219	96 / 2438	818	n/a	818	n/a

Pricing is continued on the following page.

## J N W D S E

### Double-Sided Rectangular Worksurface – Exposed Beam (Continued)

DIMENSIONS  
INCHES / MM

PRICING

D	W	GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – JUSTIF. – ADJAC. OR OPP./GROMM. – CENTER (SA or SO) SQUARE CUT-OUT – OFF. LEFT OR RIGHT/GROMM. – CENTER (SL or SR)
60 / 1524	24 / 610	n/a	343	343	n/a
60 / 1524	27 / 686	n/a	371	371	n/a
60 / 1524	30 / 762	n/a	398	398	n/a
60 / 1524	33 / 838	n/a	426	426	n/a
60 / 1524	36 / 914	n/a	453	453	n/a
60 / 1524	39 / 991	n/a	480	480	n/a
60 / 1524	42 / 1067	n/a	507	507	n/a
60 / 1524	45 / 1143	n/a	534	534	n/a
60 / 1524	48 / 1219	560	560	560	560
60 / 1524	51 / 1295	586	586	586	586
60 / 1524	54 / 1372	612	612	612	612
60 / 1524	57 / 1448	640	640	640	640
60 / 1524	60 / 1524	667	667	667	667
60 / 1524	63 / 1600	693	693	693	693
60 / 1524	66 / 1676	719	719	719	719
60 / 1524	69 / 1753	746	746	746	746
60 / 1524	72 / 1829	774	774	774	774
60 / 1524	75 / 1905	800	800	800	800
60 / 1524	78 / 1981	827	827	827	827
60 / 1524	81 / 2057	853	853	853	853
60 / 1524	84 / 2134	879	879	879	879
60 / 1524	90 / 2286	n/a	n/a	n/a	n/a
60 / 1524	96 / 2438	n/a	n/a	n/a	n/a

	ACCESS DOOR – CENTER (AC)	ACCESS DOOR – JUSTIFIED – ADJACENT OR OPPOSITE (AA or AO)	ACCESS DOOR – OFFSET LEFT OR RIGHT (AL or AR)
48 / 1219	30 / 762	542	n/a
48 / 1219	33 / 838	n/a	565
48 / 1219	36 / 914	587	587
48 / 1219	39 / 991	n/a	609
48 / 1219	42 / 1067	632	632
48 / 1219	45 / 1143	n/a	653
48 / 1219	48 / 1219	n/a	676
48 / 1219	51 / 1295	n/a	697
48 / 1219	54 / 1372	n/a	718
48 / 1219	57 / 1448	n/a	741
48 / 1219	60 / 1524	n/a	761
48 / 1219	63 / 1600	n/a	784
48 / 1219	66 / 1676	806	806
48 / 1219	69 / 1753	n/a	827
48 / 1219	72 / 1829	849	849
48 / 1219	75 / 1905	n/a	870
48 / 1219	78 / 1981	892	892
48 / 1219	81 / 2057	n/a	914
48 / 1219	84 / 2134	936	936
48 / 1219	90 / 2286	n/a	978
48 / 1219	96 / 2438	n/a	1021

Pricing is continued on the following page.

**J N W D S E**  
**Double-Sided Rectangular**  
**Worksurface – Exposed Beam (Continued)**

**DIMENSIONS**  
**INCHES / MM**

**PRICING**

D	W
60 / 1524	30 / 762
60 / 1524	33 / 838
60 / 1524	36 / 914
60 / 1524	39 / 991
60 / 1524	42 / 1067
60 / 1524	45 / 1143
60 / 1524	48 / 1219
60 / 1524	51 / 1295
60 / 1524	54 / 1372
60 / 1524	57 / 1448
60 / 1524	60 / 1524
60 / 1524	63 / 1600
60 / 1524	66 / 1676
60 / 1524	69 / 1753
60 / 1524	72 / 1829
60 / 1524	75 / 1905
60 / 1524	78 / 1981
60 / 1524	81 / 2057
60 / 1524	84 / 2134
60 / 1524	90 / 2286
60 / 1524	96 / 2438

ACCESS DOOR – CENTER (AC) (CONTINUED)	ACCESS DOOR – JUSTIFIED – ADJACENT OR OPPOSITE (AA or AO) (CON'T)	ACCESS DOOR – OFFSET LEFT OR RIGHT (AL or AR) (CON'T)
602	n/a	n/a
n/a	628	n/a
655	655	n/a
n/a	682	n/a
709	709	n/a
n/a	735	n/a
n/a	761	n/a
n/a	789	n/a
n/a	815	n/a
n/a	842	n/a
n/a	869	869
n/a	896	896
922	922	922
n/a	948	948
976	976	976
n/a	1001	1001
1028	1028	1028
n/a	1055	1055
1082	1082	1082
n/a	n/a	n/a
n/a	n/a	n/a

48 / 1219	30 / 762
48 / 1219	33 / 838
48 / 1219	36 / 914
48 / 1219	39 / 991
48 / 1219	42 / 1067
48 / 1219	45 / 1143
48 / 1219	48 / 1219
48 / 1219	51 / 1295
48 / 1219	54 / 1372
48 / 1219	57 / 1448
48 / 1219	60 / 1524
48 / 1219	63 / 1600
48 / 1219	66 / 1676
48 / 1219	69 / 1753
48 / 1219	72 / 1829
48 / 1219	75 / 1905
48 / 1219	78 / 1981
48 / 1219	81 / 2057
48 / 1219	84 / 2134
48 / 1219	90 / 2286
48 / 1219	96 / 2438

ACCESS DOOR – JUSTIF. – OR OPP./GROMM. – CENTER (BA or BO) OR END ACCESS DOOR/GROMMET – CENTER (ER)	ACCESS DOOR – OFFSET LEFT OR RIGHT/GROMMET – CENTER (BL or BR)
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
676	n/a
697	n/a
718	n/a
741	n/a
761	761
784	784
806	806
827	827
849	849
870	870
892	892
914	914
936	936
n/a	n/a
n/a	n/a

Pricing is continued on the following page.

## J N W D S E

### Double-Sided Rectangular Worksurface – Exposed Beam (Continued)

DIMENSIONS  
INCHES / MM

PRICING

D	W	ACCESS DOOR – JUSTIF. – OR OPP./GROMM. – CENTER (BA or BO) OR END ACCESS DOOR/GROMMET – CENTER (ER) (CON'T)	ACCESS DOOR – OFFSET LEFT OR RIGHT/GROMMET – CENTER (BL or BR) (CON'T)
60 / 1524	30 / 762	n/a	n/a
60 / 1524	33 / 838	n/a	n/a
60 / 1524	36 / 914	n/a	n/a
60 / 1524	39 / 991	n/a	n/a
60 / 1524	42 / 1067	n/a	n/a
60 / 1524	45 / 1143	n/a	n/a
60 / 1524	48 / 1219	761	n/a
60 / 1524	51 / 1295	789	n/a
60 / 1524	54 / 1372	815	n/a
60 / 1524	57 / 1448	842	n/a
60 / 1524	60 / 1524	869	869
60 / 1524	63 / 1600	896	896
60 / 1524	66 / 1676	922	922
60 / 1524	69 / 1753	948	948
60 / 1524	72 / 1829	976	976
60 / 1524	75 / 1905	1001	1001
60 / 1524	78 / 1981	1028	1028
60 / 1524	81 / 2057	1055	1055
60 / 1524	84 / 2134	1082	1082
60 / 1524	90 / 2286	n/a	n/a
60 / 1524	96 / 2438	n/a	n/a