


## J N W D S E

### Double-Sided Rectangular Worksurface – Exposed Beam



This worksurface provides a primary or secondary surface for two users in multiple applications. The width is adapted to expose the beam laterally.

#### WHAT'S INCLUDED

1 worksurface, 4 wire management clips, grommets or access doors (if specified) and cable trays (not included with None (NN) option).

#### WHAT'S EXCLUDED

Structural Beam, Chicago Structural Beam, Supports, Worksurface Reinforcement Channel, Cable Tray for Access Door and Square Grommet Cover.

#### NOTES

Power and Data Access options are not all available for every dimensions. Refer to specification software for available options.

When Power and Data Access option (GB, GC, SA, SL, SO or SR) is specified, the Access Door Finish (NA) must be specified.

When Power and Data Access option (AA, AC, AL, AO or AR) is specified, the Grommet Finish (NA) must be specified.

When Power and Data Access option (NN) is specified, the Access Door (NA) and Grommet (NA) Finishes must be specified.

#### PRODUCT OPTIONS

Lateral Beam Configuration	Depth	Width	Power and Data Access
<b>D</b> Double-Sided Beam	36, 48, 60	24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78, 81, 84, 90, 96	<b>AC</b> Access Door – Center <b>AL</b> Access Door – Offset Left <b>AR</b> Access Door – Offset Right <b>AO</b> Access Door – Justified – Opposite <b>AA</b> Access Door – Justified – Adjacent <b>BL</b> Access Door – Offset Left/Grommet – Center <b>BR</b> Access Door – Offset Right/Grommet – Center <b>BO</b> Access Door – Justified – Opposite/Grommet – Center <b>BA</b> Access Door – Justified – Adjacent/Grommet – Center <b>ER</b> End Access Door/Grommet – Center <b>GB</b> Grommets – Both <b>GC</b> Grommet – Center <b>SL</b> Square Cut-Out – Offset Left/Grommet – Center <b>SR</b> Square Cut-Out – Offset Right/Grommet – Center <b>SO</b> Square Cut-Out – Justified – Opposite/Grommet – Center <b>SA</b> Square Cut-Out – Justified – Adjacent/Grommet – Center <b>NN</b> None (Shown)
<b>S</b> Single-Sided Beam			

#### SAMPLE ORDER CODE

<b>JNWDSE D</b>	<b>48</b>	<b>60</b>	<b>BL</b>
-----------------	-----------	-----------	-----------

#### PRODUCT OPTIONS CONTINUED

Screen Mounting Holes	Worksurface Finish	User Edge Trim Style	Edge Trim Finish	Access Door Finish	Grommet Finish
<b>W</b> With Mounting Holes	Foundation Laminate	<b>6</b> 3 mm Straight Trim	Edge Trim Colors	Foundation	Foundation
<b>N</b> No Mounting Holes		<b>8</b> 1.5 mm Flat Trim		Mica	Mica
				Accent	Accent
				<b>NA</b> Not Applicable	<b>NA</b> Not Applicable

#### SAMPLE ORDER CODE

<b>N</b>	<b>LW</b>	<b>6</b>	<b>ST</b>	<b>60</b>	<b>60</b>
----------	-----------	----------	-----------	-----------	-----------

See Pricing on the following page.

**J N W D S E**  
**Double-Sided Rectangular**  
**Worksurface – Exposed Beam (Continued)**

**DIMENSIONS**  
**INCHES / MM**

**PRICING**

D	W	GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – JUSTIF. – ADJAC. OR OPP./GROMM. – CENTER (SA or SO)	SQUARE CUT-OUT – OFF. LEFT OR RIGHT/GROMM. – CENTER (SL or SR)
36 / 914	24 / 610	n/a	302	302		n/a
36 / 914	27 / 686	n/a	324	324		n/a
36 / 914	30 / 762	n/a	345	345		n/a
36 / 914	33 / 838	n/a	362	362		n/a
36 / 914	36 / 914	n/a	383	383		n/a
36 / 914	39 / 991	n/a	405	405		n/a
36 / 914	42 / 1067	n/a	425	425		n/a
36 / 914	45 / 1143	n/a	445	445		n/a
36 / 914	48 / 1219	465	465	465		465
36 / 914	51 / 1295	485	485	485		485
36 / 914	54 / 1372	505	505	505		505
36 / 914	57 / 1448	528	528	528		528
36 / 914	60 / 1524	548	548	548		548
36 / 914	63 / 1600	566	566	566		566
36 / 914	66 / 1676	587	587	587		587
36 / 914	69 / 1753	609	609	609		609
36 / 914	72 / 1829	626	626	626		626
36 / 914	75 / 1905	648	648	648		648
36 / 914	78 / 1981	666	666	666		666
36 / 914	81 / 2057	686	686	686		686
36 / 914	84 / 2134	706	706	706		706
36 / 914	90 / 2286	747	n/a	747		n/a
36 / 914	96 / 2438	788	n/a	788		n/a
48 / 1219	24 / 610	n/a	358	358		n/a
48 / 1219	27 / 686	n/a	384	384		n/a
48 / 1219	30 / 762	n/a	411	411		n/a
48 / 1219	33 / 838	n/a	438	438		n/a
48 / 1219	36 / 914	n/a	465	465		n/a
48 / 1219	39 / 991	n/a	492	492		n/a
48 / 1219	42 / 1067	n/a	521	521		n/a
48 / 1219	45 / 1143	n/a	544	544		n/a
48 / 1219	48 / 1219	572	572	572		572
48 / 1219	51 / 1295	597	597	597		597
48 / 1219	54 / 1372	623	623	623		623
48 / 1219	57 / 1448	651	651	651		651
48 / 1219	60 / 1524	676	676	676		676
48 / 1219	63 / 1600	703	703	703		703
48 / 1219	66 / 1676	730	730	730		730
48 / 1219	69 / 1753	754	754	754		754
48 / 1219	72 / 1829	780	780	780		780
48 / 1219	75 / 1905	806	806	806		806
48 / 1219	78 / 1981	832	832	832		832
48 / 1219	81 / 2057	858	858	858		858
48 / 1219	84 / 2134	885	885	885		885
48 / 1219	90 / 2286	937	n/a	937		n/a
48 / 1219	96 / 2438	988	n/a	988		n/a

Pricing is continued on the following page.

J N W D S E

**Double-Sided Rectangular  
Worksurface – Exposed Beam (Continued)**

DIMENSIONS  
INCHES / MM

PRICING

D	W	GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – JUSTIF. – ADJAC. OR OPP./GROMM. – CENTER (SA or SO)	SQUARE CUT-OUT – OFF. LEFT OR RIGHT/GROMM. – CENTER (SL or SR)
60 / 1524	24 / 610	n/a	414	414		n/a
60 / 1524	27 / 686	n/a	448	448		n/a
60 / 1524	30 / 762	n/a	480	480		n/a
60 / 1524	33 / 838	n/a	514	514		n/a
60 / 1524	36 / 914	n/a	548	548		n/a
60 / 1524	39 / 991	n/a	580	580		n/a
60 / 1524	42 / 1067	n/a	612	612		n/a
60 / 1524	45 / 1143	n/a	645	645		n/a
60 / 1524	48 / 1219	676	676	676		676
60 / 1524	51 / 1295	708	708	708		708
60 / 1524	54 / 1372	739	739	739		739
60 / 1524	57 / 1448	773	773	773		773
60 / 1524	60 / 1524	805	805	805		805
60 / 1524	63 / 1600	836	836	836		836
60 / 1524	66 / 1676	868	868	868		868
60 / 1524	69 / 1753	901	901	901		901
60 / 1524	72 / 1829	935	935	935		935
60 / 1524	75 / 1905	966	966	966		966
60 / 1524	78 / 1981	999	999	999		999
60 / 1524	81 / 2057	1030	1030	1030		1030
60 / 1524	84 / 2134	1061	1061	1061		1061
60 / 1524	90 / 2286	n/a	n/a	n/a		n/a
60 / 1524	96 / 2438	n/a	n/a	n/a		n/a

D	W	ACCESS DOOR – CENTER (AC)	ACCESS DOOR – JUSTIFIED – ADJACENT OR OPPOSITE (AA or AO)	ACCESS DOOR – OFFSET LEFT OR RIGHT (AL or AR)
48 / 1219	30 / 762	654	n/a	n/a
48 / 1219	33 / 838	n/a	682	n/a
48 / 1219	36 / 914	709	709	n/a
48 / 1219	39 / 991	n/a	735	n/a
48 / 1219	42 / 1067	763	763	n/a
48 / 1219	45 / 1143	n/a	789	n/a
48 / 1219	48 / 1219	n/a	817	n/a
48 / 1219	51 / 1295	n/a	842	n/a
48 / 1219	54 / 1372	n/a	867	n/a
48 / 1219	57 / 1448	n/a	894	n/a
48 / 1219	60 / 1524	n/a	919	919
48 / 1219	63 / 1600	n/a	947	947
48 / 1219	66 / 1676	973	973	973
48 / 1219	69 / 1753	n/a	999	999
48 / 1219	72 / 1829	1025	1025	1025
48 / 1219	75 / 1905	n/a	1051	1051
48 / 1219	78 / 1981	1078	1078	1078
48 / 1219	81 / 2057	n/a	1103	1103
48 / 1219	84 / 2134	1130	1130	1130
48 / 1219	90 / 2286	n/a	1181	1181
48 / 1219	96 / 2438	n/a	1233	1233

Pricing is continued on the following page.

**J N W D S E**  
**Double-Sided Rectangular**  
**Worksurface – Exposed Beam (Continued)**

**DIMENSIONS**  
**INCHES / MM**

**PRICING**

D	W
60 / 1524	30 / 762
60 / 1524	33 / 838
60 / 1524	36 / 914
60 / 1524	39 / 991
60 / 1524	42 / 1067
60 / 1524	45 / 1143
60 / 1524	48 / 1219
60 / 1524	51 / 1295
60 / 1524	54 / 1372
60 / 1524	57 / 1448
60 / 1524	60 / 1524
60 / 1524	63 / 1600
60 / 1524	66 / 1676
60 / 1524	69 / 1753
60 / 1524	72 / 1829
60 / 1524	75 / 1905
60 / 1524	78 / 1981
60 / 1524	81 / 2057
60 / 1524	84 / 2134
60 / 1524	90 / 2286
60 / 1524	96 / 2438

ACCESS DOOR – CENTER (AC) (CONTINUED)	ACCESS DOOR – JUSTIFIED – ADJACENT OR OPPOSITE (AA or AO) (CON'T)	ACCESS DOOR – OFFSET LEFT OR RIGHT (AL or AR) (CON'T)
727	n/a	n/a
n/a	759	n/a
791	791	n/a
n/a	824	n/a
856	856	n/a
n/a	887	n/a
n/a	919	n/a
n/a	952	n/a
n/a	984	n/a
n/a	1017	n/a
n/a	1050	1050
n/a	1082	1082
1114	1114	1114
n/a	1145	1145
1179	1179	1179
n/a	1209	1209
1241	1241	1241
n/a	1274	1274
1306	1306	1306
n/a	n/a	n/a
n/a	n/a	n/a

48 / 1219	30 / 762
48 / 1219	33 / 838
48 / 1219	36 / 914
48 / 1219	39 / 991
48 / 1219	42 / 1067
48 / 1219	45 / 1143
48 / 1219	48 / 1219
48 / 1219	51 / 1295
48 / 1219	54 / 1372
48 / 1219	57 / 1448
48 / 1219	60 / 1524
48 / 1219	63 / 1600
48 / 1219	66 / 1676
48 / 1219	69 / 1753
48 / 1219	72 / 1829
48 / 1219	75 / 1905
48 / 1219	78 / 1981
48 / 1219	81 / 2057
48 / 1219	84 / 2134
48 / 1219	90 / 2286
48 / 1219	96 / 2438

ACCESS DOOR – JUSTIF. – OR OPP./GROMM. – CENTER (BA or BO) OR END ACCESS DOOR/GROMMET – CENTER (ER)	ACCESS DOOR – OFFSET LEFT OR RIGHT/GROMMET – CENTER (BL or BR)
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
817	n/a
842	n/a
867	n/a
894	n/a
919	919
947	947
973	973
999	999
1025	1025
1051	1051
1078	1078
1103	1103
1130	1130
n/a	n/a
n/a	n/a

Pricing is continued on the following page.

J N W D S E

**Double-Sided Rectangular  
Worksurface – Exposed Beam (Continued)**

**DIMENSIONS  
INCHES / MM**

**PRICING**

D	W	ACCESS DOOR – JUSTIF. – OR OPP./GROMM. – CENTER (BA or BO) OR END ACCESS DOOR/GROMMET – CENTER (ER) (CON'T)	ACCESS DOOR – OFFSET LEFT OR RIGHT/GROMMET – CENTER (BL or BR) (CON'T)
60 / 1524	30 / 762	n/a	n/a
60 / 1524	33 / 838	n/a	n/a
60 / 1524	36 / 914	n/a	n/a
60 / 1524	39 / 991	n/a	n/a
60 / 1524	42 / 1067	n/a	n/a
60 / 1524	45 / 1143	n/a	n/a
60 / 1524	48 / 1219	919	n/a
60 / 1524	51 / 1295	952	n/a
60 / 1524	54 / 1372	984	n/a
60 / 1524	57 / 1448	1017	n/a
60 / 1524	60 / 1524	1050	1050
60 / 1524	63 / 1600	1082	1082
60 / 1524	66 / 1676	1114	1114
60 / 1524	69 / 1753	1145	1145
60 / 1524	72 / 1829	1179	1179
60 / 1524	75 / 1905	1209	1209
60 / 1524	78 / 1981	1241	1241
60 / 1524	81 / 2057	1274	1274
60 / 1524	84 / 2134	1306	1306
60 / 1524	90 / 2286	n/a	n/a
60 / 1524	96 / 2438	n/a	n/a

