


J N W D S E

Double-Sided Rectangular Worksurface – Exposed Beam



This worksurface provides a primary or secondary surface for two users in multiple applications. The width is adapted to expose the beam laterally.

WHAT'S INCLUDED

1 worksurface, 4 wire management clips, grommets or access doors (if specified) and cable trays (not included with None (NN) option).

WHAT'S EXCLUDED

Structural Beam, Chicago Structural Beam, Supports, Worksurface Reinforcement Channel, Cable Tray for Access Door and Square Grommet Cover.

NOTES

Power and Data Access options are not all available for every dimensions. Refer to specification software for available options.

When Power and Data Access option (GB, GC, SA, SL, SO or SR) is specified, the Access Door Finish (NA) must be specified.

When Power and Data Access option (AA, AC, AL, AO or AR) is specified, the Grommet Finish (NA) must be specified.

When Power and Data Access option (NN) is specified, the Access Door (NA) and Grommet (NA) Finishes must be specified.

590

PRODUCT OPTIONS

Lateral Beam Configuration	Depth	Width	Power and Data Access
D Double-Sided Beam	36, 48, 60	24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78, 81, 84, 90, 96	AC Access Door – Center AL Access Door – Offset Left AR Access Door – Offset Right AO Access Door – Justified – Opposite AA Access Door – Justified – Adjacent BL Access Door – Offset Left/Grommet – Center BR Access Door – Offset Right/Grommet – Center BO Access Door – Justified – Opposite/Grommet – Center BA Access Door – Justified – Adjacent/Grommet – Center ER End Access Door/Grommet – Center GB Grommets – Both GC Grommet – Center SL Square Cut-Out – Offset Left/Grommet – Center SR Square Cut-Out – Offset Right/Grommet – Center SO Square Cut-Out – Justified – Opposite/Grommet – Center SA Square Cut-Out – Justified – Adjacent/Grommet – Center NN None (Shown)
S Single-Sided Beam			

SAMPLE ORDER CODE

JNWDSE D	48	60	BL
-----------------	-----------	-----------	-----------

PRODUCT OPTIONS CONTINUED

Screen Mounting Holes	Worksurface Finish	User Edge Trim Style	Edge Trim Finish	Access Door Finish	Grommet Finish
W With Mounting Holes	Foundation Laminate	6 3 mm Straight Trim 8 1.5 mm Flat Trim	Edge Trim Colors	Foundation Mica Accent NA Not Applicable	25 Crisp Grey
N No Mounting Holes					26 Soft Gris
					60 Platinum
					68 Anthracite
					74 Storm White
					83 Very White
					NA Not Applicable

SAMPLE ORDER CODE

N	LW	6	ST	60	60
----------	-----------	----------	-----------	-----------	-----------

See Pricing on the following page.

J N W D S E
Double-Sided Rectangular
Worksurface – Exposed Beam (Continued)

DIMENSIONS
INCHES / MM

D	W
36 / 914	24 / 610
36 / 914	27 / 686
36 / 914	30 / 762
36 / 914	33 / 838
36 / 914	36 / 914
36 / 914	39 / 991
36 / 914	42 / 1067
36 / 914	45 / 1143
36 / 914	48 / 1219
36 / 914	51 / 1295
36 / 914	54 / 1372
36 / 914	57 / 1448
36 / 914	60 / 1524
36 / 914	63 / 1600
36 / 914	66 / 1676
36 / 914	69 / 1753
36 / 914	72 / 1829
36 / 914	75 / 1905
36 / 914	78 / 1981
36 / 914	81 / 2057
36 / 914	84 / 2134
36 / 914	90 / 2286
36 / 914	96 / 2438
48 / 1219	24 / 610
48 / 1219	27 / 686
48 / 1219	30 / 762
48 / 1219	33 / 838
48 / 1219	36 / 914
48 / 1219	39 / 991
48 / 1219	42 / 1067
48 / 1219	45 / 1143
48 / 1219	48 / 1219
48 / 1219	51 / 1295
48 / 1219	54 / 1372
48 / 1219	57 / 1448
48 / 1219	60 / 1524
48 / 1219	63 / 1600
48 / 1219	66 / 1676
48 / 1219	69 / 1753
48 / 1219	72 / 1829
48 / 1219	75 / 1905
48 / 1219	78 / 1981
48 / 1219	81 / 2057
48 / 1219	84 / 2134
48 / 1219	90 / 2286
48 / 1219	96 / 2438

PRICING

GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – JUSTIF. – ADJAC. OR OPP./GROMM. – CENTER (SA or SO)	SQUARE CUT-OUT – OFF. LEFT OR RIGHT/GROMM. – CENTER (SL or SR)
n/a	230	230		n/a
n/a	246	246		n/a
n/a	261	261		n/a
n/a	276	276		n/a
n/a	291	291		n/a
n/a	307	307		n/a
n/a	323	323		n/a
n/a	339	339		n/a
353	353	353		353
369	369	369		369
384	384	384		384
401	401	401		401
416	416	416		416
431	431	431		431
446	446	446		446
462	462	462		462
477	477	477		477
493	493	493		493
506	506	506		506
522	522	522		522
537	537	537		537
568	n/a	568		n/a
598	n/a	598		n/a
n/a	273	273		n/a
n/a	292	292		n/a
n/a	312	312		n/a
n/a	333	333		n/a
n/a	353	353		n/a
n/a	373	373		n/a
n/a	395	395		n/a
n/a	414	414		n/a
435	435	435		435
455	455	455		455
474	474	474		474
495	495	495		495
514	514	514		514
534	534	534		534
554	554	554		554
573	573	573		573
593	593	593		593
613	613	613		613
633	633	633		633
653	653	653		653
673	673	673		673
712	n/a	712		n/a
751	n/a	751		n/a

Pricing is continued on the following page.

J N W D S E

**Double-Sided Rectangular
Worksurface – Exposed Beam (Continued)**

DIMENSIONS
INCHES / MM

PRICING

D	W	GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – JUSTIF. – ADJAC. OR OPP./GROMM. – CENTER (SA or SO) SQUARE CUT-OUT – OFF. LEFT OR RIGHT/GROMM. – CENTER (SL or SR)
60 / 1524	24 / 610	n/a	315	315	n/a
60 / 1524	27 / 686	n/a	341	341	n/a
60 / 1524	30 / 762	n/a	366	366	n/a
60 / 1524	33 / 838	n/a	391	391	n/a
60 / 1524	36 / 914	n/a	416	416	n/a
60 / 1524	39 / 991	n/a	440	440	n/a
60 / 1524	42 / 1067	n/a	465	465	n/a
60 / 1524	45 / 1143	n/a	490	490	n/a
60 / 1524	48 / 1219	514	514	514	514
60 / 1524	51 / 1295	538	538	538	538
60 / 1524	54 / 1372	562	562	562	562
60 / 1524	57 / 1448	588	588	588	588
60 / 1524	60 / 1524	612	612	612	612
60 / 1524	63 / 1600	636	636	636	636
60 / 1524	66 / 1676	660	660	660	660
60 / 1524	69 / 1753	685	685	685	685
60 / 1524	72 / 1829	710	710	710	710
60 / 1524	75 / 1905	734	734	734	734
60 / 1524	78 / 1981	759	759	759	759
60 / 1524	81 / 2057	783	783	783	783
60 / 1524	84 / 2134	807	807	807	807
60 / 1524	90 / 2286	n/a	n/a	n/a	n/a
60 / 1524	96 / 2438	n/s	n/a	n/a	n/a

592

D	W	ACCESS DOOR – CENTER (AC)	ACCESS DOOR – JUSTIFIED – ADJACENT OR OPPOSITE (AA or AO)	ACCESS DOOR – OFFSET LEFT OR RIGHT (AL or AR)
48 / 1219	30 / 762	498	n/a	n/a
48 / 1219	33 / 838	n/a	519	n/a
48 / 1219	36 / 914	539	539	n/a
48 / 1219	39 / 991	n/a	559	n/a
48 / 1219	42 / 1067	580	580	n/a
48 / 1219	45 / 1143	n/a	599	n/a
48 / 1219	48 / 1219	n/a	620	n/a
48 / 1219	51 / 1295	n/a	640	n/a
48 / 1219	54 / 1372	n/a	659	n/a
48 / 1219	57 / 1448	n/a	680	n/a
48 / 1219	60 / 1524	n/a	699	699
48 / 1219	63 / 1600	n/a	720	720
48 / 1219	66 / 1676	740	740	740
48 / 1219	69 / 1753	n/a	759	759
48 / 1219	72 / 1829	779	779	779
48 / 1219	75 / 1905	n/a	799	799
48 / 1219	78 / 1981	819	819	819
48 / 1219	81 / 2057	n/a	839	839
48 / 1219	84 / 2134	859	859	859
48 / 1219	90 / 2286	n/a	898	898
48 / 1219	96 / 2438	n/a	937	937

Pricing is continued on the following page.

J N W D S E
Double-Sided Rectangular
Worksurface – Exposed Beam (Continued)

DIMENSIONS
INCHES / MM

D	W
60 / 1524	30 / 762
60 / 1524	33 / 838
60 / 1524	36 / 914
60 / 1524	39 / 991
60 / 1524	42 / 1067
60 / 1524	45 / 1143
60 / 1524	48 / 1219
60 / 1524	51 / 1295
60 / 1524	54 / 1372
60 / 1524	57 / 1448
60 / 1524	60 / 1524
60 / 1524	63 / 1600
60 / 1524	66 / 1676
60 / 1524	69 / 1753
60 / 1524	72 / 1829
60 / 1524	75 / 1905
60 / 1524	78 / 1981
60 / 1524	81 / 2057
60 / 1524	84 / 2134
60 / 1524	90 / 2286
60 / 1524	96 / 2438

PRICING

ACCESS DOOR – CENTER (AC) (CONTINUED)	ACCESS DOOR – JUSTIFIED – ADJACENT OR OPPOSITE (AA or AO) (CON'T)	ACCESS DOOR – OFFSET LEFT OR RIGHT (AL or AR) (CON'T)
552	n/a	n/a
n/a	576	n/a
601	601	n/a
n/a	626	n/a
651	651	n/a
n/a	675	n/a
n/a	699	n/a
n/a	724	n/a
n/a	748	n/a
n/a	773	n/a
n/a	798	798
n/a	822	822
846	846	846
n/a	870	870
896	896	896
n/a	919	919
944	944	944
n/a	968	968
993	993	993
n/a	n/a	n/a
n/a	n/a	n/a

48 / 1219	30 / 762
48 / 1219	33 / 838
48 / 1219	36 / 914
48 / 1219	39 / 991
48 / 1219	42 / 1067
48 / 1219	45 / 1143
48 / 1219	48 / 1219
48 / 1219	51 / 1295
48 / 1219	54 / 1372
48 / 1219	57 / 1448
48 / 1219	60 / 1524
48 / 1219	63 / 1600
48 / 1219	66 / 1676
48 / 1219	69 / 1753
48 / 1219	72 / 1829
48 / 1219	75 / 1905
48 / 1219	78 / 1981
48 / 1219	81 / 2057
48 / 1219	84 / 2134
48 / 1219	90 / 2286
48 / 1219	96 / 2438

ACCESS DOOR – JUSTIF. – OR OPP./GROMM. – CENTER (BA or BO) OR END ACCESS DOOR/GROMMET – CENTER (ER)	ACCESS DOOR – OFFSET LEFT OR RIGHT/GROMMET – CENTER (BL or BR)
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
620	n/a
640	n/a
659	n/a
680	n/a
699	699
720	720
740	740
759	759
779	779
799	799
819	819
839	839
859	859
n/a	n/a
n/a	n/a

Pricing is continued on the following page.

J N W D S E

**Double-Sided Rectangular
Worksurface – Exposed Beam (Continued)**

**DIMENSIONS
INCHES / MM**

PRICING

DIMENSIONS INCHES / MM		ACCESS DOOR – JUSTIF. – OR OPP./GROMM. – CENTER (BA or BO) OR END ACCESS DOOR/GROMMET – CENTER (ER) (CON'T)	ACCESS DOOR – OFFSET LEFT OR RIGHT/GROMMET – CENTER (BL or BR) (CON'T)
D	W		
60 / 1524	30 / 762	n/a	n/a
60 / 1524	33 / 838	n/a	n/a
60 / 1524	36 / 914	n/a	n/a
60 / 1524	39 / 991	n/a	n/a
60 / 1524	42 / 1067	n/a	n/a
60 / 1524	45 / 1143	n/a	n/a
60 / 1524	48 / 1219	699	n/a
60 / 1524	51 / 1295	724	n/a
60 / 1524	54 / 1372	748	n/a
60 / 1524	57 / 1448	773	n/a
60 / 1524	60 / 1524	798	798
60 / 1524	63 / 1600	822	822
60 / 1524	66 / 1676	846	846
60 / 1524	69 / 1753	870	870
60 / 1524	72 / 1829	896	896
60 / 1524	75 / 1905	919	919
60 / 1524	78 / 1981	944	944
60 / 1524	81 / 2057	968	968
60 / 1524	84 / 2134	993	993
60 / 1524	90 / 2286	n/a	n/a
60 / 1524	96 / 2438	n/a	n/a

594