


## J N W D S N

### Double-Sided Rectangular Worksurface



This worksurface provides a primary or secondary surface for two users in multiple applications.

#### WHAT'S INCLUDED

1 worksurface, 4 wire management clips, grommets or access doors (if specified) and cable trays (**not** included with None (NN) option).

#### WHAT'S EXCLUDED

Structural Beam, Chicago Structural Beam, Supports, Worksurface Reinforcement Channel, Cable Tray for Access Door and Square Grommet Cover.

#### NOTES

Power and Data Access options are not all available for every dimensions. Refer to specification software for available options.

When Power and Data Access option (GB, GC, SJ, SL or SR) is specified, the Access Door Finish (NA) must be specified.

When Power and Data Access option (AC, AJ, AL or AR) is specified, the Grommet Finish (NA) must be specified.

When Power and Data Access option (NN) is specified, the Access Door (NA) and Grommet (NA) Finishes must be specified.

584

#### PRODUCT OPTIONS

Depth	Width	Power and Data Access
36, 48, 60	24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78, 81, 84, 90, 96	<b>AC</b> Access Door – Center <b>AL</b> Access Door – Offset Left <b>AR</b> Access Door – Offset Right <b>AJ</b> Access Door – Justified <b>BL</b> Access Door – Offset Left/Grommet – Center <b>BR</b> Access Door – Offset Right/Grommet – Center <b>BJ</b> Access Door – Justified/Grommet – Center <b>ER</b> End Access Door/Grommet – Center <b>GB</b> Grommets – Both <b>GC</b> Grommet – Center <b>SL</b> Square Cut-Out – Offset Left/Grommet – Center <b>SR</b> Square Cut-Out – Offset Right/Grommet – Center <b>SJ</b> Square Cut-Out – Justified/Grommet – Center <b>NN</b> None (Shown)

#### SAMPLE ORDER CODE

<b>JNWDSN 48</b>	<b>60</b>	<b>BL</b>
------------------	-----------	-----------

#### PRODUCT OPTIONS CONTINUED

Screen Mounting Holes	Worksurface Finish	User Edge Trim Style	Edge Trim Finish	Access Door Finish	Grommet Finish
<b>W</b> With Mounting Holes	Foundation Laminate	<b>6</b> 3 mm Straight Trim	Edge Trim Colors	Foundation	<b>25</b> Crisp Grey
<b>N</b> No Mounting Holes		<b>8</b> 1.5 mm Flat Trim		Mica	<b>26</b> Soft Gris
				Accent	<b>60</b> Platinum
				<b>NA</b> Not Applicable	<b>68</b> Anthracite
					<b>74</b> Storm White
					<b>83</b> Very White
					<b>NA</b> Not Applicable

#### SAMPLE ORDER CODE

<b>N</b>	<b>LW</b>	<b>6</b>	<b>ST</b>	<b>60</b>	<b>60</b>
----------	-----------	----------	-----------	-----------	-----------

See Pricing on the following page.

**J N W D S N**  
**Double-Sided Rectangular**  
**Worksurface (Continued)**

**DIMENSIONS**  
INCHES / MM**PRICING**

D	W	GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – OFFSET LEFT OR RIGHT/GROMM. – CENTER (SL or SR) SQUARE CUT-OUT – JUSTIFIED/GROMMET – CENTER (SJ)
36 / 914	24 / 610	n/a	230	230	n/a
36 / 914	27 / 686	n/a	246	246	n/a
36 / 914	30 / 762	n/a	261	261	n/a
36 / 914	33 / 838	n/a	276	276	n/a
36 / 914	36 / 914	n/a	291	291	n/a
36 / 914	39 / 991	n/a	307	307	n/a
36 / 914	42 / 1067	n/a	323	323	n/a
36 / 914	45 / 1143	n/a	339	339	n/a
36 / 914	48 / 1219	353	353	353	353
36 / 914	51 / 1295	369	369	369	369
36 / 914	54 / 1372	384	384	384	384
36 / 914	57 / 1448	401	401	401	401
36 / 914	60 / 1524	416	416	416	416
36 / 914	63 / 1600	431	431	431	431
36 / 914	66 / 1676	446	446	446	446
36 / 914	69 / 1753	462	462	462	462
36 / 914	72 / 1829	477	477	477	477
36 / 914	75 / 1905	493	493	493	493
36 / 914	78 / 1981	506	506	506	506
36 / 914	81 / 2057	522	522	522	522
36 / 914	84 / 2134	537	537	537	537
36 / 914	90 / 2286	568	n/a	568	n/a
36 / 914	96 / 2438	598	n/a	598	n/a
48 / 1219	24 / 610	n/a	273	273	n/a
48 / 1219	27 / 686	n/a	292	292	n/a
48 / 1219	30 / 762	n/a	312	312	n/a
48 / 1219	33 / 838	n/a	333	333	n/a
48 / 1219	36 / 914	n/a	353	353	n/a
48 / 1219	39 / 991	n/a	373	373	n/a
48 / 1219	42 / 1067	n/a	395	395	n/a
48 / 1219	45 / 1143	n/a	414	414	n/a
48 / 1219	48 / 1219	435	435	435	435
48 / 1219	51 / 1295	455	455	455	455
48 / 1219	54 / 1372	474	474	474	474
48 / 1219	57 / 1448	495	495	495	495
48 / 1219	60 / 1524	514	514	514	514
48 / 1219	63 / 1600	534	534	534	534
48 / 1219	66 / 1676	554	554	554	554
48 / 1219	69 / 1753	573	573	573	573
48 / 1219	72 / 1829	593	593	593	593
48 / 1219	75 / 1905	613	613	613	613
48 / 1219	78 / 1981	633	633	633	633
48 / 1219	81 / 2057	653	653	653	653
48 / 1219	84 / 2134	673	673	673	673
48 / 1219	90 / 2286	712	n/a	712	n/a
48 / 1219	96 / 2438	751	n/a	751	n/a

Pricing is continued on the following page.

J N W D S N

Double-Sided Rectangular Worksurface (Continued)

DIMENSIONS  
INCHES / MM

D	W
60 / 1524	24 / 610
60 / 1524	27 / 686
60 / 1524	30 / 762
60 / 1524	33 / 838
60 / 1524	36 / 914
60 / 1524	39 / 991
60 / 1524	42 / 1067
60 / 1524	45 / 1143
60 / 1524	48 / 1219
60 / 1524	51 / 1295
60 / 1524	54 / 1372
60 / 1524	57 / 1448
60 / 1524	60 / 1524
60 / 1524	63 / 1600
60 / 1524	66 / 1676
60 / 1524	69 / 1753
60 / 1524	72 / 1829
60 / 1524	75 / 1905
60 / 1524	78 / 1981
60 / 1524	81 / 2057
60 / 1524	84 / 2134
60 / 1524	90 / 2286
60 / 1524	96 / 2438

PRICING

GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – OFFSET LEFT OR RIGHT/GROMM. – CENTER (SL or SR)	SQUARE CUT-OUT – JUSTIFIED/GROMMET – CENTER (SJ)
n/a	315	315		n/a
n/a	341	341		n/a
n/a	366	366		n/a
n/a	391	391		n/a
n/a	416	416		n/a
n/a	440	440		n/a
n/a	465	465		n/a
n/a	490	490		n/a
514	514	514		514
538	538	538		538
562	562	562		562
588	588	588		588
612	612	612		612
636	636	636		636
660	660	660		660
685	685	685		685
710	710	710		710
734	734	734		734
759	759	759		759
783	783	783		783
807	807	807		807
n/a	n/a	n/a		n/a
n/a	n/a	n/a		n/a

586

ACCESS DOOR – CENTER (AC)	ACCESS DOOR – JUSTIFIED (AJ)	ACCESS DOOR – LEFT OR RIGHT (AL or AR)		
48 / 1219	30 / 762	498	n/a	n/a
48 / 1219	33 / 838	n/a	519	n/a
48 / 1219	36 / 914	539	539	n/a
48 / 1219	39 / 991	n/a	559	n/a
48 / 1219	42 / 1067	580	580	n/a
48 / 1219	45 / 1143	n/a	599	n/a
48 / 1219	48 / 1219	n/a	620	n/a
48 / 1219	51 / 1295	n/a	640	n/a
48 / 1219	54 / 1372	n/a	659	n/a
48 / 1219	57 / 1448	n/a	680	n/a
48 / 1219	60 / 1524	n/a	699	699
48 / 1219	63 / 1600	n/a	720	720
48 / 1219	66 / 1676	740	740	740
48 / 1219	69 / 1753	n/a	759	759
48 / 1219	72 / 1829	779	779	779
48 / 1219	75 / 1905	n/a	799	799
48 / 1219	78 / 1981	819	819	819
48 / 1219	81 / 2057	n/a	839	839
48 / 1219	84 / 2134	859	859	859
48 / 1219	90 / 2286	n/a	898	898
48 / 1219	96 / 2438	n/a	937	937

Pricing is continued on the following page.

**J N W D S N**  
**Double-Sided Rectangular**  
**Worksurface (Continued)**

**DIMENSIONS**  
**INCHES / MM**

D	W
60 / 1524	30 / 762
60 / 1524	33 / 838
60 / 1524	36 / 914
60 / 1524	39 / 991
60 / 1524	42 / 1067
60 / 1524	45 / 1143
60 / 1524	48 / 1219
60 / 1524	51 / 1295
60 / 1524	54 / 1372
60 / 1524	57 / 1448
60 / 1524	60 / 1524
60 / 1524	63 / 1600
60 / 1524	66 / 1676
60 / 1524	69 / 1753
60 / 1524	72 / 1829
60 / 1524	75 / 1905
60 / 1524	78 / 1981
60 / 1524	81 / 2057
60 / 1524	84 / 2134
60 / 1524	90 / 2286
60 / 1524	96 / 2438

**PRICING**

ACCESS DOOR – CENTER (AC) (CONTINUED)	ACCESS DOOR – JUSTIFIED (AJ) (CONTINUED)	ACCESS DOOR – LEFT OR RIGHT (AL or AR) (CONTINUED)
552	n/a	n/a
n/a	576	n/a
601	601	n/a
n/a	626	n/a
651	651	n/a
n/a	675	n/a
n/a	699	n/a
n/a	724	n/a
n/a	748	n/a
n/a	773	n/a
n/a	798	798
n/a	822	822
846	846	846
n/a	870	870
896	896	896
n/a	919	919
944	944	944
n/a	968	968
993	993	993
n/a	n/a	n/a
n/a	n/a	n/a

48 / 1219	30 / 762
48 / 1219	33 / 838
48 / 1219	36 / 914
48 / 1219	39 / 991
48 / 1219	42 / 1067
48 / 1219	45 / 1143
48 / 1219	48 / 1219
48 / 1219	51 / 1295
48 / 1219	54 / 1372
48 / 1219	57 / 1448
48 / 1219	60 / 1524
48 / 1219	63 / 1600
48 / 1219	66 / 1676
48 / 1219	69 / 1753
48 / 1219	72 / 1829
48 / 1219	75 / 1905
48 / 1219	78 / 1981
48 / 1219	81 / 2057
48 / 1219	84 / 2134
48 / 1219	90 / 2286
48 / 1219	96 / 2438

ACCESS DOOR – JUSTIFIED/GROMMET – CENTER (BJ) OR END ACCESS DOOR/GROMMET – CENTER (ER)	ACCESS DOOR – OFFSET LEFT OR RIGHT/GROMMET – CENTER (BL or BR)
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
620	n/a
640	n/a
659	n/a
680	n/a
699	699
720	720
740	740
759	759
779	779
799	799
819	819
839	839
859	859
n/a	n/a
n/a	n/a

Pricing is continued on the following page.

J N W D S N

Double-Sided Rectangular  
Worksurface (Continued)

DIMENSIONS  
INCHES / MM

D	W
60 / 1524	30 / 762
60 / 1524	33 / 838
60 / 1524	36 / 914
60 / 1524	39 / 991
60 / 1524	42 / 1067
60 / 1524	45 / 1143
60 / 1524	48 / 1219
60 / 1524	51 / 1295
60 / 1524	54 / 1372
60 / 1524	57 / 1448
60 / 1524	60 / 1524
60 / 1524	63 / 1600
60 / 1524	66 / 1676
60 / 1524	69 / 1753
60 / 1524	72 / 1829
60 / 1524	75 / 1905
60 / 1524	78 / 1981
60 / 1524	81 / 2057
60 / 1524	84 / 2134
60 / 1524	90 / 2286
60 / 1524	96 / 2438

PRICING

ACCESS DOOR – JUSTIFIED/GROMMET – CENTER (BJ) OR END ACCESS DOOR/GROMMET – CENTER (ER) (CONTINUED)	ACCESS DOOR – OFFSET LEFT OR RIGHT/GROMMET – CENTER (BL or BR) (CONTINUED)
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
699	n/a
724	n/a
748	n/a
773	n/a
798	798
822	822
846	846
870	870
896	896
919	919
944	944
968	968
993	993
n/a	n/a
n/a	n/a