


J N W R S E

Single-Sided Rectangular Worksurface – Exposed Beam



This worksurface provides a primary or secondary surface in multiple applications. The width is adapted to expose the beam laterally.

WHAT'S INCLUDED

1 worksurface, 2 wire management clips, grommets or access door (if specified) and cable tray (not included with None (NN) option).

WHAT'S EXCLUDED

Structural Beam, Chicago Structural Beam, Supports, Worksurface Reinforcement Channel, Cable Tray for Access Door and Square Grommet Cover.

NOTES

Power and Data Access options are not all available for every dimensions. Refer to specification software for available options.

When Power and Data Access option (GB, GC, SL or SR) is specified, the Access Door Finish (NA) must be specified.

When Power and Data Access option (AC, AL or AR) is specified, the Grommet Finish (NA) must be specified.

When Power and Data Access option (NN) is specified, the Access Door (NA) and Grommet (NA) Finishes must be specified.

When Power and Data Access option (EL) is specified, the Lateral Beam Position (R) is not applicable.

When Power and Data Access option (ER) is specified, the Lateral Beam Position (L) is not applicable.

PRODUCT OPTIONS

Lateral Beam Configuration	Depth	Width	Power and Data Access
D Double-Sided Beam	18, 24, 30	24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78, 81, 84, 90, 96	AC Access Door – Center
S Single-Sided Beam			AL Access Door – Left
			AR Access Door – Right
			BL Access Door – Left/Grommet – Center
			BR Access Door – Right/Grommet – Center
			EL End Access Door – Left/Grommet – Center
			ER End Access Door – Right/Grommet – Center
			GB Grommets – Both
			GC Grommet – Center
			SL Square Cut-Out – Left/Grommet – Center
			SR Square Cut-Out – Right/Grommet – Center
			NN None (Shown)

SAMPLE ORDER CODE

JNWRSE D	24	60	BL
-----------------	-----------	-----------	-----------

PRODUCT OPTIONS CONTINUED

Lateral Beam Position	Screen Mounting Holes	Worksurface Finish	User Edge Trim Style	Edge Trim Finish	Access Door Finish	Grommet Finish
L Left R Right	W With Mounting Holes	Foundation Laminate	6 3 mm Straight Trim	Edge Trim Colors	Foundation	25 Crisp Grey
	N No Mounting Holes		8 1.5 mm Flat Trim		Mica	26 Soft Gris
					Accent	60 Platinum
					NA Not Applicable	68 Anthracite
						74 Storm White
						83 Very White
						NA Not Applicable

SAMPLE ORDER CODE

L	N	LW	6	ST	60	60
----------	----------	-----------	----------	-----------	-----------	-----------

See Pricing on the following page.

J N W R S E
Single-Sided Rectangular
Worksurface – Exposed Beam (Continued)

DIMENSIONS
INCHES / MM

PRICING

D	W	GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – LEFT OR RIGHT/GROMMET – CENTER (SL or SR)
18 / 457	24 / 610	n/a	167	167	n/a
18 / 457	27 / 686	n/a	174	174	n/a
18 / 457	30 / 762	n/a	185	185	n/a
18 / 457	33 / 838	n/a	193	193	n/a
18 / 457	36 / 914	n/a	202	202	n/a
18 / 457	39 / 991	n/a	212	212	n/a
18 / 457	42 / 1067	n/a	222	222	n/a
18 / 457	45 / 1143	n/a	225	225	n/a
18 / 457	48 / 1219	229	229	229	229
18 / 457	51 / 1295	243	243	243	243
18 / 457	54 / 1372	257	257	257	257
18 / 457	57 / 1448	272	272	272	272
18 / 457	60 / 1524	288	288	288	288
18 / 457	63 / 1600	291	291	291	291
18 / 457	66 / 1676	293	293	293	293
18 / 457	69 / 1753	300	300	300	300
18 / 457	72 / 1829	311	311	311	311
18 / 457	75 / 1905	318	318	318	318
18 / 457	78 / 1981	329	329	329	329
18 / 457	81 / 2057	338	338	338	338
18 / 457	84 / 2134	347	347	347	347
18 / 457	90 / 2286	365	n/a	365	n/a
18 / 457	96 / 2438	384	n/a	384	n/a
24 / 610	24 / 610	n/a	190	190	n/a
24 / 610	27 / 686	n/a	201	201	n/a
24 / 610	30 / 762	n/a	212	212	n/a
24 / 610	33 / 838	n/a	224	224	n/a
24 / 610	36 / 914	n/a	236	236	n/a
24 / 610	39 / 991	n/a	247	247	n/a
24 / 610	42 / 1067	n/a	260	260	n/a
24 / 610	45 / 1143	n/a	270	270	n/a
24 / 610	48 / 1219	281	281	281	281
24 / 610	51 / 1295	294	294	294	294
24 / 610	54 / 1372	305	305	305	305
24 / 610	57 / 1448	316	316	316	316
24 / 610	60 / 1524	329	329	329	329
24 / 610	63 / 1600	340	340	340	340
24 / 610	66 / 1676	352	352	352	352
24 / 610	69 / 1753	364	364	364	364
24 / 610	72 / 1829	376	376	376	376
24 / 610	75 / 1905	388	388	388	388
24 / 610	78 / 1981	398	398	398	398
24 / 610	81 / 2057	411	411	411	411
24 / 610	84 / 2134	421	421	421	421
24 / 610	90 / 2286	445	n/a	445	n/a
24 / 610	96 / 2438	468	n/a	468	n/a

Pricing is continued on the following page.

J N W R S E

Single-Sided Rectangular Worksurface – Exposed Beam (Continued)

DIMENSIONS
INCHES / MM

PRICING

D	W	GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – LEFT OR RIGHT/GROMMET – CENTER (SL or SR)
30 / 762	24 / 610	n/a	212	212	n/a
30 / 762	27 / 686	n/a	226	226	n/a
30 / 762	30 / 762	n/a	242	242	n/a
30 / 762	33 / 838	n/a	253	253	n/a
30 / 762	36 / 914	n/a	269	269	n/a
30 / 762	39 / 991	n/a	284	284	n/a
30 / 762	42 / 1067	n/a	297	297	n/a
30 / 762	45 / 1143	n/a	311	311	n/a
30 / 762	48 / 1219	325	325	325	325
30 / 762	51 / 1295	340	340	340	340
30 / 762	54 / 1372	354	354	354	354
30 / 762	57 / 1448	369	369	369	369
30 / 762	60 / 1524	383	383	383	383
30 / 762	63 / 1600	397	397	397	397
30 / 762	66 / 1676	412	412	412	412
30 / 762	69 / 1753	426	426	426	426
30 / 762	72 / 1829	440	440	440	440
30 / 762	75 / 1905	455	455	455	455
30 / 762	78 / 1981	468	468	468	468
30 / 762	81 / 2057	483	483	483	483
30 / 762	84 / 2134	497	497	497	497
30 / 762	90 / 2286	524	n/a	524	n/a
30 / 762	96 / 2438	553	n/a	553	n/a

D	W	ACCESS DOOR – CENTER (AC)	ACCESS DOOR – LEFT OR RIGHT (AL or AR)	ACCESS DOOR – LEFT OR RIGHT/GROMMET CENTER (BL or BR) OR END ACCESS DOOR – LEFT OR RIGHT/GROMMET CENTER (EL or ER)
24 / 610	30 / 762	313	n/a	n/a
24 / 610	33 / 838	n/a	325	n/a
24 / 610	36 / 914	337	337	n/a
24 / 610	39 / 991	n/a	348	n/a
24 / 610	42 / 1067	361	361	n/a
24 / 610	45 / 1143	n/a	371	n/a
24 / 610	48 / 1219	n/a	383	383
24 / 610	51 / 1295	n/a	395	395
24 / 610	54 / 1372	n/a	406	406
24 / 610	57 / 1448	n/a	417	417
24 / 610	60 / 1524	n/a	431	431
24 / 610	63 / 1600	n/a	441	441
24 / 610	66 / 1676	453	453	453
24 / 610	69 / 1753	n/a	465	465
24 / 610	72 / 1829	477	477	477
24 / 610	75 / 1905	n/a	488	488
24 / 610	78 / 1981	500	500	500
24 / 610	81 / 2057	n/a	511	511
24 / 610	84 / 2134	523	523	523
24 / 610	90 / 2286	n/a	547	n/a
24 / 610	96 / 2438	n/a	570	n/a

Pricing is continued on the following page.

J N W R S E
Single-Sided Rectangular
Worksurface – Exposed Beam (Continued)

DIMENSIONS
INCHES / MM

PRICING

D	W	ACCESS DOOR – CENTER (AC)	ACCESS DOOR – LEFT OR RIGHT (AL or AR)	ACCESS DOOR – LEFT OR RIGHT/GROMMET CENTER (BL or BR) OR END ACCESS DOOR – LEFT OR RIGHT/GROMMET CENTER (EL or ER)
30 / 762	30 / 762	342	n/a	n/a
30 / 762	33 / 838	n/a	355	n/a
30 / 762	36 / 914	370	370	n/a
30 / 762	39 / 991	n/a	384	n/a
30 / 762	42 / 1067	398	398	n/a
30 / 762	45 / 1143	n/a	412	n/a
30 / 762	48 / 1219	n/a	426	426
30 / 762	51 / 1295	n/a	441	441
30 / 762	54 / 1372	n/a	456	456
30 / 762	57 / 1448	n/a	469	469
30 / 762	60 / 1524	n/a	484	484
30 / 762	63 / 1600	n/a	499	499
30 / 762	66 / 1676	513	513	513
30 / 762	69 / 1753	n/a	528	528
30 / 762	72 / 1829	541	541	541
30 / 762	75 / 1905	n/a	556	556
30 / 762	78 / 1981	570	570	570
30 / 762	81 / 2057	n/a	584	584
30 / 762	84 / 2134	598	598	598
30 / 762	90 / 2286	n/a	626	n/a
30 / 762	96 / 2438	n/a	654	n/a