


J N W R S E

Single-Sided Rectangular Worksurface – Exposed Beam



This worksurface provides a primary or secondary surface in multiple applications. The width is adapted to expose the beam laterally.

WHAT'S INCLUDED

1 worksurface, 2 wire management clips, grommets or access door (if specified) and cable tray (**not** included with None (NN) option).

WHAT'S EXCLUDED

Structural Beam, Chicago Structural Beam, Supports, Worksurface Reinforcement Channel, Cable Tray for Access Door and Square Grommet Cover.

NOTES

Power and Data Access options are not all available for every dimensions. Refer to specification software for available options.

When Power and Data Access option (GB, GC, SL or SR) is specified, the Access Door Finish (NA) must be specified.

When Power and Data Access option (AC, AL or AR) is specified, the Grommet Finish (NA) must be specified.

When Power and Data Access option (NN) is specified, the Access Door (NA) and Grommet (NA) Finishes must be specified.

When Power and Data Access option (EL) is specified, the Lateral Beam Position (R) is **not** applicable.

When Power and Data Access option (ER) is specified, the Lateral Beam Position (L) is **not** applicable.

PRODUCT OPTIONS

Lateral Beam Configuration	Depth	Width	Power and Data Access
D Double-Sided Beam	18, 24, 30	24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78, 81, 84, 90, 96	AC Access Door – Center
S Single-Sided Beam			AL Access Door – Left
			AR Access Door – Right
			BL Access Door – Left/Grommet – Center
			BR Access Door – Right/Grommet – Center
			EL End Access Door – Left/Grommet – Center
			ER End Access Door – Right/Grommet – Center
			GB Grommets – Both
			GC Grommet – Center
			SL Square Cut-Out – Left/Grommet – Center
			SR Square Cut-Out – Right/Grommet – Center
			NN None (Shown)

SAMPLE ORDER CODE

JNWRSE D	24	60	BL
-----------------	-----------	-----------	-----------

PRODUCT OPTIONS CONTINUED

Lateral Beam Position	Screen Mounting Holes	Worksurface Finish	User Edge Trim Style	Edge Trim Finish	Access Door Finish	Grommet Finish
L Left	W With Mounting Holes N No Mounting Holes	Foundation Laminate	6 3 mm Straight Trim	Edge Trim Colors	Foundation Mica Accent NA Not Applicable	Foundation Mica Accent NA Not Applicable
R Right (Shown)			8 1.5 mm Flat Trim			

SAMPLE ORDER CODE

L	N	LW	6	ST	60	60
----------	----------	-----------	----------	-----------	-----------	-----------

See Pricing on the following page.

J N W R S E
Single-Sided Rectangular
Worksurface – Exposed Beam (Continued)

DIMENSIONS
INCHES / MM

PRICING

D	W	GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – LEFT OR RIGHT/GROMMET – CENTER (SL or SR)
18 / 457	24 / 610	n/a	202	202	n/a
18 / 457	27 / 686	n/a	210	210	n/a
18 / 457	30 / 762	n/a	224	224	n/a
18 / 457	33 / 838	n/a	233	233	n/a
18 / 457	36 / 914	n/a	244	244	n/a
18 / 457	39 / 991	n/a	256	256	n/a
18 / 457	42 / 1067	n/a	268	268	n/a
18 / 457	45 / 1143	n/a	271	271	n/a
18 / 457	48 / 1219	276	276	276	276
18 / 457	51 / 1295	293	293	293	293
18 / 457	54 / 1372	311	311	311	311
18 / 457	57 / 1448	328	328	328	328
18 / 457	60 / 1524	348	348	348	348
18 / 457	63 / 1600	351	351	351	351
18 / 457	66 / 1676	354	354	354	354
18 / 457	69 / 1753	362	362	362	362
18 / 457	72 / 1829	376	376	376	376
18 / 457	75 / 1905	384	384	384	384
18 / 457	78 / 1981	397	397	397	397
18 / 457	81 / 2057	408	408	408	408
18 / 457	84 / 2134	419	419	419	419
18 / 457	90 / 2286	441	n/a	441	n/a
18 / 457	96 / 2438	464	n/a	464	n/a
24 / 610	24 / 610	n/a	230	230	n/a
24 / 610	27 / 686	n/a	242	242	n/a
24 / 610	30 / 762	n/a	256	256	n/a
24 / 610	33 / 838	n/a	270	270	n/a
24 / 610	36 / 914	n/a	285	285	n/a
24 / 610	39 / 991	n/a	298	298	n/a
24 / 610	42 / 1067	n/a	314	314	n/a
24 / 610	45 / 1143	n/a	326	326	n/a
24 / 610	48 / 1219	340	340	340	340
24 / 610	51 / 1295	355	355	355	355
24 / 610	54 / 1372	369	369	369	369
24 / 610	57 / 1448	382	382	382	382
24 / 610	60 / 1524	397	397	397	397
24 / 610	63 / 1600	411	411	411	411
24 / 610	66 / 1676	425	425	425	425
24 / 610	69 / 1753	440	440	440	440
24 / 610	72 / 1829	454	454	454	454
24 / 610	75 / 1905	469	469	469	469
24 / 610	78 / 1981	480	480	480	480
24 / 610	81 / 2057	496	496	496	496
24 / 610	84 / 2134	508	508	508	508
24 / 610	90 / 2286	537	n/a	537	n/a
24 / 610	96 / 2438	565	n/a	565	n/a

Pricing is continued on the following page.

J N W R S E

Single-Sided Rectangular
Worksurface – Exposed Beam (Continued)

DIMENSIONS
INCHES / MM

PRICING

D	W	GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – LEFT OR RIGHT/GROMMET – CENTER (SL or SR)
30 / 762	24 / 610	n/a	256	256	n/a
30 / 762	27 / 686	n/a	273	273	n/a
30 / 762	30 / 762	n/a	292	292	n/a
30 / 762	33 / 838	n/a	305	305	n/a
30 / 762	36 / 914	n/a	325	325	n/a
30 / 762	39 / 991	n/a	343	343	n/a
30 / 762	42 / 1067	n/a	358	358	n/a
30 / 762	45 / 1143	n/a	376	376	n/a
30 / 762	48 / 1219	392	392	392	392
30 / 762	51 / 1295	411	411	411	411
30 / 762	54 / 1372	428	428	428	428
30 / 762	57 / 1448	445	445	445	445
30 / 762	60 / 1524	463	463	463	463
30 / 762	63 / 1600	479	479	479	479
30 / 762	66 / 1676	498	498	498	498
30 / 762	69 / 1753	514	514	514	514
30 / 762	72 / 1829	531	531	531	531
30 / 762	75 / 1905	550	550	550	550
30 / 762	78 / 1981	565	565	565	565
30 / 762	81 / 2057	583	583	583	583
30 / 762	84 / 2134	600	600	600	600
30 / 762	90 / 2286	632	n/a	632	n/a
30 / 762	96 / 2438	668	n/a	668	n/a

D	W	ACCESS DOOR – CENTER (AC)	ACCESS DOOR – LEFT OR RIGHT (AL or AR)	ACCESS DOOR – LEFT OR RIGHT/GROMMET CENTER (BL or BR) OR END ACCESS DOOR – LEFT OR RIGHT/GROMMET CENTER (EL or ER)
24 / 610	30 / 762	378	n/a	n/a
24 / 610	33 / 838	n/a	392	n/a
24 / 610	36 / 914	407	407	n/a
24 / 610	39 / 991	n/a	420	n/a
24 / 610	42 / 1067	436	436	n/a
24 / 610	45 / 1143	n/a	448	n/a
24 / 610	48 / 1219	n/a	463	463
24 / 610	51 / 1295	n/a	477	477
24 / 610	54 / 1372	n/a	491	491
24 / 610	57 / 1448	n/a	503	503
24 / 610	60 / 1524	n/a	521	521
24 / 610	63 / 1600	n/a	532	532
24 / 610	66 / 1676	548	548	548
24 / 610	69 / 1753	n/a	561	561
24 / 610	72 / 1829	577	577	577
24 / 610	75 / 1905	n/a	589	589
24 / 610	78 / 1981	604	604	604
24 / 610	81 / 2057	n/a	617	617
24 / 610	84 / 2134	631	631	631
24 / 610	90 / 2286	n/a	660	n/a
24 / 610	96 / 2438	n/a	688	n/a

Pricing is continued on the following page.

J N W R S E
Single-Sided Rectangular
Worksurface – Exposed Beam (Continued)

DIMENSIONS
INCHES / MM

PRICING

D	W	ACCESS DOOR – CENTER (AC)	ACCESS DOOR – LEFT OR RIGHT (AL or AR)	ACCESS DOOR – LEFT OR RIGHT/GROMMET CENTER (BL or BR) OR END ACCESS DOOR – LEFT OR RIGHT/GROMMET CENTER (EL or ER)
30 / 762	30 / 762	413	n/a	n/a
30 / 762	33 / 838	n/a	429	n/a
30 / 762	36 / 914	447	447	n/a
30 / 762	39 / 991	n/a	464	n/a
30 / 762	42 / 1067	480	480	n/a
30 / 762	45 / 1143	n/a	498	n/a
30 / 762	48 / 1219	n/a	514	514
30 / 762	51 / 1295	n/a	532	532
30 / 762	54 / 1372	n/a	551	551
30 / 762	57 / 1448	n/a	566	566
30 / 762	60 / 1524	n/a	585	585
30 / 762	63 / 1600	n/a	602	602
30 / 762	66 / 1676	619	619	619
30 / 762	69 / 1753	n/a	638	638
30 / 762	72 / 1829	653	653	653
30 / 762	75 / 1905	n/a	672	672
30 / 762	78 / 1981	688	688	688
30 / 762	81 / 2057	n/a	705	705
30 / 762	84 / 2134	723	723	723
30 / 762	90 / 2286	n/a	756	n/a
30 / 762	96 / 2438	n/a	790	n/a