


## J N W S C E

### Single-Sided Rectangular Worksurface – Cross Grain – Exposed Beam



This worksurface with cross grain orientation provides a primary or secondary surface in multiple applications. The width is adapted to expose the beam laterally.

#### WHAT'S INCLUDED

1 worksurface, 2 wire management clips, grommets or access door (if specified) and cable tray (not included with None (NN) option).

#### WHAT'S EXCLUDED

Structural Beam, Chicago Structural Beam, Supports, Worksurface Reinforcement Channel, Cable Tray for Access Door and Square Grommet Cover.

#### NOTES

Power and Data Access options are not all available for every dimensions. Refer to specification software for available options.

When Power and Data Access option (GB, GC, SL or SR) is specified, the Access Door Finish (NA) must be specified.

When Power and Data Access option (AC, AL or AR) is specified, the Grommet Finish (NA) must be specified.

When Power and Data Access option (NN) is specified, the Access Door (NA) and Grommet (NA) Finishes must be specified.

When Power and Data Access option (EL) is specified, the Lateral Beam Position (R) is not applicable.

When Power and Data Access option (ER) is specified, the Lateral Beam Position (L) is not applicable.

468

#### PRODUCT OPTIONS

Lateral Beam Configuration	Depth	Width	Power and Data Access
<b>D</b> Double-Sided Beam	18, 24, 30	24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60	<b>AC</b> Access Door – Center
<b>S</b> Single-Sided Beam			<b>AL</b> Access Door – Left
			<b>AR</b> Access Door – Right
			<b>BL</b> Access Door – Left/Grommet – Center
			<b>BR</b> Access Door – Right/Grommet – Center
			<b>EL</b> End Access Door – Left/Grommet – Center
			<b>ER</b> End Access Door – Right/Grommet – Center
			<b>GB</b> Grommets – Both
			<b>GC</b> Grommet – Center
			<b>SL</b> Square Cut-Out – Left/Grommet – Center
			<b>SR</b> Square Cut-Out – Right/Grommet – Center
			<b>NN</b> None (Shown)

#### SAMPLE ORDER CODE

<b>JNWSCE D</b>	<b>24</b>	<b>60</b>	<b>BL</b>
-----------------	-----------	-----------	-----------

#### PRODUCT OPTIONS CONTINUED

Lateral Beam Position	Screen Mounting Holes	Worksurface Finish	User Edge Trim Style	Edge Trim Finish	Access Door Finish	Grommet Finish
<b>L</b> Left <b>R</b> Right	<b>W</b> With Mounting Holes	Foundation Laminate	<b>6</b> 3 mm Straight Trim	Edge Trim Colors	Foundation	<b>25</b> Crisp Grey
	<b>N</b> No Mounting Holes		<b>8</b> 1.5 mm Flat Trim		Mica	<b>26</b> Soft Gris
					Accent	<b>60</b> Platinum
					<b>NA</b> Not Applicable	<b>68</b> Anthracite
						<b>74</b> Storm White
						<b>83</b> Very White
						<b>NA</b> Not Applicable

#### SAMPLE ORDER CODE

<b>L</b>	<b>N</b>	<b>LW</b>	<b>6</b>	<b>ST</b>	<b>60</b>	<b>60</b>
----------	----------	-----------	----------	-----------	-----------	-----------

See Pricing on the following page.

**J N W S C E**  
**Single-Sided Rectangular**  
**Worksurface – Cross Grain –**  
**Exposed Beam (Continued)**

**DIMENSIONS  
INCHES / MM****PRICING**

D	W	GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – LEFT OR RIGHT/GROMMET – CENTER (SL or SR)
18 / 457	24 / 610	n/a	153	153	n/a
18 / 457	27 / 686	n/a	160	160	n/a
18 / 457	30 / 762	n/a	169	169	n/a
18 / 457	33 / 838	n/a	177	177	n/a
18 / 457	36 / 914	n/a	186	186	n/a
18 / 457	39 / 991	n/a	194	194	n/a
18 / 457	42 / 1067	n/a	204	204	n/a
18 / 457	45 / 1143	n/a	207	207	n/a
18 / 457	48 / 1219	211	211	211	211
18 / 457	51 / 1295	223	223	223	223
18 / 457	54 / 1372	236	236	236	236
18 / 457	57 / 1448	250	250	250	250
18 / 457	60 / 1524	264	264	264	264
24 / 610	24 / 610	n/a	174	174	n/a
24 / 610	27 / 686	n/a	185	185	n/a
24 / 610	30 / 762	n/a	194	194	n/a
24 / 610	33 / 838	n/a	206	206	n/a
24 / 610	36 / 914	n/a	216	216	n/a
24 / 610	39 / 991	n/a	227	227	n/a
24 / 610	42 / 1067	n/a	238	238	n/a
24 / 610	45 / 1143	n/a	248	248	n/a
24 / 610	48 / 1219	258	258	258	258
24 / 610	51 / 1295	270	270	270	270
24 / 610	54 / 1372	280	280	280	280
24 / 610	57 / 1448	290	290	290	290
24 / 610	60 / 1524	302	302	302	302
30 / 762	24 / 610	n/a	194	194	n/a
30 / 762	27 / 686	n/a	208	208	n/a
30 / 762	30 / 762	n/a	222	222	n/a
30 / 762	33 / 838	n/a	233	233	n/a
30 / 762	36 / 914	n/a	247	247	n/a
30 / 762	39 / 991	n/a	260	260	n/a
30 / 762	42 / 1067	n/a	273	273	n/a
30 / 762	45 / 1143	n/a	285	285	n/a
30 / 762	48 / 1219	299	299	299	299
30 / 762	51 / 1295	312	312	312	312
30 / 762	54 / 1372	325	325	325	325
30 / 762	57 / 1448	339	339	339	339
30 / 762	60 / 1524	351	351	351	351

Pricing is continued on the following page.

J N W S C E

**Single-Sided Rectangular  
Worksurface – Cross Grain –  
Exposed Beam (Continued)**

DIMENSIONS  
INCHES / MM

PRICING

D	W	ACCESS DOOR – CENTER (AC)	ACCESS DOOR – LEFT OR RIGHT (AL or AR)	ACCESS DOOR – LEFT OR RIGHT/GROMMET CENTER (BL or BR) OR END ACCESS DOOR – LEFT OR RIGHT/GROMMET CENTER (EL or ER)
24 / 610	30 / 762	287	n/a	n/a
24 / 610	33 / 838	n/a	299	n/a
24 / 610	36 / 914	309	309	n/a
24 / 610	39 / 991	n/a	320	n/a
24 / 610	42 / 1067	331	331	n/a
24 / 610	45 / 1143	n/a	341	n/a
24 / 610	48 / 1219	n/a	351	351
24 / 610	51 / 1295	n/a	363	363
24 / 610	54 / 1372	n/a	372	372
24 / 610	57 / 1448	n/a	383	383
24 / 610	60 / 1524	n/a	395	395
30 / 762	30 / 762	314	n/a	n/a
30 / 762	33 / 838	n/a	326	n/a
30 / 762	36 / 914	340	340	n/a
30 / 762	39 / 991	n/a	352	n/a
30 / 762	42 / 1067	366	366	n/a
30 / 762	45 / 1143	n/a	378	n/a
30 / 762	48 / 1219	n/a	391	391
30 / 762	51 / 1295	n/a	405	405
30 / 762	54 / 1372	n/a	418	418
30 / 762	57 / 1448	n/a	431	431
30 / 762	60 / 1524	n/a	444	444

47°

