


J N W S C E

Single-Sided Rectangular Worksurface – Cross Grain – Exposed Beam



This worksurface with cross grain orientation provides a primary or secondary surface in multiple applications. The width is adapted to expose the beam laterally.

WHAT'S INCLUDED

1 worksurface, 2 wire management clips, grommets or access door (if specified) and cable tray (**not** included with None (NN) option).

WHAT'S EXCLUDED

Structural Beam, Chicago Structural Beam, Supports, Worksurface Reinforcement Channel, Cable Tray for Access Door and Square Grommet Cover.

NOTES

Power and Data Access options are not all available for every dimensions. Refer to specification software for available options.

When Power and Data Access option (GB, GC, SL or SR) is specified, the Access Door Finish (NA) must be specified.

When Power and Data Access option (AC, AL or AR) is specified, the Grommet Finish (NA) must be specified.

When Power and Data Access option (NN) is specified, the Access Door (NA) and Grommet (NA) Finishes must be specified.

When Power and Data Access option (EL) is specified, the Lateral Beam Position (R) is **not** applicable.

When Power and Data Access option (ER) is specified, the Lateral Beam Position (L) is **not** applicable.

PRODUCT OPTIONS

Lateral Beam Configuration	Depth	Width	Power and Data Access
D Double-Sided Beam S Single-Sided Beam	18, 24, 30	24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60	AC Access Door – Center AL Access Door – Left AR Access Door – Right BL Access Door – Left/Grommet – Center BR Access Door – Right/Grommet – Center EL End Access Door – Left/Grommet – Center ER End Access Door – Right/Grommet – Center GB Grommets – Both GC Grommet – Center SL Square Cut-Out – Left/Grommet – Center SR Square Cut-Out – Right/Grommet – Center NN None (Shown)

SAMPLE ORDER CODE

JNWSCE D	24	60	BL
-----------------	-----------	-----------	-----------

PRODUCT OPTIONS CONTINUED

Lateral Beam Position	Screen Mounting Holes	Worksurface Finish	User Edge Trim Style	Edge Trim Finish	Access Door Finish	Grommet Finish
L Left R Right (Shown)	W With Mounting Holes N No Mounting Holes	Foundation Laminate	6 3 mm Straight Trim 8 1.5 mm Flat Trim	Edge Trim Colors	Foundation Mica Accent NA Not Applicable	Foundation Mica Accent NA Not Applicable

SAMPLE ORDER CODE

L	N	LW	6	ST	60	60
----------	----------	-----------	----------	-----------	-----------	-----------

See Pricing on the following page.

J N W S C E
Single-Sided Rectangular
Worksurface – Cross Grain –
Exposed Beam (Continued)

DIMENSIONS
INCHES / MM

PRICING

D	W	GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – LEFT OR RIGHT/GROMMET – CENTER (SL or SR)
18 / 457	24 / 610	n/a	202	202	n/a
18 / 457	27 / 686	n/a	210	210	n/a
18 / 457	30 / 762	n/a	224	224	n/a
18 / 457	33 / 838	n/a	233	233	n/a
18 / 457	36 / 914	n/a	244	244	n/a
18 / 457	39 / 991	n/a	256	256	n/a
18 / 457	42 / 1067	n/a	268	268	n/a
18 / 457	45 / 1143	n/a	271	271	n/a
18 / 457	48 / 1219	276	276	276	276
18 / 457	51 / 1295	293	293	293	293
18 / 457	54 / 1372	311	311	311	311
18 / 457	57 / 1448	328	328	328	328
18 / 457	60 / 1524	348	348	348	348
24 / 610	24 / 610	n/a	230	230	n/a
24 / 610	27 / 686	n/a	242	242	n/a
24 / 610	30 / 762	n/a	256	256	n/a
24 / 610	33 / 838	n/a	270	270	n/a
24 / 610	36 / 914	n/a	285	285	n/a
24 / 610	39 / 991	n/a	298	298	n/a
24 / 610	42 / 1067	n/a	314	314	n/a
24 / 610	45 / 1143	n/a	326	326	n/a
24 / 610	48 / 1219	340	340	340	340
24 / 610	51 / 1295	355	355	355	355
24 / 610	54 / 1372	369	369	369	369
24 / 610	57 / 1448	382	382	382	382
24 / 610	60 / 1524	397	397	397	397
30 / 762	24 / 610	n/a	256	256	n/a
30 / 762	27 / 686	n/a	273	273	n/a
30 / 762	30 / 762	n/a	292	292	n/a
30 / 762	33 / 838	n/a	305	305	n/a
30 / 762	36 / 914	n/a	325	325	n/a
30 / 762	39 / 991	n/a	343	343	n/a
30 / 762	42 / 1067	n/a	358	358	n/a
30 / 762	45 / 1143	n/a	376	376	n/a
30 / 762	48 / 1219	392	392	392	392
30 / 762	51 / 1295	411	411	411	411
30 / 762	54 / 1372	428	428	428	428
30 / 762	57 / 1448	445	445	445	445
30 / 762	60 / 1524	463	463	463	463

Pricing is continued on the following page.

J N W S C E

**Single-Sided Rectangular
Worksurface – Cross Grain –
Exposed Beam (Continued)**

**DIMENSIONS
INCHES / MM**

PRICING

D	W	ACCESS DOOR – CENTER (AC)	ACCESS DOOR – LEFT OR RIGHT (AL or AR)	ACCESS DOOR – LEFT OR RIGHT/GROMMET CENTER (BL or BR) OR END ACCESS DOOR – LEFT OR RIGHT/GROMMET CENTER (EL or ER)
24 / 610	30 / 762	378	n/a	n/a
24 / 610	33 / 838	n/a	392	n/a
24 / 610	36 / 914	407	407	n/a
24 / 610	39 / 991	n/a	420	n/a
24 / 610	42 / 1067	436	436	n/a
24 / 610	45 / 1143	n/a	448	n/a
24 / 610	48 / 1219	n/a	463	463
24 / 610	51 / 1295	n/a	477	477
24 / 610	54 / 1372	n/a	491	491
24 / 610	57 / 1448	n/a	503	503
24 / 610	60 / 1524	n/a	521	521
30 / 762	30 / 762	413	n/a	n/a
30 / 762	33 / 838	n/a	429	n/a
30 / 762	36 / 914	447	447	n/a
30 / 762	39 / 991	n/a	464	n/a
30 / 762	42 / 1067	480	480	n/a
30 / 762	45 / 1143	n/a	498	n/a
30 / 762	48 / 1219	n/a	514	514
30 / 762	51 / 1295	n/a	532	532
30 / 762	54 / 1372	n/a	551	551
30 / 762	57 / 1448	n/a	566	566
30 / 762	60 / 1524	n/a	585	585

