


J N W S C E

Single-Sided Rectangular Worksurface – Cross Grain – Exposed Beam



This worksurface with cross grain orientation provides a primary or secondary surface in multiple applications. The width is adapted to expose the beam laterally.

WHAT'S INCLUDED

1 worksurface, 2 wire management clips, grommets or access door (if specified) and cable tray (not included with None (NN) option).

WHAT'S EXCLUDED

Structural Beam, Chicago Structural Beam, Supports, Worksurface Reinforcement Channel, Cable Tray for Access Door and Square Grommet Cover.

NOTES

Power and Data Access options are not all available for every dimensions. Refer to specification software for available options.

When Power and Data Access option (GB, GC, SL or SR) is specified, the Access Door Finish (NA) must be specified.

When Power and Data Access option (AC, AL or AR) is specified, the Grommet Finish (NA) must be specified.

When Power and Data Access option (NN) is specified, the Access Door (NA) and Grommet (NA) Finishes must be specified.

When Power and Data Access option (EL) is specified, the Lateral Beam Position (R) is not applicable.

When Power and Data Access option (ER) is specified, the Lateral Beam Position (L) is not applicable.

PRODUCT OPTIONS

Lateral Beam Configuration	Depth	Width	Power and Data Access
D Double-Sided Beam S Single-Sided Beam	18, 24, 30	24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60	AC Access Door – Center AL Access Door – Left AR Access Door – Right BL Access Door – Left/Grommet – Center BR Access Door – Right/Grommet – Center EL End Access Door – Left/Grommet – Center ER End Access Door – Right/Grommet – Center GB Grommets – Both GC Grommet – Center SL Square Cut-Out – Left/Grommet – Center SR Square Cut-Out – Right/Grommet – Center NN None (Shown)

SAMPLE ORDER CODE

JNWSCE D	24	60	BL
-----------------	-----------	-----------	-----------

PRODUCT OPTIONS CONTINUED

Lateral Beam Position	Screen Mounting Holes	Worksurface Finish	User Edge Trim Style	Edge Trim Finish	Access Door Finish	Grommet Finish
L Left R Right	W With Mounting Holes N No Mounting Holes	Foundation Laminate	6 3 mm Straight Trim 8 1.5 mm Flat Trim	Edge Trim Colors	Foundation Mica Accent NA Not Applicable	25 Crisp Grey 26 Soft Gris 60 Platinum 68 Anthracite 74 Storm White 83 Very White NA Not Applicable

SAMPLE ORDER CODE

L	N	LW	6	ST	60	60
----------	----------	-----------	----------	-----------	-----------	-----------

See Pricing on the following page.

J N W S C E
Single-Sided Rectangular
Worksurface – Cross Grain –
Exposed Beam (Continued)

DIMENSIONS
INCHES / MM

PRICING

D	W	GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – LEFT OR RIGHT/GROMMET – CENTER (SL or SR)
18 / 457	24 / 610	n/a	167	167	n/a
18 / 457	27 / 686	n/a	174	174	n/a
18 / 457	30 / 762	n/a	185	185	n/a
18 / 457	33 / 838	n/a	193	193	n/a
18 / 457	36 / 914	n/a	202	202	n/a
18 / 457	39 / 991	n/a	212	212	n/a
18 / 457	42 / 1067	n/a	222	222	n/a
18 / 457	45 / 1143	n/a	225	225	n/a
18 / 457	48 / 1219	229	229	229	229
18 / 457	51 / 1295	243	243	243	243
18 / 457	54 / 1372	257	257	257	257
18 / 457	57 / 1448	272	272	272	272
18 / 457	60 / 1524	288	288	288	288
24 / 610	24 / 610	n/a	190	190	n/a
24 / 610	27 / 686	n/a	201	201	n/a
24 / 610	30 / 762	n/a	212	212	n/a
24 / 610	33 / 838	n/a	224	224	n/a
24 / 610	36 / 914	n/a	236	236	n/a
24 / 610	39 / 991	n/a	247	247	n/a
24 / 610	42 / 1067	n/a	260	260	n/a
24 / 610	45 / 1143	n/a	270	270	n/a
24 / 610	48 / 1219	281	281	281	281
24 / 610	51 / 1295	294	294	294	294
24 / 610	54 / 1372	305	305	305	305
24 / 610	57 / 1448	316	316	316	316
24 / 610	60 / 1524	329	329	329	329
30 / 762	24 / 610	n/a	212	212	n/a
30 / 762	27 / 686	n/a	226	226	n/a
30 / 762	30 / 762	n/a	242	242	n/a
30 / 762	33 / 838	n/a	253	253	n/a
30 / 762	36 / 914	n/a	269	269	n/a
30 / 762	39 / 991	n/a	284	284	n/a
30 / 762	42 / 1067	n/a	297	297	n/a
30 / 762	45 / 1143	n/a	311	311	n/a
30 / 762	48 / 1219	325	325	325	325
30 / 762	51 / 1295	340	340	340	340
30 / 762	54 / 1372	354	354	354	354
30 / 762	57 / 1448	369	369	369	369
30 / 762	60 / 1524	383	383	383	383

Pricing is continued on the following page.

J N W S C E

Single-Sided Rectangular Worksurface – Cross Grain – Exposed Beam (Continued)

DIMENSIONS
INCHES / MM

PRICING

D	W	ACCESS DOOR – CENTER (AC)	ACCESS DOOR – LEFT OR RIGHT (AL or AR)	ACCESS DOOR – LEFT OR RIGHT/GROMMET CENTER (BL or BR) OR END ACCESS DOOR – LEFT OR RIGHT/GROMMET CENTER (EL or ER)
24 / 610	30 / 762	313	n/a	n/a
24 / 610	33 / 838	n/a	325	n/a
24 / 610	36 / 914	337	337	n/a
24 / 610	39 / 991	n/a	348	n/a
24 / 610	42 / 1067	361	361	n/a
24 / 610	45 / 1143	n/a	371	n/a
24 / 610	48 / 1219	n/a	383	383
24 / 610	51 / 1295	n/a	395	395
24 / 610	54 / 1372	n/a	406	406
24 / 610	57 / 1448	n/a	417	417
24 / 610	60 / 1524	n/a	431	431
30 / 762	30 / 762	342	n/a	n/a
30 / 762	33 / 838	n/a	355	n/a
30 / 762	36 / 914	370	370	n/a
30 / 762	39 / 991	n/a	384	n/a
30 / 762	42 / 1067	398	398	n/a
30 / 762	45 / 1143	n/a	412	n/a
30 / 762	48 / 1219	n/a	426	426
30 / 762	51 / 1295	n/a	441	441
30 / 762	54 / 1372	n/a	456	456
30 / 762	57 / 1448	n/a	469	469
30 / 762	60 / 1524	n/a	484	484