# desk accessories

DESK ACCE	ESSORY	BASICS			 	 	 		.54
PLANNING	WITH	MODESTY	PANE	LS	 	 	 		.56

### desk accessory basics

### Desk accessories are used in conjunction with desks and storage to meet many work requirements.




- All accessories must be specified separately
- All dimensions are nominal



### Semi-Supported Leg - Solid (RAVG)

- Supports the end of a worksurface to maintain stability
- It can be installed under a:
- Rectangular Worksurfaces (RTLDL, RTLDC)
- Rectangular Peninsula Desk with Half Gables (RDRP)
- Must be specified the same depth than the worksurface
- Cannot be used in pairs to build freestanding desks
- Are available in Source Laminate or Flintwood (No Cathedral) finishes
- Mounting Bracket will match the gable finish




- RWWFL RWWFG

   Support the end of a worksurface to maintain stability
- It can be installed under a:
- Rectangular Worksurfaces (RTLDL, RTLDC)
- Rectangular Peninsula Desk with Half Gables (RDRP)
- Must be specified the same depth than the worksurface
- Glass Infill is available in 5/32"
   (4 mm) Standard (Frosted (FT)) or Back-Painted tempered glass
- Frames are available in Clear Anodized, Foundation, or Mica colors
- Solid Infill is available in Source Laminate or Flintwood (No Cathedral) finishes
- Levelers and support brackets come in Black


#### Multi-Functional Drawers (RADMF)

- Provide convenient small lockable (if specified) storage space for a workstation
- Have no pull; slides have an integrated touch-latch for the opening
- Drawers have full extension slides
- Internal space capacity is 12 1/2" deep x 14 1/2" wide x 2" high with pencil tray
- Included Features (actual dimensions):



- Removing the pencil tray will provide an additional depth of:
- 2" (with lock)
- 3 1/2" (no lock)
- Wires up to 5/8" diameter can be routed inside the drawer; wires can be restrained using tie wraps (not included)
- Front Finish is available in Clear Anodized (AC), Foundation, Accent or Mica colors
- Case Finish is available in Foundation, Accent or Mica colors
- Pencil Tray is finished in Clear Anodized (AC) only

### desk accessory basics (continued)



## planning with modesty panels

Flush-Mounted, Inset and Worksurface Suspended Modesty Panels create privacy below the worksurface.



- Must be specified separately
- Worksurface Suspended Modesty Panels can be installed 6" recessed or at the user's convenience

Modesty Panel Style		Flush-Mounted Modesty Panels (RDML, RDMO)	Inset Modesty Panels (RAML, RAMO)				
Modesty Panel Style and Height Option Graphic	3/4- or 1/2-Height	3/4-Height (T) Low Position (flush with bottom of gable) Solid (RDMLT) or Metal (RDMOT)  3/4-Height (T) High Position Solid (RDMLT) or Metal (RDMOT)	Half-Height (H) Solid (RAMLH)  Half-Height (H) Metal (RAMOH)				
	Full-Height	Full-Height (F) Solid (RDMLF) or Metal (RDMOF)	Full-Height (F) Solid only (RAMLF)				
Product Compatibility		All Modular Desks with Corner Posts (installed between two Corner Posts)	Peninsula Desks (RDBU, RVDD, RVXD, RDPD) and Peninsula Worksurface (RDBN) with Central Post Leg or Camber Base only				
Width Specification		Specify Desk Width	Specify Desk Visitor option, Support Style and Desk Width (D-Shaped Peninsula Worksurface (RDBN) requires to add 6")				
Wire Routing		Grommet Option available on Full-Height Modesty Panel only, 3/4"-Height (T) in low position allows sharing electrics	No grommet supplied, wires can be routed in the 3/8" high gap between modesty panel and worksurface				
Laminate Construction and Finish		1" thick LPL (Low Pressure Laminate) available in Source Laminate colors					
Metal Construction and Finish		1" thick folded metal sheet panel available in Foundation or Mica colors					
Glass Construction and Finish		N/A N/A					
Embossed Pattern Option on Metal Modesty Panel			Dot Solo (401)				

### planning with modesty panels (continued)

#### Worksurface Suspended Modesty Panels (REVL, REVO and REVG)







Half-Height (H) Solid (REVLH)

Half-Height (H) Metal (REVOH)

Half-Height (H) Standard or Back-Painted Glass (REVGH)

N/A

Rectangular Worksurfaces (RTLDL, RTLDC) or any table like or peninsula like product when a more accurate fit with supports is needed (use specification software)

The appropriate width is determined by substracting the corresponding value of a support style for each end of the worksurface from nominal width of the worksurface



### Example:

Rectangular Worksurface with Frame Leg and Semi-Supported Leg (Worksurface Width minus 6" and minus 3")

Style	Style Description	Modesty panel width compared to worksurface width**	Style	Style Description	Modesty panel width compared to worksurface width**		
F	Flush Plates + 6"		P	Central Post Legs	- 16"		
Н	Hang-On	- 1"		Pedestal	- 16"		
	Legs	- 7"	s	Lateral File,	* - 19", - 25", - 31", - 37"		
L	Semi-Supported Leg	- 3"		Combo Pedestal or			
	Frame Leg	- 6"		28" high Storage Cab.			

<sup>\* 1&</sup>quot; wider than storage nominal dimension

No grommet supplied, wires can be routed in the 3/8" high gap between modesty panel and worksurface

1" thick LPL (Low Pressure Laminate) available in Source Laminate colors

1" thick folded metal sheet panel available in Foundation or Mica colors

1/4" (6 mm) thick Tempered Glass available in Standard Glass finish: Frosted (FT) is a single-sided etched tempered glass which is facing inward of workstation or in Back-Painted Glass

All Embossed Patterns listed on the previous page can be used with these modesty panels

<sup>\*\*</sup> For better fit, use specification software