


lighting, electrics & communications

Xpress

RLDF

Ceiling Feed



The Ceiling Feed includes a Junction Box to connect to the building supply and routes power into the workstation from the ceiling.

WHAT'S INCLUDED

1 ceiling feed harness, 1 junction box, and mounting hardware.

WHAT'S EXCLUDED

Power Harness Extension, Power Box, Distribution Box and Power Pole.

NOTES

The connection to the building power supply must be executed by a qualified electrician.

The same wire system must be specified for all electrical components in a configuration.

Can be routed from the ceiling to the workstation through a Column-Mounted Power Pole (RLSP) or Lateral Power Pole (RLPS).

Check local codes for limits and restrictions on harness length.

PRODUCT OPTIONS

Mounting Option	Wire System	Height (Power Pole)	Desk Width (Not applicable with mounting option (A))	Country of Installation
M Modular Desk	4B 4-Wire	048, 054, 096, 120, 144	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	A Canada / U.S.A.
A Spine Desk – Adjacent Power Position	5D 5-Wire			
C Spine Desk – Centered Power Position	7G 7-Wire Isolated Ground			
O Spine Desk – Opposite Power Position	8T 8-Wire Isolated Ground			
	8N 8-Wire Separate Neutral			
	8K 8-Wire Dual Isolated			

SAMPLE ORDER CODE

RLDF M	8T	048	78	A
---------------	-----------	------------	-----------	----------

**DIMENSIONS
INCHES / MM**

H	Dw
48 / 1219	24 / 610
48 / 1219	30 / 762
48 / 1219	36 / 914
48 / 1219	42 / 1067
48 / 1219	48 / 1219
48 / 1219	54 / 1372
48 / 1219	60 / 1524
48 / 1219	66 / 1676
48 / 1219	72 / 1829
48 / 1219	78 / 1981
48 / 1219	84 / 2134
54 / 1372	24 / 610
54 / 1372	30 / 762
54 / 1372	36 / 914
54 / 1372	42 / 1067
54 / 1372	48 / 1219
54 / 1372	54 / 1372
54 / 1372	60 / 1524
54 / 1372	66 / 1676
54 / 1372	72 / 1829
54 / 1372	78 / 1981
54 / 1372	84 / 2134

PRICING

MODULAR DESK MOUNTING OPTION (M)

4-Wire (4B)	5-Wire (5D)	7-Wire (7G)	8-Wire (8T to 8K)
191	213	252	271
194	216	255	277
196	219	258	280
198	222	262	283
200	224	263	284
200	224	263	287
204	227	268	289
209	232	271	293
213	237	278	297
217	240	282	303
222	245	287	307
196	219	258	280
198	222	262	283
200	224	263	284
200	224	263	287
204	227	268	289
209	232	271	293
213	237	278	297
217	240	282	303
222	245	287	307
225	249	289	312
229	253	293	318

Pricing is continued on the following page.

R L D F
Ceiling Feed (Continued)

DIMENSIONS
INCHES / MM

H	Dw
96 / 2438	24 / 610
96 / 2438	30 / 762
96 / 2438	36 / 914
96 / 2438	42 / 1067
96 / 2438	48 / 1219
96 / 2438	54 / 1372
96 / 2438	60 / 1524
96 / 2438	66 / 1676
96 / 2438	72 / 1829
96 / 2438	78 / 1981
96 / 2438	84 / 2134
120 / 3048	24 / 610
120 / 3048	30 / 762
120 / 3048	36 / 914
120 / 3048	42 / 1067
120 / 3048	48 / 1219
120 / 3048	54 / 1372
120 / 3048	60 / 1524
120 / 3048	66 / 1676
120 / 3048	72 / 1829
120 / 3048	78 / 1981
120 / 3048	84 / 2134
144 / 3658	24 / 610
144 / 3658	30 / 762
144 / 3658	36 / 914
144 / 3658	42 / 1067
144 / 3658	48 / 1219
144 / 3658	54 / 1372
144 / 3658	60 / 1524
144 / 3658	66 / 1676
144 / 3658	72 / 1829
144 / 3658	78 / 1981
144 / 3658	84 / 2134

PRICING

MODULAR DESK MOUNTING OPTION (M) (CONTINUED)				
4-Wire (4B)	5-Wire (5D)	7-Wire (7G)	8-Wire (8T to 8K)	
181	203	232	251	
181	203	233	253	
183	204	237	255	
190	208	241	258	
190	209	245	262	
190	211	249	264	
191	212	251	268	
191	213	252	271	
194	216	255	277	
196	219	258	280	
200	224	263	287	
196	219	258	280	
198	222	262	283	
200	224	263	284	
200	224	263	287	
204	227	268	289	
209	232	271	293	
213	237	278	297	
217	240	282	303	
222	245	287	307	
225	249	289	312	
229	253	293	318	
217	240	282	303	
222	245	287	307	
225	249	289	312	
229	253	293	318	
356	396	465	532	
361	399	471	544	
362	400	473	536	
365	403	477	544	
369	405	484	549	
371	408	487	553	
374	412	491	564	

Pricing is continued on the following page.

Xpress

R L D F

Ceiling Feed (Continued)

DIMENSIONS
INCHES / MM

H	Dw
96 / 2438	30 / 762
96 / 2438	36 / 914
96 / 2438	42 / 1067
96 / 2438	48 / 1219
96 / 2438	54 / 1372
96 / 2438	60 / 1524
96 / 2438	66 / 1676
96 / 2438	72 / 1829
96 / 2438	78 / 1981
96 / 2438	84 / 2134
120 / 3048	30 / 762
120 / 3048	36 / 914
120 / 3048	42 / 1067
120 / 3048	48 / 1219
120 / 3048	54 / 1372
120 / 3048	60 / 1524
120 / 3048	66 / 1676
120 / 3048	72 / 1829
120 / 3048	78 / 1981
120 / 3048	84 / 2134
144 / 3658	30 / 762
144 / 3658	36 / 914
144 / 3658	42 / 1067
144 / 3658	48 / 1219
144 / 3658	54 / 1372
144 / 3658	60 / 1524
144 / 3658	66 / 1676
144 / 3658	72 / 1829
144 / 3658	78 / 1981
144 / 3658	84 / 2134

PRICING

SPINE DESK MOUNTING OPTION – CENTERED POWER POSITION (C)

4-Wire (4B)	5-Wire (5D)	7-Wire (7G)	8-Wire (8T to 8K)
181	203	233	253
183	204	237	255
190	208	241	258
190	209	245	262
190	211	249	264
191	212	251	268
191	213	252	271
194	216	255	277
196	219	258	280
200	224	263	287
198	222	262	283
200	224	263	284
200	224	263	287
204	227	268	289
209	232	271	293
213	237	278	297
217	240	282	303
222	245	287	307
225	249	289	312
229	253	293	318
222	245	287	307
225	249	289	312
229	253	293	318
356	396	465	532
361	399	471	544
362	400	473	536
365	403	477	544
369	405	484	549
371	408	487	553
374	412	491	564

Pricing is continued on the following page.

R L D F
Ceiling Feed (Continued)

DIMENSIONS
INCHES / MM

H	Dw
96 / 2438	48 / 1219
96 / 2438	54 / 1372
96 / 2438	60 / 1524
96 / 2438	66 / 1676
96 / 2438	72 / 1829
96 / 2438	78 / 1981
96 / 2438	84 / 2134
120 / 3048	48 / 1219
120 / 3048	54 / 1372
120 / 3048	60 / 1524
120 / 3048	66 / 1676
120 / 3048	72 / 1829
120 / 3048	78 / 1981
120 / 3048	84 / 2134
144 / 3658	48 / 1219
144 / 3658	54 / 1372
144 / 3658	60 / 1524
144 / 3658	66 / 1676
144 / 3658	72 / 1829
144 / 3658	78 / 1981
144 / 3658	84 / 2134

PRICING

SPINE DESK MOUNTING OPTION – OPPOSITE POWER POSITION (O)

4-Wire (4B)	5-Wire (5D)	7-Wire (7G)	8-Wire (8T to 8K)
194	216	263	277
200	224	268	284
204	227	271	289
213	237	278	297
222	245	282	307
229	253	287	318
333	369	432	506
222	245	282	307
229	253	287	318
348	389	464	534
349	390	466	536
354	398	477	546
362	399	484	550
369	414	490	553
370	406	470	548
372	412	480	564
376	416	481	570
378	418	485	572
385	427	493	579
393	428	498	586
399	445	509	590

SPINE DESK MOUNTING OPTION – ADJACENT POWER POSITION (A)

H	4-Wire (4B)	5-Wire (5D)	7-Wire (7G)	8-Wire (8T to 8K)
96 / 2438	183	204	237	255
120 / 3048	200	224	263	287
144 / 3658	225	249	289	312