

**Xpress**

## X P P C

### Power Qube

This product is mounted above or below a worksurface. It is used to provide quick power, data and USB access.

#### WHAT'S INCLUDED

1 power qube, 1 twistable attachment ring or underworksurface bracket (as specified), 1 square grommet ring and mounting hardware (as specified).

#### NOTES

When installed on worksurface, Square Cut-Out (Q) must be specified and the Power Qube must be installed in square grommet ring.

When installed Under Worksurface (U), the Power Qube must be installed with underworksurface bracket and hardware.

Data Faceplate **not** included (if specified).

Power cord is a grey cloth covered type.

Each USB Outlet has one USB-A port and one USB-C port for charging only.

The USB-A port always supplies 10 Watts maximum at 5 Volts DC when used alone.

#### Standard USB-C Capacity (S):

The USB-C port supplies 18 Watts maximum at 5 to 12 Volts DC when used alone.

Maximum combined output is 15 Watts when both ports are used together: 5 Watts for USB-A and 10 Watts for USB-C.


#### High USB-C Capacity (H):

The USB-C port supplies 65 Watts at 5 to 20 Volts DC when used alone.

Due to limitations with transformer design, the maximum combined output is 30 Watts when both ports are used together: 10 Watts for USB-A port and 20 Watts for USB-C port

This reduced output in dual port mode **will not** support charging of laptops or quick charging of some phones/tablets that require more than 5 Volts DC.

The USB-C port will charge laptops up to 65 Watts and support Quick Charge when used in single port mode.



Dual Configuration

Quad Configuration

#### PRODUCT OPTIONS

Plug Type	Configuration		Mounting Option	Power Cord Length (Inches)	Country of Installation	Case and Front Finish
A Plug-In	<b>D101N</b>	Dual – 1 Power / 0 USB / 1 Data	<b>Q</b> Square Cut-Out <b>U</b> Under Worksurface	120, 180	<b>A</b> Canada/ U.S.A.	Foundation Mica Accent
	<b>D120S</b>	Dual – 1 Power / 2 USB / 0 Data – Standard USB Capacity				
	<b>D200N</b>	Dual – Power Only				
	<b>Q202N</b>	Quad – 2 Power / 0 USB / 2 Data				
	<b>Q221H</b>	Quad – 2 Power / 2 USB / 1 Data – High USB Capacity				
	<b>Q221S</b>	Quad – 2 Power / 2 USB / 1 Data – Standard USB Capacity				
	<b>Q240S</b>	Quad – 2 Power / 4 USB / 0 Data – Standard USB Capacity				
	<b>Q320H</b>	Quad – 3 Power / 2 USB / 0 Data – High USB Capacity				
	<b>Q320S</b>	Quad – 3 Power / 2 USB / 0 Data – Standard USB Capacity				

#### SAMPLE ORDER CODE

<b>XPPC A</b>	<b>D101N</b>	<b>Q</b>	<b>120</b>	<b>A</b>	<b>52</b>
---------------	--------------	----------	------------	----------	-----------

#### DIMENSIONS INCHES / MM

L
120 / 3048
180 / 4572

#### PRICING

##### CONFIGURATION

D101N	D120S	D200N	Q202N	Q221S	Q221H	Q240S	Q320S	Q320H
278	348	256	391	462	538	531	412	488
343	412	321	454	525	601	594	476	552