

supports

Xpress

XSPA

Thesis Leg



Thesis Legs provide fixed height worksurface support used in freestanding or linked applications. Can also be specified to ease access to people with reduce mobility.

WHAT'S INCLUDED

1 thesis leg, 2 levelers or 2 lockable casters (as specified), 2 ADA Height Extension Kit (for 33" height only), and mounting hardware.

WHAT'S EXCLUDED

Wire Management Cover – Thesis Leg.


NOTES

Specify leg depth to match the depth of the worksurface, except 36" deep Rectangular Team Worksurface (XWD), the legs must be specified 30" depth.

When Chrome (C6) Lower Support Finish is selected, Platinum (7) for Upper Support Finish is the closest match.

The accessories (XCALK, XCALK, XCALE, XPWPA) can be interchangeable and can be specified separately.

Leg height is 29" or 33" from finished floor to the top of the finished worksurface with a leveling range of 1 1/2".



Levelers – Felt (F),
PFTE (P) or Steel (S)

Casters (C)

PRODUCT OPTIONS

Height	Depth	Caster/Leveler Option	Lower Support Finish	Upper Support Finish	Caster Finish (If Application)
29 (Standard Height) (Shown)	20, 24, 30	C Casters	C6 Chrome	Foundation	B Black
33 (ADA Height)		F Levelers – Felt Glides	Foundation	Mica	G Grey
		P Levelers – PFTE Glides	Mica	Accent	
		S Levelers – Steel Glides	Accent		

SAMPLE ORDER CODE

XSPA 29	30	S	C6	52	
---------	----	---	----	----	--

**DIMENSIONS
INCHES / MM**

H	D
29 / 737	20 / 508
29 / 737	24 / 610
29 / 737	30 / 762
33 / 838	20 / 508
33 / 838	24 / 610
33 / 838	30 / 762

PRICING

LEVELERS – GLIDES (F/P/S)	
Foundation/Mica/Accent	Chrome (C6)
332	445
342	454
354	466
422	565
432	576
441	587

CASTERS (C)	
Foundation/Mica/Accent	Chrome (C6)
332	445
342	454
354	466
n/a	n/a
432	576
441	587

tables