

expansion
meeting

price & application guide

09.22.2025



teknion





WHAT IS EXPANSION MEETING? 4

INDEX 9

APPLICATION GUIDE 13

PRICE & PRODUCT GUIDE. 95

what is expansion meeting?

what is expansion meeting?

As the nature of work continues to evolve, so do the ways we gather. The Expansion Meeting collection offers a versatile range of tables designed to meet the dynamic needs of today's connected workspaces – whether for casual collaboration or formal meetings. Featuring distinctive base designs, integrated power solutions, smart cable management, and functional credenzas, this collection creates adaptable, high-performing environments that support every kind of connection.



what is expansion meeting? (continued)

DISTINCTIVE TABLE DESIGN COLLECTION

The Expansion Meeting collection offers a refined range of versatile tables designed to elevate any workspace. Featuring an array of customizable bases, legs, and surface options, these tables adapt effortlessly to a variety of styles and functional needs. Available in seated, counter, and bar heights, they integrate seamlessly into open-plan offices, meeting rooms, and collaborative zones – bringing sophistication and flexibility to modern environments.



what is expansion meeting?

what is expansion meeting? (continued)


EXPLORE FINISH POSSIBILITIES

Personalize your workspace with a wide selection of finishes, including laminate and Flintwood. Enhance the look with optional knife-edge or glass tops, offering a sleek, contemporary aesthetic with minimalist appeal.



VERSATILE POWER INTEGRATION

Expansion Meeting provides versatile power and AV connectivity solutions tailored to modern meeting spaces. Designed to support a wide range of power requirements, including convenient access to peripheral devices, integrated USB charging, and seamless audio/visual integration – ensuring dependable performance in any environment. Multiple power solutions can be connected together using the Teknion We Connect system, allowing the use of one standard plug in the power source.



what is expansion meeting? (continued)

CREDENZAS

Crafted for modern boardroom environments, Expansion Meeting Credenzas seamlessly blend functional storage with a sophisticated, streamlined design. Available in a range of premium materials – including laminate, Flintwood, and glass – they offer multiple pull styles to suit any aesthetic. Optional features further enhance usability while preserving a clean, minimalist appearance.



solid base



blade feet



square feet



wall-mounted

Optional features, such as an integrated refrigerator, pull-out waste bins, and a ventilated section for audio/visual material enhance functionality.



Small details, like unique symbols, indicate what is stored inside

introduction

index

Section Contents	Product Code	Page No.
WHAT IS EXPANSION MEETING?		
What is Expansion Meeting?		4
INTRODUCTION		
Index		9
APPLICATION GUIDES		
Meeting tables overview		18
Island base tables basics		19
Island base tables components		20
Planning with island base tables		
Base size & foot clearance		21
Power module cutouts		21
Edge power solutions		21
Wire management & floor base clearance		22
Cone base tables basics		23
Cone base tables components		24
Planning with cone base tables		
Base size & foot clearance		25
Power module cutouts		25
Edge power solutions		25
Wire management & floor base clearance		26
Gemstone base tables basics		27
Gemstone base tables components		28
Planning with gemstone base tables		
Base size & foot clearance		29
Power module cutouts		29
Edge power solutions		29
Wire management & floor base clearance		30
Frame base tables basics		31
Frame base tables components		32
Planning with frame base tables		
Base size & foot clearance		33
Power module cutouts		33
Edge power solutions		33
Wire management & floor base clearance		34
Oblong base tables basics		35
Oblong base tables components		36
Planning with oblong base tables		
Base size & foot clearance		37
Power module cutouts		37
Edge power solutions		37
Wire management & floor base clearance		38
Panel base tables basics		39
Panel base tables components		40
Planning with panel base tables		
Base size & foot clearance		41
Power module cutouts		41
Edge power solutions		41
Wire management & floor base clearance		42
Worksurface finishes, edge trim styles & grain direction		43

Section Contents	Product Code	Page No.
Datum height & leveling		45
Round tables overview		48
Cone base table – round basics		49
Cone base table – round components		50
Planning with cone base table – round		
Base size & foot clearance		51
Power module cutouts		51
Edge power solutions		51
Wire management & floor base clearance		52
Gemstone base table – round basics		53
Gemstone base table – round components		54
Planning with gemstone base table – round		
Base size & foot clearance		55
Power module cutouts		55
Edge power solutions		55
Wire management & floor base clearance		56
Worksurface finishes & edge trim styles – round		57
Credenzas & accessories overview		60
Credenza basics		61
Base styles		62
Top styles		64
Pull styles		64
Hinges & shelves		65
Integrated functions		66
Planning with credenzas		
Interior clearance (depth & height)		68
Locks & divisions chart		69
Grain direction		71
Accessories basics		
Interior drawer for credenza		72
Drawer organizers		72
Symbol for credenza		73
Locks & keys		73
Electrics & communications overview		76
Above-worksurface power basics		
Recessed module – access door		77
Recessed module – power hub		78
Keystone inserts		80
Flush power modules		80
Below-worksurface power basics		
Plug-in power bar		82
Below power module		83
Optional Swerv USB hubs		85
WE Connect system basics		86
Planning with WE Connect system		
WE Connect system with recessed or flush power module – power distribution		87
WE Connect system with below power module – power distribution		88
WE Connect system with recessed or flush & below power modules – power distribution		89

index (continued)

Section Contents	Product Code	Page No.
Floor cable cover basics		90
Wrap around cable manager basics		92
Media grommet – round basics		93
MEETING TABLES		
Island Base Table – Racetrack	MX T I T	100
Island Base Table – Racetrack with Specialty Top	MX S I T	102
Island Base Table – Rectangular	MX T I R	104
Island Base Table – Rectangular with Specialty Top	MX S I R	106
Cone Base Table – Racetrack	MX T C T	108
Cone Base Table – Racetrack with Specialty Top	MX S C T	110
Cone Base Table – Rectangular	MX T C R	112
Cone Base Table – Rectangular with Specialty Top	MX S C R	114
Gemstone Base Table – Racetrack	MX T G T	116
Gemstone Base Table – Racetrack with Specialty Top	MX S G T	118
Gemstone Base Table – Rectangular	MX T G R	120
Gemstone Base Table – Rectangular with Specialty Top	MX S G R	122
Frame Base Table – Rectangular	MX T F R	124
Frame Base Table – Rectangular with Specialty Top	MX S F R	126
Oblong Base Table – Racetrack	MX T O T	128
Oblong Base Table – Racetrack with Specialty Top	MX S O T	130
Oblong Base Table – Rectangular	MX T O R	132
Oblong Base Table – Rectangular with Specialty Top	MX S O R	134
Panel Base Table – Rectangular	MX T P R	136
Panel Base Table – Rectangular with Specialty Top	MX S P R	140
ROUND & SQUARE TABLES		
Cone Base Table – Round	MX T C O	146
Cone Base Table – Round with Specialty Top	MX S C O	147
Gemstone Base Table – Round	MX T G O	148
Gemstone Base Table – Round with Specialty Top	MX S G O	149
CREDENZAS		
Credenza	MX C L N	154
Credenza – Ventilated	MX C L V	158
Credenza with Specialty Top	MX C L S	162
Credenza with Specialty Top – Ventilated	MX C L X	166
Elevated Credenza	MX C E N	170
Elevated Credenza – Ventilated	MX C E V	174
Elevated Credenza – Ventilated and Integrated Fridge	MX C R V	176
Elevated Credenza with Specialty Top	MX C E S	178
Elevated Credenza with Specialty Top – Ventilated	MX C E X	182
Elevated Credenza with Specialty Top – Ventilated and Integrated Fridge	MX C R X	184
Wall-Mounted Credenza	MX C W N	186
Wall-Mounted Credenza with Specialty Top	MX C W S	187
Interior Drawer for Credenza	MX C I D	188
Drawer Organizer – Cutlery Tray	MX A O T	189
Drawer Organizer – Utility Box	MX A O B	189
Symbol for Credenza	MX A S R	190
Locks and Keys	K	191
Set of Keys Alike	S O K L	192

Section Contents	Product Code	Page No.
ELECTRICS & COMMUNICATIONS		
Recessed Module – Access Door	MX P R D	198
Recessed Module – Power Hub	MX P R H	199
Flush Power Module	MX P F P	200
Below Power Module	MX P B P	202
Plug-in Power bar	MX P P P	203
WE Connect Distribution Block	MX P W B	204
WE Connect Linking Cable	MX P W C	205
WE Connect Plug-in Basefeed Unit	MX P W F	206
Keystone Insert	MX P P K	207
Floor Cable Cover	MX P M F	208
Wrap Around Cable Manager	MX P M W	209
Media Grommet – Round	MX P G R	210

application guide

application guide

MEETING TABLES	15
ROUND & SQUARE TABLES.	47
CREDENZAS.	59
ELECTRICS & COMMUNICATIONS	75

meeting tables

meeting tables


- MEETING TABLES OVERVIEW18
- ISLAND BASE TABLES BASICS19
- ISLAND BASE TABLES COMPONENTS.20
- PLANNING WITH ISLAND BASE TABLES
 - BASE SIZE & FOOT CLEARANCE21
 - POWER MODULE CUTOUTS21
 - EDGE POWER SOLUTIONS21
 - WIRE MANAGEMENT & FLOOR BASE CLEARANCE22
- CONE BASE TABLES BASICS23
- CONE BASE TABLES COMPONENTS24
- PLANNING WITH CONE BASE TABLES
 - BASE SIZE & FOOT CLEARANCE25
 - POWER MODULE CUTOUTS25
 - EDGE POWER SOLUTIONS25
 - WIRE MANAGEMENT & FLOOR BASE CLEARANCE26
- GEMSTONE BASE TABLES BASICS27
- GEMSTONE BASE TABLES COMPONENTS.28
- PLANNING WITH GEMSTONE BASE TABLES
 - BASE SIZE & FOOT CLEARANCE29
 - POWER MODULE CUTOUTS29
 - EDGE POWER SOLUTIONS29
 - WIRE MANAGEMENT & FLOOR BASE CLEARANCE30
- FRAME BASE TABLES BASICS31
- FRAME BASE TABLES COMPONENTS32
- PLANNING WITH FRAME BASE TABLES
 - BASE SIZE & FOOT CLEARANCE33
 - POWER MODULE CUTOUTS33
 - EDGE POWER SOLUTIONS33
 - WIRE MANAGEMENT & FLOOR BASE CLEARANCE34

meeting tables (continued)


- OBLONG BASE TABLES BASICS35
- OBLONG BASE TABLES COMPONENTS36
- PLANNING WITH OBLONG BASE TABLES
 - BASE SIZE & FOOT CLEARANCE37
 - POWER MODULE CUTOUTS37
 - EDGE POWER SOLUTIONS37
 - WIRE MANAGEMENT & FLOOR BASE CLEARANCE38
- PANEL BASE TABLES BASICS39
- PANEL BASE TABLES COMPONENTS40
- PLANNING WITH PANEL BASE TABLES
 - BASE SIZE & FOOT CLEARANCE41
 - POWER MODULE CUTOUTS41
 - EDGE POWER SOLUTIONS41
 - WIRE MANAGEMENT & FLOOR BASE CLEARANCE42
- WORKSURFACE FINISHES, EDGE TRIM STYLES &
GRAIN DIRECTION43
- DATUM HEIGHT & LEVELING45

meeting tables overview


ISLAND BASE TABLES




Racetrack
(MXTIT)



Racetrack with
Specialty Top
(MXSIT)



Rectangular
(MXTIR)



Rectangular with
Specialty Top
(MXSIR)


CONE BASE TABLES



Racetrack
(MXTCT)



Racetrack with
Specialty Top
(MXSCT)



Rectangular
(MXTCR)



Rectangular with
Specialty Top
(MXSCR)


GEMSTONE BASE TABLES



Racetrack
(MXTGT)



Racetrack with
Specialty Top
(MXSGT)




Rectangular
(MXTGR)




Rectangular with
Specialty Top
(MXSGR)

FRAME BASE TABLES




Rectangular
(MXTFR)




Rectangular with
Specialty Top
(MXSFR)


OBLONG BASE TABLES




Racetrack
(MXTOT)



Racetrack with
Specialty Top
(MXSOT)




Rectangular
(MXTOR)



Rectangular with
Specialty Top
(MXSOR)

PANEL BASE TABLES



Rectangular
(MXTPR)




Rectangular with
Specialty Top
(MXSPR)

island base tables basics

The Island Base Table combines clean, modern lines with a warm, inviting presence. The central base enhances the floating appearance of the table while providing concealed wire management. With a variety of surface shapes and finishes available, this table adapts seamlessly – whether anchoring a formal boardroom or inspiring collaboration in creative spaces.




- The Island Base Table is offered in two worksurface shapes and comes with a standard or specialty top
- Freestanding Configuration (F)
- Solid Top Depths: 48", 54", 58" or 60" or Specialty Top Depths: 48" or 54"
- Widths: 108" to 192" (12" increments)




Island Base Table – Racetrack (MXTIT)

- Worksurface Styles:
 - Flat Edge (1 3/16") (M)
 - Deep Knife Edge (1 3/16") (W)




Island Base Table – Racetrack with Specialty Top (MXSIT)

- Worksurface Style:
 - Deep Knife Edge (1 3/16") (W)



Island Base Table – Rectangular (MXTIR)

- Worksurface Styles:
 - Flat Edge (1 3/16") (M)
 - Knife Edge (1 3/16") (V)
 - Deep Knife Edge (1 3/16") (W)
- Corner Details:
 - Radius (R)
 - Straight (S)




Island Base Table – Rectangular with Specialty Top (MXSIR)

- Worksurface Style:
 - Deep Knife Edge (1 3/16") (W)
- Corner Details:
 - Radius (R)
 - Straight (S)

For Worksurface Finishes, Edge Trim Styles & Grain Direction; see page 43

island base tables components

- 1 **Worksurface** (Rectangular or Racetrack shapes)
- 2 **Reinforcement Bar:**
 - Always matches support finish
- 3 **Reinforcement Bar End Cover:**
 - Always matches support finish
- 4 **Concealed Central Support:**
 - For larger dimensions only
- 5 **Island Bases with one Access Panel 6** on each side:
 - Support finishes are available in Foundation, Mica and Accent
- 7 **Cable Trays** manages wires below the worksurface:
 - Always black
- Power Module Cutouts:**
- 8 **Metal Access Doors** and 9 **Power Hubs** are **not** included and must be specified separately
- 10 **Levelers** are included with bases:
 - With an adjustment range of 1"
 - Always black
- 11 **Counterweight: 10-lb fabric bag with recycled glass infill:**
 - Counterweight quantity will be adjusted according to the dimensions of the selected table




For Datum Height & Leveling; see page 45

planning with island base tables

The following should be considered when planning with Island Base Tables.

base size & foot clearance



Worksurface Depth	Base Depth	Foot Clearance
48"	15"	16 1/2"
54"	18"	18"
58"	18"	20"
60"	18"	21"



power module cutouts

Cutouts for these power solutions can be specified:

		Electrical Cutout	
		Flush Module – Triple (FT)	Recessed Module – Standard (RS)
		OR	 +
Number of worksurface	Width		
2 pieces	108" or 120"	2	1
	132" to 192"	2	2

edge power solutions


The underside of the surface includes several routed channels enabling wiring from edge power solutions to reach the central section. The channels are designed to accommodate standard straight plugs or WE Connect. The following power modules are recommended



planning with island base tables (continued)

wire management & floor base clearance

The Island Base features one large access panel on each side, allowing for easy access to wire management and floor monument



Floor space clearance based on table width

Table Width:							
108"	120"	132"	144"	156"	168"	180"	192"
25 11/16"	33 11/16"	45 11/16"	49 11/16"	58 11/16"	67 11/16"	76 11/16"	83 3/16"


Floor Space Clearance:

cone base tables basics

The Cone Base Table features a sleek, gentle design and comes in a variety of datum heights. Its versatile style effortlessly complements both relaxed, casual spaces and sophisticated, formal settings.



- The Cone Base Table is offered in two worksurface shapes and comes with a standard or specialty top
- Heights: 29", 36" or 42"
- Depths: 36", 42" or 48"
- Widths: 72" to 96" (6" increments)




Cone Base Table – Racetrack (MXTCT)

- Worksurface Styles:
 - Flat Edge (1 3/16") (M)
 - Deep Knife Edge (1 3/16") (W)



Cone Base Table – Racetrack with Specialty Top (MXSCT)

- Worksurface Style:
 - Deep Knife Edge (1 3/16") (W)



Cone Base Table – Rectangular (MXTCR)

- Worksurface Styles:
 - Flat Edge (1 3/16") (M)
 - Knife Edge (1 3/16") (V)
 - Deep Knife Edge (1 3/16") (W)
- Corner Details:
 - Radius (R)
 - Straight (S)



Cone Base Table – Rectangular with Specialty Top (MXSCR)


- Worksurface Style:
 - Deep Knife Edge (1 3/16") (W)
- Corner Details:
 - Radius (R)
 - Straight (S)

For Worksurface Finishes, Edge Trim Styles & Grain Direction; see page 43


cone base tables components

- 1 **Worksurface** (Rectangular or Racetrack shapes)
- 2 **Cone Bases with 3 peripheral wire carrier:**
 - Support finishes are available in Foundation, Mica and Accent
- 4 **Wire Cover and Thumb Screw (x4)** manages wires below the worksurface:
 - Only included at 36" and 42" high, when Power Module Cutouts are specified
 - Always matches support finish
- 5 **Flush Power Modules** are **not** included and must be specified separately
- 6 **Levelers** are included with bases:
 - With an adjustment range of 1"
 - Always black
- 7 **Counterweight: 10-lb fabric bag with recycled glass infill:**
 - Counterweight quantity will be adjusted according to the dimensions of the selected table

36" or 42" height



29" height




For Datum Height & Leveling; see page 45

planning with cone base tables

The following should be considered when planning with Cone Base Tables.

base size & foot clearance



Worksurface Depth	Base Diameter	Foot Clearance
36"	18"	9"
42"	18"	12"
48"	18"	15"

power module cutouts



Cutouts for these power solutions can be specified:

		Electrical Cutout			
		Flush Module – Dual (FD)		Flush Module – Triple (FT)	
		OR		OR	
		Flush Power Module (MXPFP) Dual (AH)*		Flush Power Module (MXPFP) Triple (AJ)*	
		Circular (C)	Rectangular (R)	Rectangular (R)	Rectangular with Pass-Through (T)
Number of worksurface	Width				
1 piece					
	72" to 96"	2		1	

*Only Standard Plug-In (A) option is compatible

edge power solutions




Openings allow wiring from edge power solutions to reach the Cone Base. They are designed to accommodate standard straight plugs or WE Connect. The following power modules are recommended



planning with cone base tables (continued)

wire management & floor base clearance

Cone Base features a peripheral wire carrier, and a wire cover (only included at 36" and 42" high, when Power Module Cutouts are specified), ensuring efficient wire management between bases and cable routing to the floor



Cord can run outside the support to reach a floor monument

Floor monument must be recessed in the floor when under the base

gemstone base tables basics

The Gemstone Base Table showcases a contemporary design and is offered in a variety of datum heights. Its adaptable style seamlessly fits both laid-back, casual spaces and elegant, formal environments.



- The Gemstone Table is offered in two worksurface shapes and comes with a standard or specialty top
- Heights: 29", 36" or 42"
- Depths: 36", 42" or 48"
- Widths: 72" to 96" (6" increments)



Gemstone Base Table – Racetrack (MXTGT)

- Worksurface Styles:
 - Flat Edge (1 3/16") (M)
 - Deep Knife Edge (1 3/16") (W)



Gemstone Base Table – Racetrack with Specialty Top (MXSGT)

- Worksurface Style:
 - Deep Knife Edge (1 3/16") (W)



Gemstone Base Table – Rectangular (MXTGR)

- Worksurface Styles:
 - Flat Edge (1 3/16") (M)
 - Knife Edge (1 3/16") (V)
 - Deep Knife Edge (1 3/16") (W)
- Corner Details:
 - Radius (R)
 - Straight (S)



Gemstone Base Table – Rectangular with Specialty Top (MXSGR)


- Worksurface Style:
 - Deep Knife Edge (1 3/16") (W)
- Corner Details:
 - Radius (R)
 - Straight (S)

For Worksurface Finishes, Edge Trim Styles & Grain Direction; see page 43


gemstone base tables components

- 1 **Worksurface** (Rectangular or Racetrack shapes)
- 2 **Gemstone Bases with 3 peripheral wire carrier:**
 - Support finishes are available in Foundation, Mica and Accent
- 4 **Wire Cover and Thumb Screw (x4)** manages wires below the worksurface:
 - Only included at 36" and 42" high, when Power Module Cutouts are specified
 - Always matches support finish
- 5 **Flush Power Modules** are **not** included and must be specified separately
- 6 **Levelers** are included with bases:
 - With an adjustment range of 1"
 - Always black
- 7 **Counterweight: 10-lb fabric bag with recycled glass infill:**
 - Counterweight quantity will be adjusted according to the dimensions of the selected table

36" or 42" height



29" height




For Datum Height & Leveling; see page 45

planning with gemstone base tables

The following should be considered when planning with Gemstone Base Tables.

base size & foot clearance



Worksurface Depth	Base Depth	Foot Clearance
36"	18"	10 3/16"
42"	18"	13 3/16"
48"	18"	16 3/16"

power module cutouts



Cutouts for these power solutions can be specified:

		Electrical Cutout					
		Flush Module – Dual (FD)		OR	Flush Module – Triple (FT)		
			OR			OR	
		Flush Power Module (MXPFP) Dual (AH)* Circular (C) Rectangular (R)			Flush Power Module (MXPFP) Triple (AJ)* Rectangular (R) Rectangular with Pass-Through (T)		
Number of worksurface	Width						
1 piece							
	72" to 96"	2			1		

*Only Standard Plug-In (A) option is compatible

edge power solutions



Openings allow wiring from edge power solutions to reach the Gemstone Base. They are designed to accommodate standard straight plugs or WE Connect. The following power modules are recommended




planning with gemstone base tables (continued)

wire management & floor base clearance

Gemstone Base features a peripheral wire carrier, and a wire cover (only included at 36" and 42" high, when Power Module Cutouts are specified), ensuring efficient wire management between bases and cable routing to the floor



Floor monument must be recessed in the floor when under the base




Cord can run outside the support to reach a floor monument

frame base tables basics

The Frame Base Table is an exceptionally scalable meeting table that seamlessly blends robust stability with a sleek, open design. Thoughtfully engineered, it discreetly conceals wire management to maintain a clean, uncluttered surface. Its impressive long-span construction enables support with just two bases – even at an expansive width of 240 inches.




- The Frame Base Table is offered standard or specialty top
- Solid Top Depths: 42", 48", 54", 58" or 60" or Specialty Top Depths: 42", 48" or 54"
- Widths: 108" to 240" (12" increments)
- Corner Details:
 - Radius (R)
 - Straight (S)



Frame Base Table – Rectangular (MXTFR)

- Worksurface Styles:
 - Flat Edge (1 3/16") (M)
 - Knife Edge (1 3/16") (V)
 - Deep Knife Edge (1 3/16") (W)




Frame Base Table – Rectangular with Specialty Top (MXSFR)

- Worksurface Style:
 - Deep Knife Edge (1 3/16") (W)

For Worksurface Finishes, Edge Trim Styles & Grain Direction; see page 43

frame base tables components

- 1 **Worksurface** (Rectangular shape only)
- 2 **Reinforcement Bar:**
 - Always matches support finish
- 3 **Reinforcement Bar End Cover:**
 - Always matches support finish
- 4 **Frame Bases with 5 removable cover:**
 - Support finishes are available in Foundation, Mica and Accent
- 6 **Cable Trays** manages wires below the worksurface:
 - Always black
- Recessed Modules:**
- 7 **Metal Access Doors** and 8 **Power Hubs** are **not** included and must be specified separately
- 9 **Levelers** are included with bases:
 - With an adjustment range of 1"
 - Always black




For Datum Height & Leveling; see page 45

planning with frame base tables

The following should be considered when planning with Frame Base Tables.

base size & foot clearance



Regardless of size, the table always rests on two bases, maximizing user space

Worksurface Depth	Base Depth	Foot Clearance
42"	24"	9 1/4"
48"	24"	12 1/4"
54"	30"	12 1/4"
58"	30"	14 1/4"
60"	30"	15 1/4"



power module cutouts

Cutouts for these power solutions can be specified:

		Electrical Cutout	
		Flush Module – Triple (FT)	Recessed Module – Standard (RS)
		 Flush Power Module (MXFPF) Triple (AJ) Rectangular (R) Rectangular with Pass-Through (T)	 Recessed Module – Access Door (MXPRD) + Recessed Module – Power Hub (MXPRH)
Number of worksurface	Width		
2 pieces 	108" to 192"	2	2
3 pieces 	204" to 240"	3	3

edge power solutions


The underside of the surface includes several routed channels enabling wiring from edge power solutions to reach the central section. The channels are designed to accommodate standard straight plugs or WE Connect. The following power modules are recommended



planning with frame base tables (continued)

wire management & floor base clearance

The Frame Base features openings and a removable cover to allow access to wire management and floor monument




oblong base tables basics

The Oblong Base Table is a highly scalable Meeting Table that offers soft, understated elegance and easy wire management. Its long-span structure allows it to rest on only two bases, even at 240 inches wide, maximizing legroom.




- The Oblong Base Table is offered in two worksurface shapes and comes with a standard or specialty top
- Solid Top Depths: 42", 48", 54", 58" or 60" or Specialty Top Depths: 42", 48" or 54"
- Widths: 96" to 240" (12" increments)




Oblong Base Table – Racetrack (MXTOT)

- Worksurface Styles:
 - Flat Edge (1 3/16") (M)
 - Deep Knife Edge (1 3/16") (W)




Oblong Base Table – Racetrack with Specialty Top (MXSOT)

- Worksurface Style:
 - Deep Knife Edge (1 3/16") (W)



Oblong Base Table – Rectangular (MXTOR)

- Worksurface Styles:
 - Flat Edge (1 3/16") (M)
 - Knife Edge (1 3/16") (V)
 - Deep Knife Edge (1 3/16") (W)
- Corner Details:
 - Radius (R)
 - Straight (S)



Oblong Base Table – Rectangular with Specialty Top (MXSOR)


- Worksurface Style:
 - Deep Knife Edge (1 3/16") (W)
- Corner Details:
 - Radius (R)
 - Straight (S)

For Worksurface Finishes, Edge Trim Styles & Grain Direction; see page 43

application guide

oblong base tables components

- 1 **Worksurface** (Rectangular or Racetrack shapes)
- 2 **Reinforcement Bar:**
 - Always matches support finish
- 3 **Reinforcement Bar End Cover:**
 - Always matches support finish
- 4 **Oblong Bases** with 5 **removable side panel:**
 - Support finishes are available in Foundation, Mica and Accent
- 6 **Cable Trays** manages wires below the worksurface:
 - Always black
- 7 **Recessed Modules:**
 - Metal Access Doors and 8 **Power Hubs** are **not** included and must be specified separately
- 9 **Levelers** are included with bases:
 - With an adjustment range of 1"
 - Always black




For Datum Height & Leveling; see page 45

planning with oblong base tables

The following should be considered when planning with Oblong Base Tables.

base size & foot clearance



Regardless of size, the table always rests on two bases, maximizing user space

Worksurface Depth	Base Depth	Foot Clearance
42"	24"	9 1/4"
48"	24"	12 1/4"
54"	30"	12 1/4"
58"	30"	14 1/4"
60"	30"	15 1/4"

power module cutouts

Cutouts for these power solutions can be specified:

		Electrical Cutout	
		Flush Module – Triple (FT)	Recessed Module – Standard (RS)
		 Flush Power Module (MXFPF) Triple (AJ) Rectangular (R) OR Rectangular with Pass-Through (T)	Reccessed Module – Access Door (MXPRD) + Reccessed Module – Power Hub (MXPRH)
Number of worksurface	Width		
1 piece 	96"	1	1
2 pieces 	108" or 192"	2	2
3 pieces 	204" to 240"	3	3

edge power solutions


The underside of the surface includes several routed channels enabling wiring from edge power solutions to reach the central section. The channels are designed to accommodate standard straight plugs or WE Connect. The following power modules are recommended



Below Power Module (MXBPB) (Shown)




Swerv USB Hub (YMSUSA or YMSUBA) (See Complements products)



planning with oblong base tables (continued)

wire management & floor base clearance

The Oblong Base features a removable panel to allow access to wire management and floor monument




panel base tables basics

The Panel Base Table combines minimalist design with practical efficiency. Its clean lines and simple structure offer efficient wire management.




- The Panel Base Table comes with a standard or specialty top
- Solid Depths: 42", 48", 54", 58" or 60" or Specialty Top Depths: 42", 48" or 54"
- Widths: 72" to 216" (12" increments)
- Corner Details:
 - Radius (R)
 - Straight (S)



Panel Base Table – Rectangular (MXTPR)

- Worksurface Styles:
 - Flat Edge (1 3/16") (M)
 - Knife Edge (1 3/16") (V)
 - Deep Knife Edge (1 3/16") (W)




Panel Base Table – Rectangular with Specialty Top (MXSPR)

- Worksurface Style:
 - Deep Knife Edge (1 3/16") (W)

For Worksurface Finishes, Edge Trim Styles & Grain Direction; see page 43

panel base tables components

- ❶ **Worksurface** (Rectangular shape only)
- ❷ **Reinforcement Bars:**
 - Always matches support finish
- ❸ **Panel Bases** with ❹ **removable infill panel:**
 - With solid or metal side infill
 - Support finishes are available in Foundation, Mica and Accent
- ❺ **Cable Trays:**
 - Manages wires below the worksurface
 - Always black
- Recessed Modules:**
- ❻ **Metal Access Doors** and ❼ **Power Hubs** are **not** included and must be specified separately
- ❽ **Levelers** are included with bases:
 - With an adjustment range of 1"
 - Always black




For Datum Height & Leveling; see page 45

planning with panel base tables

The following should be considered when planning with Panel Base Tables.

base size & foot clearance



Worksurface Depth	Base Depth	Foot Clearance
42"	24"	9 1/8"
48"	24"	12 1/8"
54"	30"	12 1/8"
58"	30"	14 1/8"
60"	30"	15 1/8"



power module cutouts

Cutouts for these power solutions can be specified:

			Electrical Cutout	
			Flush Module – Triple (FT)	Recessed Module – Standard (RS)
			 Flush Power Module (MXFPF) Triple (AJ) Rectangular (R) Rectangular with Pass-Through (T)	 Recessed Module – Access Door (MXPRD) + Recessed Module – Power Hub (MXPRH)
Number of worksurface	Width	Panel Base Quantity		
1 piece 	72" to 96"	2	1	1
2 pieces 	108" to 144"	2	2	2
	156" to 192"	3	2	2
3 pieces 	204" to 216"	3	3	3

edge power solutions


The following power modules are compatible. Can accommodate standard straight plugs or WE Connect



planning with panel base tables (continued)

wire management & floor base clearance

The Panel Base features removable infills (solid or metal) to allow access to wire management and floor monument










worksurface finishes, edge trim styles & grain direction



Tables are available in a variety of Worksurface Styles. The chart below outlines compatible finishes and trim options for each.

Not all finishes and edge trims are applicable with the worksurface styles, refer to individual product pages for more details

worksurface finishes & edge trims chart



worksurface style	corner detail	worksurface finish	edge trim style	thickness	edge trim finishes
solid top					
Flat Edge (1 3/16") (M) 	Straight (S) 	Foundation Laminate or Grade 2 Laminate	Flat Trim (8)	1.5mm all edges	Edge Trim Colors
	Radius (R) (58mm radius) 	Flintwood (No Cathedral)	Flintwood Flat Trim (9)	1.4mm user edges and 0.5mm non-user edges	Not Applicable*
Knife Edge (1 3/16") (V) 	Straight (S) 	Foundation Laminate or Grade 2 Laminate	Full Knife Trim (F) A one-piece edge trim covers flat and angled edges	1.5mm all edges	Edge Trim Colors
Deep Knife Edge (1 3/16") (W) 	Straight (S) 	Foundation Laminate or Grade 2 Laminate	Deep Knife Trim (D)	1.5mm all edges	Edge Trim Colors The underside of the profile is always Warm Shadow (dark warm grey)
	Radius (R) (58mm radius) 				

* Not Applicable (NA) option is only available when Flintwood front finishes and for trim style 9 are specified


specialty top					
Deep Knife Edge (1 3/16") (W) 	Straight (S) 	Backpainted Glass – Gloss 6mm (G)			
	Radius (R) (58mm radius) 	Foundation Laminate	Deep Knife Trim (D)	1.5mm all edges	Edge Trim Colors The underside of the profile is always Warm Shadow (dark warm grey)

worksurface finishes, edge trim styles & grain direction (continued)

When Worksurface Style Knife Edge (1 3/16") (V) or Deep Knife Edge (1 3/16") (W) is selected, the specified profile will be applied to user edges only



grain direction



- Grain is always along the width of the table
- Grain and pattern alignment may vary across surfaces


datum height & leveling

Solid Top Datum Height

The specified datum height is measured with the table at its minimum leveling adjustment

Specialty Top Datum Height

When Specialty Top is specified, the overlay will exceed the datum height. Therefore, when specified with glass, at its minimum leveling adjustment, the table will be at actual datum height + 6mm



Minimum Gap

Even at the minimum leveling adjustment, a 5/16" gap ensures space for electrical cables

round & square tables

round & square tables


- ROUND TABLES OVERVIEW48
- CONE BASE TABLE – ROUND BASICS.49
- CONE BASE TABLE – ROUND COMPONENTS50
- PLANNING WITH CONE BASE TABLE – ROUND
 - BASE SIZE & FOOT CLEARANCE.51
 - POWER MODULE CUTOUPS51
 - EDGE POWER SOLUTIONS51
 - WIRE MANAGEMENT & FLOOR BASE CLEARANCE.52
- GEMSTONE BASE TABLE – ROUND BASICS53
- GEMSTONE BASE TABLE – ROUND COMPONENTS54
- PLANNING WITH GEMSTONE BASE TABLE – ROUND
 - BASE SIZE & FOOT CLEARANCE.55
 - POWER MODULE CUTOUPS55
 - EDGE POWER SOLUTIONS55
 - WIRE MANAGEMENT & FLOOR BASE CLEARANCE.56
- WORKSURFACE FINISHES & EDGE TRIM STYLES – ROUND.57

round tables overview

CONE BASE TABLES



Round
(MXTCO)




Round with
Specialty Top
(MXSCO)

GEMSTONE BASE TABLES



Round
(MXTGO)



Round with
Specialty Top
(MXSGO)

cone base table – round basics

The Cone Base Table offers a modern aesthetic and is available in a range of datum heights. Its versatile design makes it suitable for both casual settings and more formal environments.




- The Cone Base Table is offered in one worksurface shape and comes with a standard or specialty top
- Solid Top Diameters: 36", 42", 48", 54", 58" or 60" or Specialty Top Diameters: 36" to 54" (6" increments)
- Heights: 29", 36" or 42"



**Cone Base Table – Round
(MXTCO)**

- Worksurface Styles:
 - Flat Edge (1 3/16") (M)
 - Deep Knife Edge (1 3/16") (W)



**Cone Base Table – Round with
Specialty Top (MXSCO)**


- Worksurface Style:
 - Deep Knife Edge (1 3/16") (W)

For Worksurface Finishes & Edge Trim Styles; see page 57


cone base table – round components

- 1 **Worksurface** (Round shape only)
- 2 **Cone Base with 3 peripheral wire carrier:**
 - Support finishes are available in Foundation, Mica and Accent
- 4 **Flush Power Module** is **not** included and must be specified separately
- 5 **Levelers** are included with bases:
 - With an adjustment range of 1"
 - Always black
- 6 **Counterweight: 10-lb fabric bag with recycled glass infill:**
 - Counterweight quantity will be adjusted according to the dimensions of the selected table

29" height



36" or 42" height




For Datum Height & Leveling; see page 45

planning with cone base table – round

The following should be considered when planning with Cone Base Table.

base size & foot clearance



Work. Diameter	Base Diameter	Foot Clearance
36"	18"	9"
42"	18"	12"
48"	18"	15"
54"	21"	16 1/2"
58"	21"	18 1/2"
60"	21"	19 1/2"

power module cutouts



Cutouts for these power solutions can be specified:

		Electrical Cutout	
		Flush Module – Dual (FD)	Flush Module – Triple (FT)
		 OR 	 OR 
		Flush Power Module (MXFPF) Dual (AH)* Circular (C) Rectangular (R)	Flush Power Module (MXFPF) Triple (AJ)* Rectangular (R) Rectangular with Pass-Through (T)
Number of worksurface			
1 piece		1	1

*Only Standard Plug-In (A) option is compatible

edge power solutions



An opening allow wiring from edge power solutions to reach the Cone Base. It is designed to accommodate standard straight plugs. The following power modules are recommended




planning with cone base table – round (continued)

wire management & floor base clearance

Cone Base features a peripheral wire carrier, allowing cable routing to the floor



Floor monument must be recessed in the floor when under the base



Cord can run outside the support to reach a floor monument

gemstone base table – round basics

The Gemstone Base Table offers a modern aesthetic and is available in a range of datum heights. Its versatile design makes it suitable for both casual settings and more formal environments.




- The Gemstone Base Table is offered in one worksurface shape and comes with a standard or specialty top
- Solid Top Diameters: 36", 42", 48", 54", 58" or 60" or Specialty Top Depths: 36" to 54" (6" increments)
- Heights: 29", 36" or 42"



Gemstone Base Table – Round (MXTGO)

- Worksurface Styles:
 - Flat Edge (1 3/16") (M)
 - Deep Knife Edge (1 3/16") (W)



Gemstone Base Table – Round with Specialty Top (MXSGO)


- Worksurface Style:
 - Deep Knife Edge (1 3/16") (W)

For Worksurface Finishes & Edge Trim Styles; see page 57


gemstone base table – round components

- 1 **Worksurface** (Round shape only)
- 2 **Gemstone Base with 3 peripheral wire carrier:**
 - Support finishes are available in Foundation, Mica and Accent
- 4 **Flush Power Module** is not included and must be specified separately
- 5 **Levelers** are included with bases:
 - With an adjustment range of 1"
 - Always black
- 6 **Counterweight: 10-lb fabric bag with recycled glass infill:**
 - Counterweight quantity will be adjusted according to the dimensions of the selected table

29" height



36" or 42" height




For Datum Height & Leveling; see page 45

planning with gemstone base table – round

The following should be considered when planning with Gemstone Base Table.



base size & foot clearance



Worksurface Depth	Base Depth	Foot Clearance
36"	18"	10 3/16"
42"	18"	13 3/16"
48"	18"	16 3/16"
54"	21"	17 15/16"
58"	21"	19 15/16"
60"	21"	20 15/16"

power module cutouts



Cutouts for these power solutions can be specified:

Number of worksurface	Electrical Cutout	
	Flush Module – Dual (FD)	Flush Module – Triple (FT)
	 Flush Power Module (MXPFP) Dual (AH)* Circular (C) Rectangular (R)	 Flush Power Module (MXPFP) Triple (AJ)* Rectangular (R) Rectangular with Pass-Through (T)
1 piece	1	1

*Only Standard Plug-In (A) option is compatible

edge power solutions




An opening allow wiring from edge power solutions to reach the Gemstone Base. It is designed to accommodate standard straight plugs. The following power modules are recommended



planning with gemstone base table – round (continued)

wire management & floor base clearance

Gemstone Base features a peripheral wire carrier allowing cable routing to the floor



Cord can run outside the support to reach a floor monument






Floor monument must be recessed in the floor when under the base

worksurface finishes & edge trim styles – round

The chart below outlines compatible finishes and trim options for each.

Not all finishes and edge trims are applicable with the worksurface styles, refer to individual product pages for more details

worksurface finishes & edge trims chart

worksurface style	round edge detail	worksurface finish	edge trim style	thickness	edge trim finishes
solid top					
Flat Edge (1 3/16") (M) 		Foundation Laminate or Grade 2 Laminate	Flat Trim (8)	1.5mm all edges	Edge Trim Colors
		Flintwood (No Cathedral)	Flintwood Flat Trim (9)	1.4mm user edges and 0.5mm non-user edges	Not Applicable*
Deep Knife Edge (1 3/16") (W) 		Foundation Laminate or Grade 2 Laminate	Deep Knife Trim (D)	1.5mm all edges	Edge Trim Colors The underside of the profile is always Warm Shadow (dark warm grey)
specialty top					
Deep Knife Edge (1 3/16") (W) 		Backpainted Glass – Gloss 6mm (G) and Foundation Laminate	Deep Knife Trim (D)	1.5mm all edges	Edge Trim Colors The underside of the profile is always Warm Shadow (dark warm grey)

* Not Applicable (NA) option is only available when Flintwood front finishes and for trim style 9 are specified


credenzas

credenzas


- CREDENZAS & ACCESSORIES OVERVIEW.60
- CREDENZA BASICS.61
 - BASE STYLES.62
 - TOP STYLES64
 - PULL STYLES.64
 - HINGES & SHELVES65
 - INTEGRATED FUNCTIONS.66
- PLANNING WITH CREDENZAS
 - INTERIOR CLEARANCE (DEPTH & HEIGHT)68
 - LOCKS & DIVISIONS CHART69
 - GRAIN DIRECTION71
- ACCESSORIES BASICS
 - INTERIOR DRAWER FOR CREDENZA72
 - DRAWER ORGANIZERS72
 - SYMBOL FOR CREDENZA.73
 - LOCKS & KEYS73

credenzas & accessories overview

CREDENZAS




Standard
(MXCLN)



Ventilated
(MXCLV)



Standard with
Specialty Top
(MXCLS)



Ventilated with
Specialty Top
(MXCLX)

ELEVATED CREDENZAS




Standard
(MXCEN)



Ventilated
(MXCEV)




Ventilated &
Integrated Fridge
(MXCRV)



Standard with
Specialty Top
(MXCES)




Ventilated with
Specialty Top
(MXCEX)




Ventilated &
Integrated Fridge
with Specialty Top
(MXCRX)

WALL-MOUNTED CREDENZAS



Standard
(MXCWN)




Standard with
Specialty Top
(MXCWS)

ACCESSORIES



Interior Drawer
for Credenza
(MXCID)



Drawer Organizer
– Cutlery Tray
(MXAOT)



Drawer Organizer
– Utility Box
(MXAOB)



Symbol for Credenza
(MXASR)



Locks and Keys
(K)

Set of Keys Alike
(SOKL)

credenzas basics

Expansion Meeting Credenzas are available in four base styles and feature a distinctive design where the outer case elegantly frames the doors for a clean, modern look. Options include a pull-out waste bin, ventilated compartment, integrated fridge and specialty top. Accessories such as a top drawer and discreet symbols to identify functionality can be specified separately.



Finishes


- **Front Finish:** Source Laminate, Grade 2 Laminate (No Accents) and Flintwood (No Cathedral)
- **Case Finish:** Source Laminate and Flintwood (No Cathedral)
- **Pull Finish (If Applicable):** Foundation, Mica and Accent
- **Specialty Top Finish:** Glass top are made with Gloss 10mm (H) Backpainted tempered glass

Finish Restrictions

- When Front Finish Source Laminate is specified, Case Finish Flintwood is **not** available

Credenzas in this section will be organized according to their base or foot style

Floor Credenzas (low base style)




Credenza (MXCLN) or Credenza with Specialty Top (MXCLS)

- Depths: 16" or 20"
- Widths: 30" to 96" (6" increments)
- Heights: 29" or 36"

Credenza – Ventilated (MXCLV) or Credenza with Specialty Top – Ventilated (MXCLX)

- Depths: 20" or 24"
- Widths: 60" to 96" (6" increments)
- Heights: 29" or 36"

Elevated Credenzas (Elevated Base Style Blade Foot (B) or Square Foot (S))



Elevated Credenza (MXCEN) or Elevated Credenza with Specialty Top (MXCES)

- Depths: 16" or 20"
- Widths: 30" to 96" (6" increments)
- Heights: 29" or 36"


Elevated Credenza – Ventilated (MXCEV) or Elevated Credenza with Specialty Top – Ventilated (MXCEX)

- Depths: 20" or 24"
- Widths: 60" to 96" (6" increments)
- Heights: 36"

Elevated Credenza – Ventilated & Integrated Fridge (MXCRV) or Elevated Credenza with Specialty Top – Ventilated & Integrated Fridge (MXCRX)

- Depths: 24"
- Widths: 72" or 90"
- Heights: 36"

Wall-Mounted Credenzas (no base style)



Wall-Mounted Credenza (MXCWN) or Wall-Mounted Credenza with Specialty Top (MXCWS)



- Depths: 14"
- Widths: 54" to 96" (6" increments)
- Heights: 20"

Grain Direction; see page 71

credenza basics (continued)

low base style – solid base

Credenzas (MXCLN, MXCLV, MXCLS and MXCLX) are supported by a slightly recessed 1 9/16" board for an elegant look




Built-in levelers are concealed within the solid base, giving the credenzas the appearance of sitting directly on the floor




Levelers provide 1 3/8" adjustment range

elevated base styles – square foot


Credenzas with square feet (MXCEN, MXCEV, MXCRV, MXCES, MXCEX, MXCRX) are supported by 6" high metal legs, reinforced with a surrounding metal frame that ensures a consistent look




- Square feet are recessed to the case
- Levelers allow 3 3/4" adjustment
- Levelers are black



16" or 20" Depth





24" Depth




credenza basics (continued)

elevated base styles – blade foot

Credenzas with blade feet (MXCEN, MXCEV, MXCRV, MXCES, MXCEX, MXCRX) are supported by 6" high solid aluminum blades with recessed reinforcement channel for a refined aesthetic




- **NOTE:** The Blade Foot position is proportional to the credenza's width, with a recess varying from 4 1/4" to 13 3/4" based on the credenza's dimensions
- Blades and reinforcement have the same finish
- Always come with chromed levelers
- Levelers allow 15/16" adjustment




no base style – wall-mounted credenzas

Wall-Mounted Credenzas are secured using hooks mounted on wall rails, keeping the floor clear for easy cleaning while offering a clean, contemporary and minimalist design




Wall-Mounted Hooks
(Full Width)



Wall-Mounted Rails
(Full Width)

14" Depth
Installation on two wall-mounted rails

SIDE VIEW




- Can be mounted at any height. When mounted at 29" datum height, a 9" gap is left under the credenza
- Wall-Mounted Credenzas are only available at 14" depth. No Pull-Out Bins (N), Ventilated Compartment, Integrated Fridge or Interior Drawer for Credenza (MXCID) options are available or compatible

- Anti-dislodgement hardware, hooks, and wall rails are supplied with the credenzas
- **NOTE:** It is the responsibility of the installer to properly attach Wall-Mounted Rails to the wall; additional wall reinforcement is **not** required when using Wall-Mounted Rails. Installer must provide wall mounting fasteners and ensure compliance with local building codes and laws


credenza basics (continued)

top styles – solid or specialty


Solid Top



Specialty Glass Top –
Gloss 10mm thick




When specified with a solid top, credenza height is actual



Regardless of the top chosen, the credenza's side panels are the same height. Therefore, the overall height of a credenza will vary slightly when specified with a Specialty top (Shown with 10mm glass top)

pull styles



credenza basics (continued)

pull styles (continued)


hole patterns

- The Rectangular Pull Style use a 128mm hole pattern
 - The Slim and Modern Straight (ADA) Pull Styles use a 160mm hole pattern
 - The Standard Edge Pull has a dedicated hole pattern from the back of the door front and are **not** interchangeable with other pulls
- Some applications may require a countersinking hole at the back

Interchangeable within the same group:

- Slim (S) and
- Modern Straight (ADA) (M)

pull clearance




hand clearance

Rectangular = 15mm
 Slim = 20mm
 Modern Straight (ADA) = 26mm

hinges & shelves


Hinges

- All credenzas are equipped with soft close hinges, except when specified Touch-to-Open (T) where regular hinges are required
- Door hinges open up to 110 degrees



Shelves

- All credenza compartments come with one shelf, except for the sections with a Pull-Out Bin or an Integrated Fridge
- The internal dimensions enable shelf repositioning within any compartment of the same credenza. All double compartments are identical in size, as are all single compartments
- Five adjustment holes allow for flexible shelf positioning
- The center hole divides the space into two equal sections
- The top and bottom holes create a one-third/two-thirds division of space




Interior Clearance; see page 68

Locks & Divisions Chart; see page 69


credenza basics (continued)

integrated function – pull-out bin(s)

Pull-Out Bins offer easy and discreet management of waste and/or recyclable materials




- Available in the following products:
 - Credenzas (MXCLN, MXCLS (20" d only), MXCLV or MXCLX)
 - Elevated Credenzas (MXCEN or MXCES (20" d X 36" h only), MXCEV, MXCRV, MXCEX or MXCRX)
- Two Pull-Out Bins option is only available for credenzas from width 60" to 96"
- **Not** compatible with Touch-to-Open (T) pull style
- **Not** lockable. Even when the credenza is specified with locks, the Pull-Out Bin compartment is **not** lockable
- Come with Soft Close Pull-Out System




- Symbols for Credenza (MXASR) can be specified separately to easily identify pull out locations  
- Each Pull-Out Bin compartment is independent
- A 38L bin is included with each pull-out. Height, door width, and depth **do not** affect waste capacity
- Pull-Out Bins are located at either the left (Shown) or right end of the credenza

integrated function – ventilated compartment

- Ventilated compartment can accommodate small appliance, A/V and electronics devices
- The following products are ventilated:
 - Credenzas (MXCLV or MXCLX)
 - Elevated Credenzas (MXCEV, MXCRV, MXCEX or MXCRX)




Cable Pass-Through



- **NOTE:** It is the specifier's responsibility to ensure that the appliance clearance complies with the manufacturer recommendations
- Refer to the instructions of the Owner's Manual of the appliance or devices

BACK VIEW



- Ventilated compartments feature a 2" gap along the top of the back panel for full-credenza ventilation, and a vent at the bottom of each section (excluding Pull-Out Bin and Integrated Fridge sections)
- Ventilated Credenzas should be used against a wall (back is **not** aesthetic)
- Vents are color coordinate with the case
- Each vent integrates 2 Cable Pass-Through
- 3/8" spacers are included to ensure proper gap with the wall for efficient ventilation


Interior Clearance; see page 68

Locks & Divisions Chart; see page 69


credenza basics (continued)

integrated function – integrated fridge

- The following products come with a compartment for an Integrated Fridge:
 - Elevated Credenzas (MXCRV or MXCRX)



- NOTE:** Ready for: Fisher & Paykel RB36S25MKIWN1 (Integrated Fridge **not** included and must be provided by the customer)
- Only available on Elevated Credenza 24" d X 36" h
- Symbols for Credenza (MXASR) can be specified separately to easily identify pull out locations





- The compartment for the Integrated Fridge is located at either the left (Shown) or right end of the credenza
- When Pull-Out Bins and Integrated Fridge are specified on the same credenza, the Pull-Out Bin(s) will be positioned next to the Integrated Fridge

Grommet Positions

A grommet is located in the back of the compartment for Integrated Fridge for wire management

BACK VIEWS



Interior Clearance; see page 68

Locks & Divisions Chart; see page 69


application guide

planning with credenzas

Not all dimension combinations are available. Refer to the individual product pages for details


interior clearance (depth only)

solid base and square (shown) or blade foot




interior clearance (height only)

solid base



square or blade foot



planning with credenzas (continued)









locks & divisions chart

If specified, all closed cabinet products come with a lock and key set and can be Keyed Alike (K) or Randomly (R). A Key Chart must accompany every order, otherwise orders will be shipped Keyed Randomly

Credenzas (MXCLN, MXCLV, MXCLS or MXCLX) – No Pull-Out Bin (N),
Elevated Credenzas (MXCEN, MXCEV, MXCES or MXCEX) – No Pull-Out Bin (N) or
Wall-Mounted Credenzas (MXCWN or MXCWS)

door configuration	30" or 36" w	42" to 54" w	60" to 72" w	78" to 90" w	96" w
number of locks	1 x	2 x	2 x	3 x	3 x

Credenzas (MXCLN, MXCLV, MXCLS or MXCLX) – 1 Pull-Out Bin or
Elevated Credenzas (MXCEN, MXCEV, MXCES or MXCEX) – 1 Pull-Out Bin

door configuration	30" or 36" w		42" to 54" w		60" to 72" w				
		OR			OR			OR	
	1 Pull-Out Bin – Left (L)		1 Pull-Out Bin – Right (R)	1 Pull-Out Bin – Left (L)		1 Pull-Out Bin – Right (R)	1 Pull-Out Bin – Left (L)		1 Pull-Out Bin – Right (R)
number of locks	1 x		1 x		2 x				
drawer configuration	78" to 90" w				96" w				
		OR			OR				
	1 Pull-Out Bin – Left (L)		1 Pull-Out Bin – Right (R)	1 Pull-Out Bin – Left (L)		1 Pull-Out Bin – Right (R)			
number of locks	2 x		3 x						


Credenzas (MXCLN, MXCLV, MXCLS or MXCLX) – 2 Pull-Out Bins or
Elevated Credenzas (MXCEN, MXCEV, MXCES or MXCEX) – 2 Pull-Out Bins

door configuration	60" to 72" w		78" to 90" w				
		OR		OR		OR	
	2 Pull-Out Bins – Left (T)		2 Pull-Out Bins – Right (V)		2 Pull-Out Bins – Left (T)		2 Pull-Out Bins – Right (V)
number of locks	1 x			2 x			
drawer configuration	96" w						
		OR					
	2 Pull-Out Bins – Left (T)		2 Pull-Out Bins – Right (V)				
number of locks	2 x						

Lockable Double Doors

Lockable Single Door

Not Lockable Pull-Out Bin(s)






application guide



planning with credenzas (continued)

locks & divisions chart (continued)





Elevated Credenzas – Ventilated & Integrated Fridge (MXCRV or MXCRX) – No Pull-Out Bin

door configuration	72" w		90" w			
		OR		OR		OR
number of locks	1 x		2 x			

Elevated Credenzas – Ventilated & Integrated Fridge (MXCRV or MXCRX) – 1 Pull-Out Bin

door configuration	72" w		90" w			
		OR		OR		OR
number of locks	1 x		1 x			

Elevated Credenzas – Ventilated & Integrated Fridge (MXCRV or MXCRX) – 2 Pull-Out Bins

drawer configuration	72" w		90" w				
		OR		OR		OR	
	Fridge – Left (L) and 2 Pull-Out Bins (2)		Fridge – Left (L) and 2 Pull-Out Bin (2)		Fridge – Right (L) and 2 Pull-Out Bins (2)		Fridge – Right (L) and 2 Pull-Out Bin (2)
number of locks	0 x				1 x		

 Lockable Double Doors

 Lockable Single Door

 Not Lockable Fridge

 Not Lockable Pull-Out Bin(s)

planning with credenzas (continued)

grain direction

- Woodgrain pattern on the Countertop and Island Countertop run parallel to length of the worksurface
- Door grain direction will always be vertical
- Drawer front grain direction will vary depending on product and finish selected
- The grain direction will be as illustrated below, whether the grain is cathedral, straight, Source Laminate or Flintwood. But only cathedral wood grains will be bookmatched


laminate

Source Laminate

- 3F – 3K – XJ

Foundation Laminate

- 2F – 2K – JG

Laminate =  = Grain Direction = 

For colors listed above, the Straight Grain Pattern for door and drawer fronts will be vertical


Source Laminate

- 3A – 3D – 3E – 3L – 3M – 3X – 8E – 8R – 8S – XR – 86 – 87 – 88

Foundation Laminate

- 2A – 2D – 2E – 2L – 2M – 2X – 7B – 7M – 7S – 7U – 7V – 7Z – YR

For colors listed above, the Cathedral Grain Pattern for door and drawer fronts will be book-matched



flintwood

Flintwood has a rift cut grain pattern

Straight Grain Pattern:


Flintwood

- FN – NR – NT – ZB – ZD – ZE – ZF – ZQ – 5N – 5P – 5S – 5W – 5Z

For colors listed above, the Straight Grain Pattern for door and drawer fronts will be vertical

NOTE: When Flintwood fronts are specified on Source Laminate case, fronts will **not** be book-matched

Flintwood =  = Grain Direction = 



application guide



accessories basics

Expansion Meeting Accessories are used to enhance functionality and add a finishing touch to Expansion Meeting Credenzas.


interior drawer for credenza

Interior Drawer for Credenza (MXCID)

- Credenza Widths: 30" to 96" (6" increments)
- Compatible with all 20" and 24" depth credenzas with dual door sections (T) to provide additional storage
- Each drawer is sold individually. The drawer fits one double-door compartment of the specified Credenza Width
- Drawers have standard slides
- Drawer Organizers – Cutlery Tray (MXAOT) and – Utility Box (MXAOB) are compatible with the interior drawer for credenza




- No pull – drawer is opened with fingertips



- There are pre-drilled holes on the top of each double door compartment where a drawer can be used to help position the drawer in the compartment
- **NOTE:** The integration of an Interior Drawer for Credenza (MXCID) into a ventilated compartment may compromise its ventilation efficiency
- Refer to Locks & Divisions Chart on previous pages to locate double door compartments
- **Finishes:**
Front is finished in Foundation, Mica or Accent
Case is finished in Source Laminate
Drawer features a 16" deep white drawer body


drawer organizers

Organizers can be added to Interior Drawer for Credenza (MXCID) to customize and personalize the storage space




Cutlery Tray (MXAOT)

- Retractable plastic tray for kitchen cutlery
- Offers organization of cutlery, remotes or various items
- Made in two pieces and can extend up to 21" width
- The Drawer Organizer – Cutlery Tray fits in Interior Drawer for Credenza (MXCID)
- **Finish:** Grey Plastic




Utility Box (MXAOB)

- Width: 6"
- Credenza Depths: 20" and 24"
- Metal tray with one adjustable metal divider. The divider is held in place by magnet (easily reconfigurable)
- The reconfigurable divider can be installed in three different positions
- The Utility Box fits in the Interior Drawer for Credenza (MXCID). Since all credenza depths share the same drawer, the Utility Box will have the same depth (15") regardless of the credenza depth specified
- **Finishes:**
Foundation, Mica or Accent (To match the color of the drawer body, Very White should be specified)




drawer organizer combinations


Depending on the credenza width, several Drawer Organizers can be combined together in the Interior Drawer for Credenza (MXCID). Here are examples of how the accessories can be used




42" credenza width




30" or 60" credenza width



Interior Drawer for Credenza with
48", 78" or 96" credenza width



66" or 84" credenza width



36", 54", 72" or 90" credenza width

accessories basics (continued)

symbol for credenza

Provides a discreet way to indicate the location of specific functions

- Three symbols are available:



1 Waste (W)

2 Recycling (R)

3 Fridge (F)

Symbol for Credenza (MXASR)



- Dimension: 1 1/4" w X 1 1/4" h
- Each fridge or pull-out bin compartment can be identified by a Symbol for Credenza
- Easily attaches to the back of the storage front – no specific option needs to be selected on the credenza

Finishes:

Plate is finished in Foundation, Accent or Mica

recommended position

It is recommended to be positioned at 1 1/2" from the top of the door



locks & keys

- Three styles are available:



Master Key
(M)



Lock Removal
Key (R)



Lock Core
and Keys (C)

Locks and Keys (K)

- The Master Key (M) unlocks any storage unit
- The Lock Removal Key (R) removes lock core from storage units
- Lock Core and Keys (C) are replacements for those currently installed
- Finish: Brushed Chrome

Locks & Divisions Chart; see page 69

electrics &
communications

electrics & communications

- ELECTRICS & COMMUNICATIONS OVERVIEW76
- ABOVE-WORKSURFACE POWER BASICS
 - RECESSED MODULE – ACCESS DOOR77
 - RECESSED MODULE – POWER HUB78
 - KEYSTONE INSERTS80
 - FLUSH POWER MODULES80
- BELOW-WORKSURFACE POWER BASICS
 - PLUG-IN POWER BAR82
 - BELOW POWER MODULE83
 - OPTIONAL SWERV USB HUBS85
- WE CONNECT SYSTEM BASICS86
- PLANNING WITH WE CONNECT SYSTEM
 - WE CONNECT SYSTEM WITH:
 - RECESSED OR FLUSH POWER MODULE – POWER DISTRIBUTION87
 - BELOW POWER MODULE – POWER DISTRIBUTION88
 - RECESSED OR FLUSH & BELOW POWER MODULES – POWER DISTRIBUTION89
- FLOOR CABLE COVER BASICS90
- WRAP AROUND CABLE MANAGER BASICS92
- MEDIA GROMMET – ROUND BASICS93


application guide

electrics & communications overview

ABOVE-WORKSURFACE POWER




Recessed Module
– Access Door
(MXPRD)



Recessed Module
– Power Hub
(MXPRH)



Keystone
Insert
(MXPPK)




Flush Power
Module
(MXPPF)

BELOW-WORKSURFACE POWER



Below Power
Module
(MXPPB)



Plug-In Power
Bar
(MXPPP)

Not Included (see Complements products)



Swerv USB
Hub, Branched,
Standard Plug-in
(YMSUBA)



Swerv USB Hub,
Single, Standard
Plug-in
(YMSUSA)


WE CONNECT SYSTEM



Distribution Block
(MXPPB)



Linking Cable
(MXPPC)



Plug-In
Basefeed Unit
(MXPPF)

CABLE MANAGERMENTS



Floor Cable
Cover
(MXPPF)



Wrap Around
Cable Manager
(MXPPW)





Media Grommet
– Round
(MXPPG)

above-worksurface power basics

Expansion Meeting Tables offer two above-worksurface solutions for convenient access to power and communication cables.

- For planning with all Above- and Below-Worksurface Powers, refer to the pages 87 to 89

recessed module – access door





Recessed Module – Access Door (MXPRD)


- Recessed Module – Access Door (MXPRD) must be specified with a Recessed Module – Power Hub (MXPRH)
- The access door is compatible with solid and specialty top tables
- Compatible with surface from 1" to 1 1/2" thickness
- The number of recessed power module cutouts per table varies depending on the table's dimension. Refer to the Meeting Tables section for details

Finishes:


Access Door: Foundation, Mica or Accent



CLOSED



BOTH SIDES OPENING




- The Recessed Module – Access Door features a single door that can be opened from both sides allowing easy access to the Recessed Module – Power Hub (MXPRH)

- A gap allows the door to close even when temporary and/or permanent devices are plugged in (cords must have a diameter less than 8mm)

above-worksurface power basics (continued)

recessed module – power hub



Recessed Module – Power Hub (MXPRH)



- Must be used in combination with a Recessed Module – Access Door (MXPRD)
- Provides power, USB access and media connections on both sides
- Compatible with solid or specialty top tables
- Country of installation: Canada / U.S.A. (A)
- The number of recessed power module cutouts per table varies depending on the table's dimension. Refer to Meeting Tables section for details

Finishes:

Receptacle: Ebony Coordinate (YY)


Case: Soft Black (2Z)

Felt Pad: Heather Felt (Pinon Tree)




faceplate styles & configurations


INSIDE TOP VIEWS



4Power / 2USB-A+C (18W) (CL)



4Power / 2USB-A+C (65W) (CK)



6Power (CM)


module features

- This module is made of PVC free electrical components
- Each USB outlet features one USB-A port and one USB-C port
- The USB-A port supplies 10 Watts maximum at 5 Volts DC when used alone
- Keystone Insert (MXPPK) are **not** included and must be field installed
- **4Power / 2USB-A+C (18W) (CL):**
 - Each USB-C port supplies 18 Watts maximum at 5 to 12 Volts DC when used alone
 - Maximum combined output is 15 Watts when both ports are used
- **4Power / 2USB-A+C (65W) (CK):**
 - Each USB-C port supplies 65 Watts at 5 to 20 Volts DC when used alone
 - The maximum combined output is 30 Watts when both ports are used: 12 Watts for USB-A port and 18 Watts for USB-C port
 - This reduced output in dual port mode will **not** support charging of laptops or quick charging of phones/tablets that require more than 5 Volts DC
 - The USB-C port will charge laptops up to 65 Watts and support quick charge when used in single port mode

above-worksurface power basics (continued)


recessed module – power hub (continued)

module features (continued)





Inserts

- Recessed Module – Power Hub (MXPRH) features a reset button, and space to store a standard remote control or extra cables
- Each end of the module can accommodate 2 inserts (4 total)




- Four cable manager inserts are included with the module. These inserts feature pass-through allowing cables to come in and out of the module while preventing larger connector (like HDMI) to fall off
- More options for Keystone Insert (MXPPK) are sold separately. Refer to the next page for more details




cord lengths & plug types


- Check local codes for potential limits or restrictions on products
- The hardwire connection to the building power supply or other must be executed by a qualified electrician



Standard Plug-In (A)
3-prong straight plug
(PVC Free)



Hardwire (H)
Hard Wire Base Feed –
Single Circuit



WE Connect (W)
(PVC Free)
For more details, Refer
to WE Connect System
section

Cord Lengths

- Standard Plug-In (A): 72" , 120" or 180"
- Hardwire (H): 72"
- WE Connect (W): 18"

above-worksurface power basics (continued)

keystone inserts

Keystone Insert (MXPPK)

- Highly versatile modular components primarily used in structured cabling for computer networks, audio, video, and other communication applications
- Compatible with Recessed Module – Power Hub (MXPRH)
- Configuration: Single (KA)
- **Not** compatible with Linear Power Module

Finish:

Receptacle: Ebony Coordinate (YY)

- Four types are available:



User Supplied (00)
User Supplied type
Keystone receptacle fits
Keystone coupler only



HDMI (01)
Keystone Jack with 8K
60Hz and 4K 120Hz



Data Port (02)
CAT6 RJ45 Keystone Jack
Inline Coupler




Cable Manager (03)
Cable management and
protection


flush power modules

faceplate styles & electrical cutouts



Circular (C)
and Dual (AH)



Rectangular (R)
and Dual (AH)



Rectangular (R) or Rectangular
with Pass-Through (T) (Shown)
and Triple (AJ)



Flush Power Module (MXPPF)

- Provides a direct access to power and USB charging at surface level
- The Rectangular with Pass-Through (T) configuration can be used to route electronic devices or display cables
- Dimensions:
 - Circular (C) – Dual (AH): 4 3/4" diameter
 - Rectangular (R) – Dual (AH): 4 3/4" w X 2 1/2" d
 - Rectangular (R) or Rectangular with Pass-Through – Triple (AJ): 6 1/2" w X 2 1/2" d
- Compatible with solid and specialty top tables
- **Not** available in Chicago
- Country of installation: Canada / U.S.A. (A)
- The number of Flush Power Module cutouts per table vary depending on table dimensions. Refer to Meeting Tables and Round & Square Tables sections

Finishes:


Receptacle: Atrium White Coordinate (YA), Soft Gris Coordinate (YS) or Ebony Coordinate (YY)

Faceplate: Foundation, Mica or Accent

Housing: Black

Flexible Pass-Through: Black

FRONT VIEW
Module / Solid Top



- Compatible with solid (Shown) and specialty top tables
- Compatible with surface from 1" to 1 1/2" thickness

above-worksurface power basics (continued)

flush power modules (continued)

module features

- This module is made of PVC free electrical components
- Each USB outlet features one USB-A port and one USB-C port
- The USB-A port supplies 10 Watts maximum at 5 Volts DC when used alone

1Power/ 1USB-A+C (18W) (AM) and 2Power/ 1USB-A+C (18W) (BA):

- Each USB-C port supplies 18 Watts maximum at 5 to 12 Volts DC when used alone
- Maximum combined output is 15 Watts when both ports are used

1Power / 1USB-A+C (65W) (AJ) and 2Power / 1USB-A+C (65W) (AZ):


- Each USB-C port supplies 65 Watts at 5 to 20 Volts DC when used alone
- The maximum combined output is 30 Watts when both ports are used: 12 Watts for USB-A port and 18 Watts for USB-C port
- This reduced output in dual port mode will **not** support charging of laptops or quick charging of phones/tablets that require more than 5 Volts DC
- The USB-C port will charge laptops up to 65 Watts and support quick charge when used in single port mode

faceplate styles & configurations INSIDE TOP VIEWS

Circular (C) or Rectangular (R) – Dual (AH)



1Power / 1USB-A+C (65W) (AJ)




1Power / 1USB-A+C (18W) (AM)




2Power (AS)

Rectangular (R) – Triple (AJ)



2Power / 1USB-A+C (65W) (AZ)



2Power / 1USB-A+C (18W) (BA)




3Power (BJ)

Rectangular with Pass-Through (T) – Triple (AJ)



1Power / 1USB-A+C (65W) (AJ)




1Power / 1USB-A+C (18W) (AM)




2Power (AS)

cord lengths & plug types



Standard Plug-In (A)
3-prong straight plug
(PVC Free)



WE Connect (W)
(PVC Free)
For more details, Refer
to WE Connect System
section

Cord Lengths

- Standard Plug-In (A): 72" , 120" or 180"
- WE Connect (W): 18"

below-worksurface power basics

Expansion Meeting Tables offer three below-worksurface solutions for convenient access to power and communication cables.

plug-in power bar

- Approved for use in both Canada and the United States. If a product is to be used elsewhere, contact Teknion's Customer Service
- No daisy chain allowed

Plug-In Power Bar (MXPPP)

- Length: 72", 120" and 180"
- Provides a 3-wire system. It can be used to connect up to four pieces of electrical equipment
- Plugs directly into standard receptables
- Features a flat 45° plug that enables placing furniture closer to the wall
- The Single Wire Management Clips can be placed anywhere under the table


Finishes

Power Bar: Clear Anodized


Underworksurface Bracket: Recycled Paint

Single Wire Management Clips: Black


- Two configurations are available:



No Mounting Hardware (N)
Can be installed anywhere under a worksurface




Worksurface Mounted (H)
Underworksurface Bracket and Single Wire Management Clips are included with Power Bar for easy installation under worksurface



- Can be used to connect electronic devices or low voltage devices like:
 - Swerv USB Hub, Single, Standard Plug-in (YMSUSA)
 - Swerv USB Hub, Branched, Plug-in (YMSUBA) (Shown)


refer to the page 85 for more details



- Plug-In Power Bar
- Swerv USB Hub, Branched, Plug-in
- Recessed Module – Power Hub
- Device

below-worksurface power basics (continued)

below power module



Below Power Module (MXPBP)

• Discreet solution that offers peripheral power and communication. It can also be used in combination with the Recessed Module – Power Hub (MXPRH) or the Flush Power Module (MXPPF)

- Mounting Option: Standard Undermount (U)
- Not available in Chicago
- Country of installation: Canada / U.S.A. (A)

Finishes:

Receptacle: Atrium White Coordinate (YA), Soft Gris Coordinate (YS)* or Ebony Coordinate (YY)

Faceplate: Foundation, Mica or Accent

Bracket: Foundation, Mica or Accent

***Restriction:** 1Power / 1HDMI / 1HDMI Rear Throughport (RD) is **not** available Soft Gris Coordinate Finish (YS)

module features

- This module is made of PVC free electrical components
- Each USB outlet features one USB-A port and one USB-C port
- The USB-A port supplies 10 Watts maximum at 5 Volts DC when used alone

1Power / 1USB-A+C (18W) / 1Rear Power (RB):

- Each USB-C port supplies 18 Watts maximum at 5 to 12 Volts DC when used alone

- Maximum combined output is 15 Watts when both ports are used

1Power / 1USB-A+C (65W) / 1Rear Power (RA):

- Each USB-C port supplies 65 Watts at 5 to 20 Volts DC when used alone
- The maximum combined output is 30 Watts when both ports are used: 12 Watts for USB-A port and 18 Watts for USB-C port


- This reduced output in dual port mode will **not** support charging of laptops or quick charging of phones/tablets that require more than 5 Volts DC

- The USB-C port will charge laptops up to 65 Watts and support quick charge when used in single port mode


module front positions

Below Power Module is compatible with all worksurface styles


- The Below Power Module can be installed anywhere along the width or the depth of the table (**no** dedicated locations)




- Four configurations are available:




SIDE VIEWS



Flat Edge (1 3/16") (M)




Knife Edge (1 3/16") (V)




Deep Knife Edge (1 3/16") (W)

cord lengths & plug types



Standard Plug-In (A)
3-prong straight plug
(PVC Free)



WE Connect (W)
(PVC Free)
For more details, Refer
to WE Connect System
section

Cord Length


- Standard Plug-In (A): 72" , 120" or 180"
- WE Connect (W): 54" or 72"

below-worksurface power basics (continued)


below power module positions

- The following chart highlights quantity of modules and users in all configurations
- Here are the recommended quantities and positions when planning with Below Power Module (MXPBP), Swerv USB Hub, Single, Standard Plug-in (YMSUSA) or Swerv USB Hub, Branched, Plug-in (YMSUBA) relative to the specified table width


meeting tables




72" to 90"
for 6 users and
4 modules




96"
for 8 users and
4 modules




108" or 120"
for 8 users and
4 modules




132" or 144"
for 10 users and
6 modules




156" to 180"
for 12 users and
6 modules



192"
for 14 users and
8 modules




204" or 216"
for 14 users and
8 modules




228" or 240"
for 16 users and
8 modules


round & square tables




36"
for 3 users and
2 modules



42" or 48"
for 4 users and
2 modules



54"
for 5 users and
2 modules



60"
for 6 users and
2 modules

below-worksurface power basics (continued)

optional swerv USB hubs

Complement Swerv USB Hubs (YMSUBA or YMSUSA) are also available to offer a discrete peripheral power solution. They can also be used in combination with Recessed & Flush Power Module. For more details, refer to the Complements products




Swerv USB Hub, Single, Standard Plug-in (YMSUSA)




Swerv USB Hub, Branched, Plug-in (YMSUBA)


undermount cover options




None



Standard (Flat Edge (1 3/16"), Knife Edge (1 3/16") or Specialty Top
Can also be installed under a round top




Deep Knife Edge (1 3/16") or Specialty Top
Can also be installed under a round top




undermount cover positions


Here are the recommended position for Swerv USB Hub depending on the worksurface style:



Flat Edge (1 3/16") (M) 3/8"



Knife Edge (1 3/16") (V) 1 3/8"



Deep Knife Edge (1 3/16") (W) 3/4"

WE connect system basics

The WE Connect System allows connection of multiple Power Modules together while being powered by a single outlet (plug).

WE Connect Distribution Block (MXPWB)

- Connect power components to split power

- Two configurations are available:



1 Male Connector
3 Female Connectors

1in – 3out (13)




1 Male Connector
5 Female Connectors

1in – 5out (15)



WE Connect Linking Cable (MXPWC)

- The WE Connect Linking Cable is required to reach a surface WE Connect Power Solution or a WE Connect Distribution Block
- Cord Length: 72"



WE Connect Plug-In Basefeed Unit (MXPWF)

- The WE Connect Plug-in Basefeed Unit connects to the building supply and routes power into the table from the wall or floor
- Can also provide power to electronic devices
- Cord Length: 72" or 120"
- Country of Installation: Canada / U.S.A. (A)



planning with WE connect system

The following should be considered when planning with WE Connect System.



- When planning with WE Connect System, a maximum of 12 WE Connect Power Modules can be connected together including the WE Connect Plug-in Basefeed Unit. (MXPRH, MXPFP, MXPBP, MXPWF) If more than one Basefeed cord is used, the additional Basefeed must be plugged into a different circuit
- The longest past from plug to furthest WE Connect module should **not** exceed 50 feet

WE connect system with recessed or flush power module – power distribution


WE Connect Distribution Block (MXPWB)

- 1in – 3out connection (13) should be used when using surface power only: Recessed Power Module – Power Hub (MXPRH) or Flush Power Module (MXPFP)
- It is necessary to add a Distribution Block for every additional Power Module device


96" wide table



108" to 192" wide tables



204" to 240" wide tables



planning with WE connect system (continued)

WE connect system with below power module – power distribution


WE Connect Distribution Block (MXPWB)

- 1in – 5out connection (15) should be used when using Below Power Module (MXPBP)
- It is necessary to have a Distribution Block per table top


96" wide table




108" to 192" wide tables



204" to 240" wide tables



Recommended Below Power Module Cord Length
when used with WE Connect



planning with WE connect system (continued)

WE connect system with recessed or flush & below power modules – power distribution


WE Connect Distribution Block (MXPWB)

1in – 5out connection (15) should be used when using a Recessed Power Module – Power Hub (MXPRH) or Flush Power Module (MXPFP) in combination with a Below Power Module (MXPBP)


96" wide table




108" to 192" wide tables



204" to 240" wide tables



Recommended Below Power Module Cord Length when used with WE Connect



floor cable cover basics

This component can be installed to run cables from the floor to the Tables.

- All following products can be specified separately
- Check local codes for potential limits or restrictions on products and local authority approval may be required prior to use
- Not intended to be used in corridors or circulation paths, the product is designed for low traffic area like meeting room




Floor Cable Cover (MXPMF)

- The Floor Cable Cover offers a secure way to route cables on the floor from the power source to the table
- Widths: 36" to 96" (1" increments)
- Offers flexibility when the power source location is separated from the furniture layout
- Comes with Velcro® and mounting holes to ensure the fixation on a variety of flooring style


Finishes:

Cover: Clear Anodized (AC), Foundation, Accent or Mica color



floor cable cover basics (continued)



components



- 1 **Base Section** will be fixed to the floor and organizes the cable
- 2 **Top Cover** is hinged to allow access to the cables
- 3 **Foam Tape** offers protection to the cable at the end of the Floor Cable Cover and also helps keeping the cables securely in place
- 4 **Metal Clips** allow to secure the cover
- 5 **Underside Velcro®** allow the product to be fixed to multiple types of floors. Use the appropriate combination of male and female Velcro® depending on the flooring material. Mounting holes are also available to use screws (**not** included)


capacity

- This cover allows routing of power and data cables. It can also run audio and video cables to the meeting table
- A Hard Wire Base Feed **cannot** be routed from power module or power hardness
- Routed inside the Floor Cable Cover



6 plug-in cables

The Floor Cable Cover has a capacity of 6 plug-in cables (up to 3/8" diameter each) when used in combination with the Wrap Around Cable Manager (BLWAC)



8 data cables (CAT6a)

The Floor Cable Cover has a capacity of 8 data cables (up to 5/16" diameter each (Cat6a)) when used in combination with the Wrap Around Cable Manager (BLWAC)

- The Floor Cable Cover is offered at every inch, up to 96". To specify the exact length, refer to the floor plant in the specification software
- Depending on the type of meeting room and the where the electricity need to go, the length of the Floor Cable Cover may vary

wrap around cable manager basics


This component hides and routes power and communication cables from the floor to the worksurface.



Wrap Around Cable Manager (MXPMW)

- Fixed-Height Table configuration (FF) (Shown) has a diameter of 2" and is 29" long. It allows the routing of plug-in cable from under a worksurface to the floor (Shown). It can also route Hard Wire Base Feed/Data cables coming from the floor to the underside of a worksurface
- Height-Adjustable Table – Standard Range 28" to 43" h configuration (HS) has a diameter of 2" and is 43" long. It allows the routing of plug-in cable from cable tray of a Height-Adjustable Meeting Table to the floor

Finishes: Black (B) or Grey (G)



media grommet – round basics

This component can be field installed when cable routing is needed.




Media Grommet – Round (MXPGR)

- Pass-through hole diameter is 1"
- Field installed using a 1 1/4" hole saw

Finishes:

Grommet: Foundation, Mica or Accent



price & product guide

price & product guide


MEETING TABLES	97
ROUND & SQUARE TABLES	145
CREDENZAS	151
ELECTRICS & COMMUNICATIONS	195

meeting tables

meeting tables product map


MXTIT Island Base Table – Racetrack

Page 100




MXSIT Island Base Table – Racetrack with Specialty Top

Page 102




MXTIR Island Base Table – Rectangular

Page 104




MXSIR Island Base Table – Rectangular with Specialty Top

Page 106



MXTCT Cone Base Table – Racetrack

Page 108




MXSCT Cone Base Table – Racetrack with Specialty Top

Page 110




MXTCR Cone Base Table – Rectangular

Page 112



MXSCR Cone Base Table – Rectangular with Specialty Top


Page 114



meeting tables product map


MXTGT Gemstone Base Table – Racetrack

Page 116




MXSGT Gemstone Base Table – Racetrack with Specialty Top

Page 118




MXTGR Gemstone Base Table – Rectangular

Page 120




MXSGR Gemstone Base Table – Rectangular with Specialty Top

Page 122




MXTFR Frame Base Table – Rectangular

Page 124




MXSFR Frame Base Table – Rectangular with Specialty Top

Page 126




MXTOT Oblong Base Table – Racetrack

Page 128



MXSOT Oblong Base Table – Racetrack with Specialty Top


Page 130



meeting tables product map


MXTOR Oblong Base Table – Rectangular

Page 132




MXSOR Oblong Base Table – Rectangular with Specialty Top

Page 134



MXTPR Panel Base Table – Rectangular

Page 136




MXSPR Panel Base Table – Rectangular with Specialty Top

Page 140



M X T I T
Island Base Table – Racetrack



WHAT'S INCLUDED
Surface(s), base with removable panel, wire management and counterweight bags (if required).

WHAT'S EXCLUDED
Power Modules (MXPRH and MXFPF) and Recessed Module – Access Door (MXPRD).

NOTES
If specified, module cutouts are included as listed below:

Width	Flush Power Module – Triple Cutout	Recessed Module – Standard Cutout
108" to 120"	2	1
132" to 192"	2	2

When Worksurface Style (M) option is specified, only the Edge Trim Styles (8 or 9) options are available.

When Worksurface Style (W) option is specified, only Edge Trim Style (D) option is available.

When Flintwood Worksurface Finish is specified, only Not Applicable (NA) Edge Trim Finish is available.

Underworksurface routing and base cutouts facilitate cable management for edge power solutions (Expansion Meeting or Complements).

PRODUCT OPTIONS

Worksurface Style	Configuration	Depth	Width	Power Module Cutout	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
M Flat Edge (1 3/16")	F Freestanding	48, 54, 58, 60	108, 120, 132, 144, 156, 168, 180, 192	FT Flush Module – Triple	Foundation Laminate	8 Flat Trim (1.5mm)	Edge Trim Colors (for trim style 8 or D)	Foundation
W Deep Knife Edge (1 3/16") (Shown)				NN No Cutout (Shown)	Grade 2 Laminate	9 Flintwood Flat Trim	NA Not Applicable (for trim style 9)	Mica
				RS Recessed Module – Standard	Flintwood (No Cathedral)	D Deep Knife Trim (1.5mm)		Accent

SAMPLE ORDER CODE

MXTIT M	F	54	132	FT	RV	8	SS	52
----------------	----------	-----------	------------	-----------	-----------	----------	-----------	-----------

DIMENSIONS
INCHES / MM

D	W
48 / 1219	108 / 2743
48 / 1219	120 / 3048
48 / 1219	132 / 3353
48 / 1219	144 / 3658
48 / 1219	156 / 3962
48 / 1219	168 / 4267
48 / 1219	180 / 4572
48 / 1219	192 / 4877
54 / 1372	108 / 2743
54 / 1372	120 / 3048
54 / 1372	132 / 3353
54 / 1372	144 / 3658
54 / 1372	156 / 3962
54 / 1372	168 / 4267
54 / 1372	180 / 4572
54 / 1372	192 / 4877

PRICING

FLAT EDGE (M)		
Foundation Laminate	Grade 2 Laminate	Flintwood
5432	5941	8164
5610	6175	8366
6182	6804	8961
6227	6905	9044
6612	7347	9465
6760	7551	9681
7008	7856	9996
7246	8150	10302
5565	6137	8832
5759	6395	9310
6346	7045	10181
6532	7295	10666
7013	7839	11446
7248	8138	11989
7498	8451	12547
7739	8756	13097

DEEP KNIFE EDGE (W)	
Foundation Laminate	Grade 2 Laminate
5952	6461
6170	6735
6782	7404
6867	7545
7292	8027
7480	8271
7768	8616
8046	8950
6105	6677
6339	6975
6966	7665
7192	7955
7713	8539
7988	8878
8278	9231
8559	9576

Pricing is continued on the following page.

M X T I T

Island Base Table – Racetrack (Continued)


DIMENSIONS INCHES / MM

D	W
58 / 1473	120 / 3048
58 / 1473	132 / 3353
58 / 1473	144 / 3658
58 / 1473	156 / 3962
58 / 1473	168 / 4267
58 / 1473	180 / 4572
58 / 1473	192 / 4877
60 / 1524	120 / 3048
60 / 1524	132 / 3353
60 / 1524	144 / 3658
60 / 1524	156 / 3962
60 / 1524	168 / 4267
60 / 1524	180 / 4572
60 / 1524	192 / 4877

PRICING

FLAT EDGE (M)			DEEP KNIFE EDGE (W)	
Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate
6169	6852	9766	6763	7446
6768	7519	10645	7402	8153
6813	7632	10973	7487	8306
7150	8038	11595	7864	8752
7414	8370	12146	8168	9124
7695	8719	12714	8489	9513
7966	9058	13272	8800	9892
6207	6913	n/a	6807	7513
6813	7590	n/a	7453	8230
6869	7717	n/a	7549	8397
7219	8137	n/a	7939	8857
7498	8487	n/a	8258	9247
7793	8852	n/a	8593	9652
8080	9210	n/a	8920	10050

MXSIT
Island Base Table – Racetrack with
Specialty Top



WHAT'S INCLUDED
Surface(s), glass overlay, base with removable panel, wire management and counterweight bags (if required).

WHAT'S EXCLUDED
Power Modules (MXPRH and MXPPF) and Recessed Module – Access Door (MXPRD).

NOTES
If specified, module cutouts are included as listed below:

Width	Flush Power Module – Triple Cutout	Recessed Module – Standard Cutout
108" to 120"	2	1
132" to 192"	2	2

Underworksurface routing and base cutouts facilitate cable management for edge power solutions (Expansion Meeting or Complements).

PRODUCT OPTIONS

Worksurface Style	Configuration	Depth	Width	Power Module Cutout	Specialty Top	Top Finish	Worksurface and Edge Finish	Edge Trim Style	Support Finish
W Deep Knife Edge (1 3/16") (Shown)	F Freestanding	48, 54	108, 120, 132, 144, 156, 168, 180, 192	FT Flush Module – Triple NN No Cutout (Shown) RS Recessed Module – Standard	G Glass – Gloss 6mm	Backpainted	Foundation Laminate	D Deep Knife Trim (1.5mm)	Foundation Mica Accent

SAMPLE ORDER CODE

MXSIT W	F	54	132	FT	G	K7	RV	D	52
----------------	----------	-----------	------------	-----------	----------	-----------	-----------	----------	-----------

DIMENSIONS
INCHES / MM

D	W
48 / 1219	108 / 2743
48 / 1219	120 / 3048
48 / 1219	132 / 3353
48 / 1219	144 / 3658
48 / 1219	156 / 3962
48 / 1219	168 / 4267
48 / 1219	180 / 4572
48 / 1219	192 / 4877
54 / 1372	108 / 2743
54 / 1372	120 / 3048
54 / 1372	132 / 3353
54 / 1372	144 / 3658
54 / 1372	156 / 3962
54 / 1372	168 / 4267
54 / 1372	180 / 4572
54 / 1372	192 / 4877


PRICING

DEEP KNIFE EDGE (W)
GLASS – GLOSS 6mm (G)
Foundation Laminate Worksurface & Edge Finish
9148
9551
10348
10618
11228
11601
12074
12537
9508
9940
10766
11190
11909
12383
12871
13350

meeting tables

M X T I R

Island Base Table – Rectangular



WHAT'S INCLUDED

Surface(s), base with removable panel, wire management and counterweight bags (if required).

WHAT'S EXCLUDED

Power Modules (MXPRH and MXPFP) and Recessed Module – Access Door (MXPRD).

NOTES

If specified, module cutouts are included as listed below:

Width	Flush Power Module – Triple Cutout	Recessed Module – Standard Cutout
108" to 120"	2	1
132" to 192"	2	2

When Worksurface Style (M) option is specified, only the Edge Trim Styles (8 or 9) options are available.

When Worksurface Style (V) option is specified, only the Edge Trim Style (F) option is available.

When Worksurface Style (W) option is specified, only Edge Trim Style (D) option is available.

When Flintwood Worksurface Finish is specified, only Not Applicable (NA) Edge Trim Finish is available.

Underworksurface routing and base cutouts facilitate cable management for edge power solutions (Expansion Meeting or Complements).

PRODUCT OPTIONS

Worksurface Style	Configuration	Depth	Width	Corner Detail	Power Module Cutout	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
M Flat Edge (1 3/16")	F Freestanding	48, 54, 58, 60	108, 120, 132, 144, 156, 168, 180, 192	R Radius (Shown)	FT Flush Module – Triple	Foundation Laminate	8 Flat Trim (1.5mm)	Edge Trim Colors (for trim style 8, D or F) NA Not Applicable (for trim style 9)	Foundation Mica Accent
V Knife Edge (1 3/16")				S Straight	NN No Cutout (Shown)	Grade 2 Laminate	9 Flintwood Flat Trim		
W Deep Knife Edge (1 3/16") (Shown)					RS Recessed Module – Standard	Flintwood (No Cathedral)	F Full Knife Trim (1.5mm) D Deep Knife Trim (1.5mm)		

SAMPLE ORDER CODE

MXTIR M	F	54	132	S	FT	RV	8	SS	52
----------------	----------	-----------	------------	----------	-----------	-----------	----------	-----------	-----------

DIMENSIONS INCHES / MM

D	W
48 / 1219	108 / 2743
48 / 1219	120 / 3048
48 / 1219	132 / 3353
48 / 1219	144 / 3658
48 / 1219	156 / 3962
48 / 1219	168 / 4267
48 / 1219	180 / 4572
48 / 1219	192 / 4877

PRICING

FLAT EDGE (M)			KNIFE EDGE (V)		DEEP KNIFE EDGE (W)	
Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate	Foundation Laminate	Grade 2 Laminate
5432	5941	8164	5692	6201	5952	6461
5610	6175	8366	5890	6455	6170	6735
6182	6804	8961	6482	7104	6782	7404
6227	6905	9044	6547	7225	6867	7545
6612	7347	9465	6952	7687	7292	8027
6760	7551	9681	7120	7911	7480	8271
7008	7856	9996	7388	8236	7768	8616
7246	8150	10302	7646	8550	8046	8950

Pricing is continued on the following page.


M X T I R

Island Base Table – Rectangular
(Continued)DIMENSIONS
INCHES / MM

PRICING

		FLAT EDGE (M)			KNIFE EDGE (V)		DEEP KNIFE EDGE (W)	
D	W	Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate	Foundation Laminate	Grade 2 Laminate
54 / 1372	108 / 2743	5565	6137	8832	5835	6407	6105	6677
54 / 1372	120 / 3048	5759	6395	9310	6049	6685	6339	6975
54 / 1372	132 / 3353	6346	7045	10181	6656	7355	6966	7665
54 / 1372	144 / 3658	6532	7295	10666	6862	7625	7192	7955
54 / 1372	156 / 3962	7013	7839	11446	7363	8189	7713	8539
54 / 1372	168 / 4267	7248	8138	11989	7618	8508	7988	8878
54 / 1372	180 / 4572	7498	8451	12547	7888	8841	8278	9231
54 / 1372	192 / 4877	7739	8756	13097	8149	9166	8559	9576
58 / 1473	120 / 3048	6169	6852	9766	6466	7149	6763	7446
58 / 1473	132 / 3353	6768	7519	10645	7085	7836	7402	8153
58 / 1473	144 / 3658	6813	7632	10973	7150	7969	7487	8306
58 / 1473	156 / 3962	7150	8038	11595	7507	8395	7864	8752
58 / 1473	168 / 4267	7414	8370	12146	7791	8747	8168	9124
58 / 1473	180 / 4572	7695	8719	12714	8092	9116	8489	9513
58 / 1473	192 / 4877	7966	9058	13272	8383	9475	8800	9892
60 / 1524	120 / 3048	6207	6913	n/a	6507	7213	6807	7513
60 / 1524	132 / 3353	6813	7590	n/a	7133	7910	7453	8230
60 / 1524	144 / 3658	6869	7717	n/a	7209	8057	7549	8397
60 / 1524	156 / 3962	7219	8137	n/a	7579	8497	7939	8857
60 / 1524	168 / 4267	7498	8487	n/a	7878	8867	8258	9247
60 / 1524	180 / 4572	7793	8852	n/a	8193	9252	8593	9652
60 / 1524	192 / 4877	8080	9210	n/a	8500	9630	8920	10050

MXSIR
Island Base Table – Rectangular
with Specialty Top



WHAT'S INCLUDED
Surface(s), glass overlay, base with removable panel, wire management and counterweight bags (if required).

WHAT'S EXCLUDED
Power Modules (MXPRH and MXPPF) and Recessed Module – Access Door (MXPRD).

NOTES
If specified, module cutouts are included as listed below:

Width	Flush Power Module – Triple Cutout	Recessed Module – Standard Cutout
108" to 120"	2	1
132" to 192"	2	2

Underworksurface routing and base cutouts facilitate cable management for edge power solutions (Expansion Meeting or Complements).

PRODUCT OPTIONS

Worksurface Style	Configuration	Depth	Width	Corner Detail	Power Module Cutout
W Deep Knife Edge (1 3/16") (Shown)	F Freestanding	48, 54	108, 120, 132, 144, 156, 168, 180, 192	R Radius (Shown) S Straight	FT Flush Module – Triple NN No Cutout (Shown) RS Recessed Module – Standard

SAMPLE ORDER CODE

MXSIR W	F	54	132	S	FT
----------------	----------	-----------	------------	----------	-----------

PRODUCT OPTIONS CONTINUED

Specialty Top	Top Finish	Worksurface and Edge Finish	Edge Trim Style	Support Finish
G Glass – Gloss 6mm	Backpainted	Foundation Laminate	D Deep Knife Trim (1.5mm)	Foundation Mica Accent

SAMPLE ORDER CODE CONTINUED

G	K7	RV	D	52
----------	-----------	-----------	----------	-----------

See Pricing on the following page.

M X S I R
Island Base Table – Rectangular
with Specialty Top (Continued)

DIMENSIONS
INCHES / MM


D	W
48 / 1219	108 / 2743
48 / 1219	120 / 3048
48 / 1219	132 / 3353
48 / 1219	144 / 3658
48 / 1219	156 / 3962
48 / 1219	168 / 4267
48 / 1219	180 / 4572
48 / 1219	192 / 4877
54 / 1372	108 / 2743
54 / 1372	120 / 3048
54 / 1372	132 / 3353
54 / 1372	144 / 3658
54 / 1372	156 / 3962
54 / 1372	168 / 4267
54 / 1372	180 / 4572
54 / 1372	192 / 4877

PRICING

DEEP KNIFE EDGE (W)	
GLASS – GLOSS 6mm (G)	
FOUNDATION LAMINATE WORKSURFACE & EDGE FINISH	
Straight (S)	Radius (R)
7625	9148
7953	9551
8675	10348
8870	10618
9405	11228
9703	11601
10101	12074
10489	12537
7910	9508
8268	9940
9018	10766
9367	11190
10011	11909
10410	12383
10823	12871
11227	13350

M X T C T

Cone Base Table – Racetrack



WHAT'S INCLUDED
Surface, bases, wire management cover (if applicable) and counterweight bags.

WHAT'S EXCLUDED
Flush Power Modules (MXFPF).

NOTES
If specified, module cutouts are included as listed below:

Width	Flush Power Module – Dual Cutout	Flush Power Module – Triple Cutout
72" to 96"	2	1

When Worksurface Style (M) option is specified, only the Edge Trim Styles (8 or 9) options are available.

When Worksurface Style (W) option is specified, only Edge Trim Style (D) option is available.

When Flintwood Worksurface Finish is specified, only Not Applicable (NA) Edge Trim Finish is available.

Underworksurface routing and base cutouts facilitate cable management for edge power solutions (Expansion Meeting or Complements).

PRODUCT OPTIONS

Worksurface Style	Height	Depth	Width	Power Module Cutout	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
M Flat Edge (1 3/16")	29, 36, 42	36, 42, 48	072, 078, 084, 090, 096	FD Flush Module – Dual	Foundation Laminate	8 Flat Trim (1.5mm)	Edge Trim Colors (for trim style 8 or D)	Foundation Mica Accent
W Deep Knife Edge (1 3/16") (Shown)				FT Flush Module – Triple	Grade 2 Laminate	9 Flintwood Flat Trim		
				NN No Cutout (Shown)	Flintwood (No Cathedral)	D Deep Knife Trim (1.5mm)	NA Not Applicable (for trim style 9)	

SAMPLE ORDER CODE

MXTCT M	29	42	084	FD	RV	8	SS	52
---------	----	----	-----	----	----	---	----	----

DIMENSIONS

INCHES / MM

H	D	W
29 / 737	42 / 1067	72 / 1829
29 / 737	42 / 1067	78 / 1981
29 / 737	42 / 1067	84 / 2134
29 / 737	42 / 1067	90 / 2286
29 / 737	42 / 1067	96 / 2438
29 / 737	48 / 1219	72 / 1829
29 / 737	48 / 1219	78 / 1981
29 / 737	48 / 1219	84 / 2134
29 / 737	48 / 1219	90 / 2286
29 / 737	48 / 1219	96 / 2438

PRICING

FLAT EDGE (M)			DEEP KNIFE EDGE (W)	
Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate
5166	5463	6444	5546	5843
5229	5551	6547	5629	5951
5291	5637	6650	5711	6057
5353	5724	6752	5793	6164
5415	5811	6856	5875	6271
5581	5920	6934	5981	6320
5652	6020	7013	6072	6440
5720	6116	7106	6160	6556
5787	6211	7197	6247	6671
5855	6307	7290	6335	6787

Pricing is continued on the following page.

M X T C T

Cone Base Table – Racetrack (Continued)

DIMENSIONS INCHES / MM


H	D	W
36 / 914	36 / 914	72 / 1829
36 / 914	36 / 914	78 / 1981
36 / 914	36 / 914	84 / 2134
36 / 914	36 / 914	90 / 2286
36 / 914	36 / 914	96 / 2438
36 / 914	42 / 1067	72 / 1829
36 / 914	42 / 1067	78 / 1981
36 / 914	42 / 1067	84 / 2134
36 / 914	42 / 1067	90 / 2286
36 / 914	42 / 1067	96 / 2438
42 / 1067	36 / 914	72 / 1829
42 / 1067	36 / 914	78 / 1981
42 / 1067	36 / 914	84 / 2134
42 / 1067	36 / 914	90 / 2286
42 / 1067	36 / 914	96 / 2438
42 / 1067	42 / 1067	72 / 1829
42 / 1067	42 / 1067	78 / 1981
42 / 1067	42 / 1067	84 / 2134
42 / 1067	42 / 1067	90 / 2286
42 / 1067	42 / 1067	96 / 2438

PRICING

FLAT EDGE (M)			DEEP KNIFE EDGE (W)	
Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate
5039	5294	6259	5399	5654
5096	5372	6345	5476	5752
5154	5451	6468	5554	5851
5210	5528	6533	5630	5948
5267	5606	6600	5707	6046
5268	5565	6546	5648	5945
5331	5653	6649	5731	6053
5393	5739	6752	5813	6159
5455	5826	6854	5895	6266
5517	5913	6958	5977	6373
5119	5374	6339	5479	5734
5176	5452	6425	5556	5832
5234	5531	6548	5634	5931
5290	5608	6613	5710	6028
5347	5686	6680	5787	6126
5348	5645	6626	5728	6025
5411	5733	6729	5811	6133
5473	5819	6832	5893	6239
5535	5906	6934	5975	6346
5597	5993	7038	6057	6453

MXSCT

Cone Base Table – Racetrack with Specialty Top



WHAT'S INCLUDED
Surface with glass overlay, bases, wire management cover (if applicable) and counterweight bags (if required).

WHAT'S EXCLUDED
Flush Power Modules (MXPPF).

NOTES
If specified, module cutouts are included as listed below:

Width	Flush Power Module – Dual Cutout	Flush Power Module – Triple Cutout
72" to 96"	2	1

Underworksurface routing and base cutouts facilitate cable management for edge power solutions (Expansion Meeting or Complements).

PRODUCT OPTIONS

Worksurface Style	Height	Depth	Width	Power Module Cutout	Specialty Top	Top Finish	Worksurface and Edge Finish	Edge Trim Style	Support Finish
W Deep Knife Edge (1 3/16") (Shown)	29, 36, 42	36, 42, 48	072, 078, 084, 090, 096	FD Flush Module – Dual FT Flush Module – Triple NN No Cutout (Shown)	G Glass – Gloss 6mm	Backpainted	Foundation Laminate	D Deep Knife Trim (1.5mm)	Foundation Mica Accent

SAMPLE ORDER CODE

MXSCT W	29	42	084	FD	G	K7	RV	D	52
----------------	-----------	-----------	------------	-----------	----------	-----------	-----------	----------	-----------

DIMENSIONS
INCHES / MM

H	D	W
29 / 737	42 / 1067	72 / 1829
29 / 737	42 / 1067	78 / 1981
29 / 737	42 / 1067	84 / 2134
29 / 737	42 / 1067	90 / 2286
29 / 737	42 / 1067	96 / 2438
29 / 737	48 / 1219	72 / 1829
29 / 737	48 / 1219	78 / 1981
29 / 737	48 / 1219	84 / 2134
29 / 737	48 / 1219	90 / 2286
29 / 737	48 / 1219	96 / 2438
36 / 914	36 / 914	72 / 1829
36 / 914	36 / 914	78 / 1981
36 / 914	36 / 914	84 / 2134
36 / 914	36 / 914	90 / 2286
36 / 914	36 / 914	96 / 2438

PRICING

DEEP KNIFE EDGE (W)
Foundation Laminate Worksurface & Edge Finish
7298
7467
7635
7803
7971
7857
8040
8221
8400
8581
7028
7184
7341
7497
7653

DIMENSIONS
INCHES / MM


H	D	W
36 / 914	42 / 1067	72 / 1829
36 / 914	42 / 1067	78 / 1981
36 / 914	42 / 1067	84 / 2134
36 / 914	42 / 1067	90 / 2286
36 / 914	42 / 1067	96 / 2438
42 / 1067	36 / 914	72 / 1829
42 / 1067	36 / 914	78 / 1981
42 / 1067	36 / 914	84 / 2134
42 / 1067	36 / 914	90 / 2286
42 / 1067	36 / 914	96 / 2438
42 / 1067	42 / 1067	72 / 1829
42 / 1067	42 / 1067	78 / 1981
42 / 1067	42 / 1067	84 / 2134
42 / 1067	42 / 1067	90 / 2286
42 / 1067	42 / 1067	96 / 2438

PRICING

Foundation Laminate Worksurface & Edge Finish
7400
7569
7737
7905
8073
7108
7264
7421
7577
7733
7480
7649
7817
7985
8153

M X T C R

Cone Base Table – Rectangular



WHAT'S INCLUDED
Surface, bases, wire management cover (if applicable) and counterweight bags (if required).

WHAT'S EXCLUDED
Flush Power Modules (MXPPF).

NOTES
If specified, module cutouts are included as listed below:

Width	Flush Power Module – Dual Cutout	Flush Power Module – Triple Cutout
72" to 96"	2	1

When Worksurface Style (M) option is specified, only the Edge Trim Styles (8 or 9) options are available.

When Worksurface Style (V) option is specified, only the Edge Trim Style (F) option is available.

When Worksurface Style (W) option is specified, only Edge Trim Style (D) option is available.

When Flintwood Worksurface Finish is specified, only Not Applicable (NA) Edge Trim Finish is available.

Underworksurface routing and base cutouts facilitate cable management for edge power solutions (Expansion Meeting or Complements).

PRODUCT OPTIONS

Worksurface Style	Height	Depth	Width	Corner Detail	Power Module Cutout	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
M Flat Edge (1 3/16")	29, 36, 42	36, 42, 48	072, 078, 084, 090, 096	R Radius (Shown)	FD Flush Module – Dual	Foundation Laminate	8 Flat Trim (1.5mm)	Edge Trim Colors (for trim style 8, D or F) NA Not Applicable (for trim style 9)	Foundation Mica Accent
V Knife Edge (1 3/16")				S Straight	FT Flush Module – Triple	Grade 2 Laminate	9 Flintwood Flat Trim		
W Deep Knife Edge (1 3/16") (Shown)					NN No Cutout (Shown)	Flintwood (No Cathedral)	F Full Knife Trim (1.5mm) D Deep Knife Trim (1.5mm)		

SAMPLE ORDER CODE

MXTCR M	29	42	084	S	FD	RV	8	SS	52
----------------	-----------	-----------	------------	----------	-----------	-----------	----------	-----------	-----------

DIMENSIONS – INCHES
FOR MM X 25.4

H	D	W
29	42	72
29	42	78
29	42	84
29	42	90
29	42	96
29	48	72
29	48	78
29	48	84
29	48	90
29	48	96

PRICING

FLAT EDGE (M)			KNIFE EDGE (V)		DEEP KNIFE EDGE (W)	
Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate	Foundation Laminate	Grade 2 Laminate
5166	5463	6444	5356	5653	5546	5843
5229	5551	6547	5429	5751	5629	5951
5291	5637	6650	5501	5847	5711	6057
5353	5724	6752	5573	5944	5793	6164
5415	5811	6856	5645	6041	5875	6271
5581	5920	6934	5781	6120	5981	6320
5652	6020	7013	5862	6230	6072	6440
5720	6116	7106	5940	6336	6160	6556
5787	6211	7197	6017	6441	6247	6671
5855	6307	7290	6095	6547	6335	6787

Pricing is continued on the following page.


M X T C R
Cone Base Table – Rectangular
(Continued)

DIMENSIONS – INCHES
FOR MM X 25.4

PRICING

			FLAT EDGE (M)			KNIFE EDGE (V)		DEEP KNIFE EDGE (W)	
H	D	W	Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate	Foundation Laminate	Grade 2 Laminate
36	36	72	5039	5294	6259	5219	5474	5399	5654
36	36	78	5096	5372	6345	5286	5562	5476	5752
36	36	84	5154	5451	6468	5354	5651	5554	5851
36	36	90	5210	5528	6533	5420	5738	5630	5948
36	36	96	5267	5606	6600	5487	5826	5707	6046
36	42	72	5268	5565	6546	5458	5755	5648	5945
36	42	78	5331	5653	6649	5531	5853	5731	6053
36	42	84	5393	5739	6752	5603	5949	5813	6159
36	42	90	5455	5826	6854	5675	6046	5895	6266
36	42	96	5517	5913	6958	5747	6143	5977	6373
42	36	72	5119	5374	6339	5299	5554	5479	5734
42	36	78	5176	5452	6425	5366	5642	5556	5832
42	36	84	5234	5531	6548	5434	5731	5634	5931
42	36	90	5290	5608	6613	5500	5818	5710	6028
42	36	96	5347	5686	6680	5567	5906	5787	6126
42	42	72	5348	5645	6626	5538	5835	5728	6025
42	42	78	5411	5733	6729	5611	5933	5811	6133
42	42	84	5473	5819	6832	5683	6029	5893	6239
42	42	90	5535	5906	6934	5755	6126	5975	6346
42	42	96	5597	5993	7038	5827	6223	6057	6453

MXSCR
Cone Base Table – Rectangular with
Specialty Top



WHAT'S INCLUDED
Surface with glass overlay, bases, wire management cover (if applicable) and counterweight bags (if required).

WHAT'S EXCLUDED
Flush Power Modules (MXPPF).

NOTES
If specified, module cutouts are included as listed below:

Width	Flush Power Module – Dual Cutout	Flush Power Module – Triple Cutout
72" to 96"	2	1

Underworksurface routing and base cutouts facilitate cable management for edge power solutions (Expansion Meeting or Complements).

PRODUCT OPTIONS

Worksurface Style	Height	Depth	Width	Corner Detail	Power Module Cutout
W Deep Knife Edge (1 3/16") (Shown)	29, 36, 42	36, 42, 48	072, 078, 084, 090, 096	R Radius (Shown) S Straight	FD Flush Module – Dual FT Flush Module – Triple NN No Cutout (Shown)

SAMPLE ORDER CODE

MXSCR W	29	42	084	S	FD
----------------	-----------	-----------	------------	----------	-----------

PRODUCT OPTIONS CONTINUED

Specialty Top	Top Finish	Worksurface and Edge Finish	Edge Trim Style	Support Finish
G Glass – Gloss 6mm	Backpainted	Foundation Laminate	D Deep Knife Trim (1.5mm)	Foundation Mica Accent

SAMPLE ORDER CODE CONTINUED

G	K7	RV	D	52
----------	-----------	-----------	----------	-----------

See Pricing on the following page.

M X S C R

Cone Base Table – Rectangular with
Specialty Top (Continued)DIMENSIONS
INCHES / MM

H	D	W
29 / 737	42 / 1067	72 / 1829
29 / 737	42 / 1067	78 / 1981
29 / 737	42 / 1067	84 / 2134
29 / 737	42 / 1067	90 / 2286
29 / 737	42 / 1067	96 / 2438
29 / 737	48 / 1219	72 / 1829
29 / 737	48 / 1219	78 / 1981
29 / 737	48 / 1219	84 / 2134
29 / 737	48 / 1219	90 / 2286
29 / 737	48 / 1219	96 / 2438
36 / 914	36 / 914	72 / 1829
36 / 914	36 / 914	78 / 1981
36 / 914	36 / 914	84 / 2134
36 / 914	36 / 914	90 / 2286
36 / 914	36 / 914	96 / 2438
36 / 914	42 / 1067	72 / 1829
36 / 914	42 / 1067	78 / 1981
36 / 914	42 / 1067	84 / 2134
36 / 914	42 / 1067	90 / 2286
36 / 914	42 / 1067	96 / 2438
42 / 1067	36 / 914	72 / 1829
42 / 1067	36 / 914	78 / 1981
42 / 1067	36 / 914	84 / 2134
42 / 1067	36 / 914	90 / 2286
42 / 1067	36 / 914	96 / 2438
42 / 1067	42 / 1067	72 / 1829
42 / 1067	42 / 1067	78 / 1981
42 / 1067	42 / 1067	84 / 2134
42 / 1067	42 / 1067	90 / 2286
42 / 1067	42 / 1067	96 / 2438

PRICING


DEEP KNIFE EDGE (W)

GLASS – GLOSS 6mm (G)

FOUNDATION LAMINATE WORKSURFACE & EDGE FINISH

Straight (S)	Radius (R)
6462	7298
6593	7467
6724	7635
6854	7803
6984	7971
6983	7857
7129	8040
7272	8221
7414	8400
7557	8581
6229	7028
6348	7184
6467	7341
6585	7497
6704	7653
6564	7400
6695	7569
6826	7737
6956	7905
7086	8073
6309	7108
6428	7264
6547	7421
6665	7577
6784	7733
6644	7480
6775	7649
6906	7817
7036	7985
7166	8153

M X T G T
Gemstone Base Table – Racetrack



WHAT'S INCLUDED
Surface, bases, wire management cover (if applicable) and counterweight bags (if required).

WHAT'S EXCLUDED
Flush Power Modules (MXPPF).

NOTES
If specified, module cutouts are included as listed below:

Width	Flush Power Module – Dual Cutout	Flush Power Module – Triple Cutout
72" to 96"	2	1

When Worksurface Style (M) option is specified, only the Edge Trim Styles (8 or 9) options are available.

When Worksurface Style (W) option is specified, only Edge Trim Style (D) option is available.

When Flintwood Worksurface Finish is specified, only Not Applicable (NA) Edge Trim Finish is available.

Underworksurface routing and base cutouts facilitate cable management for edge power solutions (Expansion Meeting or Complements).

PRODUCT OPTIONS

Worksurface Style	Height	Depth	Width	Power Module Cutout	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
M Flat Edge (1 3/16")	29, 36, 42	36, 42, 48	072, 078, 084, 090, 096	FD Flush Module – Dual	Foundation Laminate	8 Flat Trim (1.5mm)	Edge Trim Colors (for trim style 8 or D) NA Not Applicable (for trim style 9)	Foundation Mica Accent
W Deep Knife Edge (1 3/16") (Shown)				FT Flush Module – Triple	Grade 2 Laminate	9 Flintwood Flat Trim		
				NN No Cutout (Shown)	Flintwood (No Cathedral)	D Deep Knife Trim (1.5mm)		

SAMPLE ORDER CODE

MXTGT M	29	42	084	FD	RV	8	SS	52
---------	----	----	-----	----	----	---	----	----

DIMENSIONS
INCHES / MM

H	D	W
29 / 737	42 / 1067	72 / 1829
29 / 737	42 / 1067	78 / 1981
29 / 737	42 / 1067	84 / 2134
29 / 737	42 / 1067	90 / 2286
29 / 737	42 / 1067	96 / 2438
29 / 737	48 / 1219	72 / 1829
29 / 737	48 / 1219	78 / 1981
29 / 737	48 / 1219	84 / 2134
29 / 737	48 / 1219	90 / 2286
29 / 737	48 / 1219	96 / 2438

PRICING

FLAT EDGE (M)			DEEP KNIFE EDGE (W)	
Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate
5385	5682	6663	5765	6062
5448	5770	6766	5848	6170
5510	5856	6869	5930	6276
5572	5943	6971	6012	6383
5634	6030	7075	6094	6490
5801	6140	7154	6201	6540
5872	6240	7233	6292	6660
5940	6336	7326	6380	6776
6007	6431	7417	6467	6891
6075	6527	7510	6555	7007

Pricing is continued on the following page.

M X T G T

Gemstone Base Table – Racetrack (Continued)

DIMENSIONS INCHES / MM


H	D	W
36 / 914	36 / 914	72 / 1829
36 / 914	36 / 914	78 / 1981
36 / 914	36 / 914	84 / 2134
36 / 914	36 / 914	90 / 2286
36 / 914	36 / 914	96 / 2438
36 / 914	42 / 1067	72 / 1829
36 / 914	42 / 1067	78 / 1981
36 / 914	42 / 1067	84 / 2134
36 / 914	42 / 1067	90 / 2286
36 / 914	42 / 1067	96 / 2438
42 / 1067	36 / 914	72 / 1829
42 / 1067	36 / 914	78 / 1981
42 / 1067	36 / 914	84 / 2134
42 / 1067	36 / 914	90 / 2286
42 / 1067	36 / 914	96 / 2438
42 / 1067	42 / 1067	72 / 1829
42 / 1067	42 / 1067	78 / 1981
42 / 1067	42 / 1067	84 / 2134
42 / 1067	42 / 1067	90 / 2286
42 / 1067	42 / 1067	96 / 2438

PRICING

FLAT EDGE (M)			DEEP KNIFE EDGE (W)	
Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate
5256	5511	6476	5616	5871
5313	5589	6562	5693	5969
5371	5668	6685	5771	6068
5427	5745	6750	5847	6165
5484	5823	6817	5924	6263
5485	5782	6763	5865	6162
5548	5870	6866	5948	6270
5610	5956	6969	6030	6376
5672	6043	7071	6112	6483
5734	6130	7175	6194	6590
5347	5602	6567	5707	5962
5404	5680	6653	5784	6060
5462	5759	6776	5862	6159
5518	5836	6841	5938	6256
5575	5914	6908	6015	6354
5576	5873	6854	5956	6253
5639	5961	6957	6039	6361
5701	6047	7060	6121	6467
5763	6134	7162	6203	6574
5825	6221	7266	6285	6681

MXSGT

Gemstone Base Table – Racetrack with Specialty Top



WHAT'S INCLUDED
Surface with glass overlay, bases, wire management cover (if applicable) and counterweight bags (if required).

WHAT'S EXCLUDED
Flush Power Modules (MXPPF).

NOTES
If specified, module cutouts are included as listed below:

Width	Flush Power Module – Dual Cutout	Flush Power Module – Triple Cutout
72" to 96"	2	1

Underworksurface routing and base cutouts facilitate cable management for edge power solutions (Expansion Meeting or Complements).

PRODUCT OPTIONS

Worksurface Style	Height	Depth	Width	Power Module Cutout	Specialty Top	Top Finish	Worksurface and Edge Finish	Edge Trim Style	Support Finish
W Deep Knife Edge (1 3/16") (Shown)	29, 36, 42	36, 42, 48	072, 078, 084, 090, 096	FD Flush Module – Dual FT Flush Module – Triple NN No Cutout (Shown)	G Glass – Gloss 6mm	Backpainted	Foundation Laminate	D Deep Knife Trim (1.5mm)	Foundation Mica Accent

SAMPLE ORDER CODE

MXSGT W	29	42	084	FD	G	K7	RV	D	52
---------	----	----	-----	----	---	----	----	---	----

DIMENSIONS
INCHES / MM

H	D	W
29 / 737	42 / 1067	72 / 1829
29 / 737	42 / 1067	78 / 1981
29 / 737	42 / 1067	84 / 2134
29 / 737	42 / 1067	90 / 2286
29 / 737	42 / 1067	96 / 2438
29 / 737	48 / 1219	72 / 1829
29 / 737	48 / 1219	78 / 1981
29 / 737	48 / 1219	84 / 2134
29 / 737	48 / 1219	90 / 2286
29 / 737	48 / 1219	96 / 2438
36 / 914	36 / 914	72 / 1829
36 / 914	36 / 914	78 / 1981
36 / 914	36 / 914	84 / 2134
36 / 914	36 / 914	90 / 2286
36 / 914	36 / 914	96 / 2438

PRICING

DEEP KNIFE EDGE (W)
Foundation Laminate Worksurface & Edge Finish
7517
7686
7854
8022
8190
8077
8260
8441
8620
8801
7245
7401
7558
7714
7870


DIMENSIONS
INCHES / MM

H	D	W
36 / 914	42 / 1067	72 / 1829
36 / 914	42 / 1067	78 / 1981
36 / 914	42 / 1067	84 / 2134
36 / 914	42 / 1067	90 / 2286
36 / 914	42 / 1067	96 / 2438
42 / 1067	36 / 914	72 / 1829
42 / 1067	36 / 914	78 / 1981
42 / 1067	36 / 914	84 / 2134
42 / 1067	36 / 914	90 / 2286
42 / 1067	36 / 914	96 / 2438
42 / 1067	42 / 1067	72 / 1829
42 / 1067	42 / 1067	78 / 1981
42 / 1067	42 / 1067	84 / 2134
42 / 1067	42 / 1067	90 / 2286
42 / 1067	42 / 1067	96 / 2438

PRICING

Foundation Laminate Worksurface & Edge Finish
7617
7786
7954
8122
8290
7336
7492
7649
7805
7961
7708
7877
8045
8213
8381

M X T G R
Gemstone Base Table – Rectangular



WHAT'S INCLUDED
Surface, bases, wire management cover (if applicable) and counterweight bags (if required).

WHAT'S EXCLUDED
Flush Power Modules (MXPPF).

NOTES
If specified, module cutouts are included as listed below:

Width	Flush Power Module – Dual Cutout	Flush Power Module – Triple Cutout
72" to 96"	2	1

When Worksurface Style (M) option is specified, only the Edge Trim Styles (8 or 9) options are available.

When Worksurface Style (V) option is specified, only the Edge Trim Style (F) option is available.

When Worksurface Style (W) option is specified, only Edge Trim Style (D) option is available.

When Flintwood Worksurface Finish is specified, only Not Applicable (NA) Edge Trim Finish is available.

Underworksurface routing and base cutouts facilitate cable management for edge power solutions (Expansion Meeting or Complements).

PRODUCT OPTIONS

Worksurface Style	Height	Depth	Width	Corner Detail	Power Module Cutout	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
M Flat Edge (1 3/16")	29, 36, 42	36, 42, 48	072, 078, 084, 090, 096	R Radius (Shown)	FD Flush Module – Dual	Foundation Laminate	8 Flat Trim (1.5mm)	Edge Trim Colors (for trim style 8, D or F) NA Not Applicable (for trim style 9)	Foundation Mica Accent
V Knife Edge (1 3/16")				S Straight	FT Flush Module – Triple	Grade 2 Laminate	9 Flintwood Flat Trim		
W Deep Knife Edge (1 3/16") (Shown)					NN No Cutout (Shown)	Flintwood (No Cathedral)	F Full Knife Trim (1.5mm) D Deep Knife Trim (1.5mm)		

SAMPLE ORDER CODE

MXTGR M	29	42	084	S	FD	RV	8	SS	52
---------	----	----	-----	---	----	----	---	----	----

DIMENSIONS – INCHES
FOR MM X 25.4

H	D	W
29	42	72
29	42	78
29	42	84
29	42	90
29	42	96
29	48	72
29	48	78
29	48	84
29	48	90
29	48	96

PRICING

FLAT EDGE (M)			KNIFE EDGE (V)		DEEP KNIFE EDGE (W)	
Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate	Foundation Laminate	Grade 2 Laminate
5385	5682	6663	5575	5872	5765	6062
5448	5770	6766	5648	5970	5848	6170
5510	5856	6869	5720	6066	5930	6276
5572	5943	6971	5792	6163	6012	6383
5634	6030	7075	5864	6260	6094	6490
5801	6140	7154	6001	6340	6201	6540
5872	6240	7233	6082	6450	6292	6660
5940	6336	7326	6160	6556	6380	6776
6007	6431	7417	6237	6661	6467	6891
6075	6527	7510	6315	6767	6555	7007

Pricing is continued on the following page.

M X T G R


**Gemstone Base Table – Rectangular
(Continued)**

**DIMENSIONS – INCHES
FOR MM X 25.4**

PRICING

			FLAT EDGE (M)			KNIFE EDGE (V)		DEEP KNIFE EDGE (W)	
H	D	W	Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate	Foundation Laminate	Grade 2 Laminate
36	36	72	5256	5511	6476	5436	5691	5616	5871
36	36	78	5313	5589	6562	5503	5779	5693	5969
36	36	84	5371	5668	6685	5571	5868	5771	6068
36	36	90	5427	5745	6750	5637	5955	5847	6165
36	36	96	5484	5823	6817	5704	6043	5924	6263
36	42	72	5485	5782	6763	5675	5972	5865	6162
36	42	78	5548	5870	6866	5748	6070	5948	6270
36	42	84	5610	5956	6969	5820	6166	6030	6376
36	42	90	5672	6043	7071	5892	6263	6112	6483
36	42	96	5734	6130	7175	5964	6360	6194	6590
42	36	72	5347	5602	6567	5527	5782	5707	5962
42	36	78	5404	5680	6653	5594	5870	5784	6060
42	36	84	5462	5759	6776	5662	5959	5862	6159
42	36	90	5518	5836	6841	5728	6046	5938	6256
42	36	96	5575	5914	6908	5795	6134	6015	6354
42	42	72	5576	5873	6854	5766	6063	5956	6253
42	42	78	5639	5961	6957	5839	6161	6039	6361
42	42	84	5701	6047	7060	5911	6257	6121	6467
42	42	90	5763	6134	7162	5983	6354	6203	6574
42	42	96	5825	6221	7266	6055	6451	6285	6681

MXSGR
Gemstone Base Table – Rectangular
with Specialty Top



WHAT'S INCLUDED
Surface with glass overlay, bases, wire management cover (if applicable) and counterweight bags (if required).

WHAT'S EXCLUDED
Flush Power Modules (MXPPF).

NOTES
If specified, module cutouts are included as listed below:

Width	Flush Power Module – Dual Cutout	Flush Power Module – Triple Cutout
72" to 96"	2	1

Underworksurface routing and base cutouts facilitate cable management for edge power solutions (Expansion Meeting or Complements).

PRODUCT OPTIONS

Worksurface Style	Height	Depth	Width	Corner Detail	Power Module Cutout
W Deep Knife Edge (1 3/16") (Shown)	29, 36, 42	36, 42, 48	072, 078, 084, 090, 096	R Radius (Shown) S Straight	FD Flush Module – Dual FT Flush Module – Triple NN No Cutout (Shown)

SAMPLE ORDER CODE

MXSGR W	29	42	084	S	FD
----------------	-----------	-----------	------------	----------	-----------

PRODUCT OPTIONS CONTINUED

Specialty Top	Top Finish	Worksurface and Edge Finish	Edge Trim Style	Support Finish
G Glass – Gloss 6mm	Backpainted	Foundation Laminate	D Deep Knife Trim (1.5mm)	Foundation Mica Accent

SAMPLE ORDER CODE CONTINUED

G	K7	RV	D	52
----------	-----------	-----------	----------	-----------

See Pricing on the following page.

M X S G R

Gemstone Base Table – Rectangular
with Specialty Top (Continued)DIMENSIONS
INCHES / MM

H	D	W
29 / 737	42 / 1067	72 / 1829
29 / 737	42 / 1067	78 / 1981
29 / 737	42 / 1067	84 / 2134
29 / 737	42 / 1067	90 / 2286
29 / 737	42 / 1067	96 / 2438
29 / 737	48 / 1219	72 / 1829
29 / 737	48 / 1219	78 / 1981
29 / 737	48 / 1219	84 / 2134
29 / 737	48 / 1219	90 / 2286
29 / 737	48 / 1219	96 / 2438
36 / 914	36 / 914	72 / 1829
36 / 914	36 / 914	78 / 1981
36 / 914	36 / 914	84 / 2134
36 / 914	36 / 914	90 / 2286
36 / 914	36 / 914	96 / 2438
36 / 914	42 / 1067	72 / 1829
36 / 914	42 / 1067	78 / 1981
36 / 914	42 / 1067	84 / 2134
36 / 914	42 / 1067	90 / 2286
36 / 914	42 / 1067	96 / 2438
42 / 1067	36 / 914	72 / 1829
42 / 1067	36 / 914	78 / 1981
42 / 1067	36 / 914	84 / 2134
42 / 1067	36 / 914	90 / 2286
42 / 1067	36 / 914	96 / 2438
42 / 1067	42 / 1067	72 / 1829
42 / 1067	42 / 1067	78 / 1981
42 / 1067	42 / 1067	84 / 2134
42 / 1067	42 / 1067	90 / 2286
42 / 1067	42 / 1067	96 / 2438

PRICING

DEEP KNIFE EDGE (W)


GLASS – GLOSS 6mm (G)

FOUNDATION LAMINATE WORKSURFACE & EDGE FINISH

Straight (S)	Radius (R)
6681	7517
6812	7686
6943	7854
7073	8022
7203	8190
7203	8077
7349	8260
7492	8441
7634	8620
7777	8801
6446	7245
6565	7401
6684	7558
6802	7714
6921	7870
6781	7617
6912	7786
7043	7954
7173	8122
7303	8290
6537	7336
6656	7492
6775	7649
6893	7805
7012	7961
6872	7708
7003	7877
7134	8045
7264	8213
7394	8381

M X T F R

Frame Base Table – Rectangular



WHAT'S INCLUDED
Surfaces, bases and wire management.

WHAT'S EXCLUDED
Power Modules (MXPRH and MXPFP) and Recessed Module – Access Door (MXPRD).

NOTES
If specified, module cutouts are included as listed below:

Width	Flush Power Module – Triple Cutout	Recessed Module – Standard Cutout
108" to 192"	2	2
204" to 240"	3	3

When Worksurface Style (M) option is specified, only the Edge Trim Styles (8 or 9) options are available.

When Worksurface Style (V) option is specified, only the Edge Trim Style (F) option is available.

When Worksurface Style (W) option is specified, only Edge Trim Style (D) option is available.

When Flintwood Worksurface Finish is specified, only Not Applicable (NA) Edge Trim Finish is available.

Underworksurface routing and base cutouts facilitate cable management for edge power solutions (Expansion Meeting or Complements).

PRODUCT OPTIONS

Worksurface Style	Depth	Width	Corner Detail	Power Module Cutout	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
M Flat Edge (1 3/16")	42, 48, 54, 58, 60	108, 120, 132, 144, 156, 168, 180, 192, 204, 216, 228, 240	R Radius (Shown) S Straight	FT Flush Module – Triple	Foundation Laminate	8 Flat Trim (1.5mm)	Edge Trim Colors (for trim style 8, D or F) NA Not Applicable (for trim style 9)	Foundation Mica Accent
V Knife Edge (1 3/16")				NN No Cutout (Shown)	Grade 2 Laminate	9 Flintwood Flat Trim		
W Deep Knife Edge (1 3/16") (Shown)				RS Recessed Module – Standard	Flintwood (No Cathedral)	F Full Knife Trim (1.5mm) D Deep Knife Trim (1.5mm)		

SAMPLE ORDER CODE

MXTFR M	54	132	S	FT	RV	8	SS	52
---------	----	-----	---	----	----	---	----	----

DIMENSIONS

INCHES / MM

D	W
42 / 1067	108 / 2743
42 / 1067	120 / 3048
42 / 1067	132 / 3353
42 / 1067	144 / 3658
42 / 1067	156 / 3962
42 / 1067	168 / 4267
42 / 1067	180 / 4572
42 / 1067	192 / 4877

PRICING

FLAT EDGE (M)			KNIFE EDGE (V)		DEEP KNIFE EDGE (W)	
Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate	Foundation Laminate	Grade 2 Laminate
4729	5174	7118	4979	5424	5229	5674
4871	5366	7345	5141	5636	5411	5906
5013	5557	7574	5303	5847	5593	6137
5151	5744	7810	5461	6054	5771	6364
5499	6142	8256	5829	6472	6159	6802
5623	6315	8479	5973	6665	6323	7015
5757	6499	8710	6127	6869	6497	7239
5881	6672	8933	6271	7062	6661	7452

Pricing is continued on the following page.

M X T F R

Frame Base Table – Rectangular (Continued)


DIMENSIONS INCHES / MM

PRICING

		FLAT EDGE (M)			KNIFE EDGE (V)		DEEP KNIFE EDGE (W)	
D	W	Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate	Foundation Laminate	Grade 2 Laminate
48 / 1219	108 / 2743	4842	5351	7574	5102	5611	5362	5871
48 / 1219	120 / 3048	4998	5563	7754	5278	5843	5558	6123
48 / 1219	132 / 3353	5156	5778	7935	5456	6078	5756	6378
48 / 1219	144 / 3658	5307	5985	8124	5627	6305	5947	6625
48 / 1219	156 / 3962	5670	6405	8523	6010	6745	6350	7085
48 / 1219	168 / 4267	5803	6594	8724	6163	6954	6523	7314
48 / 1219	180 / 4572	5946	6794	8934	6326	7174	6706	7554
48 / 1219	192 / 4877	6079	6983	9135	6479	7383	6879	7783
54 / 1372	120 / 3048	5392	6028	8943	5682	6318	5972	6608
54 / 1372	132 / 3353	5565	6264	9400	5875	6574	6185	6884
54 / 1372	144 / 3658	5730	6493	9864	6060	6823	6390	7153
54 / 1372	156 / 3962	6106	6932	10539	6456	7282	6806	7632
54 / 1372	168 / 4267	6243	7133	10984	6613	7503	6983	7873
54 / 1372	180 / 4572	6388	7341	11437	6778	7731	7168	8121
54 / 1372	192 / 4877	6524	7541	11882	6934	7951	7344	8361
54 / 1372	204 / 5182	6892	7972	13588	7322	8402	7752	8832
54 / 1372	216 / 5486	7018	8162	14005	7468	8612	7918	9062
54 / 1372	228 / 5791	7154	8362	14431	7624	8832	8094	9302
54 / 1372	240 / 6096	7385	8656	14867	7875	9146	8365	9636
58 / 1473	144 / 3658	5844	6663	10004	6181	7000	6518	7337
58 / 1473	156 / 3962	6243	7131	10688	6600	7488	6957	7845
58 / 1473	168 / 4267	6409	7365	11141	6786	7742	7163	8119
58 / 1473	180 / 4572	6585	7609	11604	6982	8006	7379	8403
58 / 1473	192 / 4877	6751	7843	12057	7168	8260	7585	8677
58 / 1473	204 / 5182	6997	8157	13789	7434	8594	7871	9031
58 / 1473	216 / 5486	7147	8376	14215	7604	8833	8061	9290
58 / 1473	228 / 5791	7305	8602	14650	7782	9079	8259	9556
58 / 1473	240 / 6096	7501	8866	15094	7998	9363	8495	9860
60 / 1524	144 / 3658	5900	6748	n/a	6240	7088	6580	7428
60 / 1524	156 / 3962	6312	7230	n/a	6672	7590	7032	7950
60 / 1524	168 / 4267	6493	7482	n/a	6873	7862	7253	8242
60 / 1524	180 / 4572	6683	7742	n/a	7083	8142	7483	8542
60 / 1524	192 / 4877	6865	7995	n/a	7285	8415	7705	8835
60 / 1524	204 / 5182	7050	8250	n/a	7490	8690	7930	9130
60 / 1524	216 / 5486	7211	8482	n/a	7671	8942	8131	9402
60 / 1524	228 / 5791	7381	8723	n/a	7861	9203	8341	9683
60 / 1524	240 / 6096	7559	8971	n/a	8059	9471	8559	9971

M X S F R

Frame Base Table – Rectangular with Specialty Top



WHAT'S INCLUDED
Surfaces, glass overlay, bases and wire management.

WHAT'S EXCLUDED
Power Modules (MXPRH and MXPFP) and Recessed Module – Access Door (MXPRD).

NOTES
If specified, module cutouts are included as listed below:

Width	Flush Power Module – Triple Cutout	Recessed Module – Standard Cutout
108" to 192"	2	2
204" to 240"	3	3

Underworksurface routing and base cutouts facilitate cable management for edge power solutions (Expansion Meeting or Complements).

PRODUCT OPTIONS

Worksurface Style	Depth	Width	Corner Detail	Power Module Cutout	Specialty Top	Top Finish	Worksurface and Edge Finish	Edge Trim Style	Support Finish
W Deep Knife Edge (1 3/16") (Shown)	42, 48, 54	108, 120, 132, 144, 156, 168, 180, 192, 204, 216, 228, 240	R Radius (Shown) S Straight	FT Flush Module – Triple NN No Cutout (Shown) RS Recessed Module – Standard	G Glass – Gloss 6mm	Backpainted	Foundation Laminate	D Deep Knife Trim (1.5mm)	Foundation Mica Accent

SAMPLE ORDER CODE

MXSFR W	54	132	S	FT	G	K7	RV	D	52
----------------	-----------	------------	----------	-----------	----------	-----------	-----------	----------	-----------

DIMENSIONS
INCHES / MM

D	W
42 / 1067	108 / 2743
42 / 1067	120 / 3048
42 / 1067	132 / 3353
42 / 1067	144 / 3658
42 / 1067	156 / 3962
42 / 1067	168 / 4267
42 / 1067	180 / 4572
42 / 1067	192 / 4877
48 / 1219	108 / 2743
48 / 1219	120 / 3048
48 / 1219	132 / 3353
48 / 1219	144 / 3658
48 / 1219	156 / 3962
48 / 1219	168 / 4267
48 / 1219	180 / 4572
48 / 1219	192 / 4877

PRICING

DEEP KNIFE EDGE (W)	
GLASS – GLOSS 6mm (G)	
FOUNDATION LAMINATE WORKSURFACE & EDGE FINISH	
Straight (S)	Radius (R)
6770	8218
7049	8572
7327	8925
7602	9275
8087	9835
8348	10170
8618	10516
8879	10852
7035	8558
7341	8939
7649	9322
7950	9698
8463	10286
8746	10644
9039	11012
9322	11370

Pricing is continued on the following page.

M X S F R

**Frame Base Table – Rectangular
with Specialty Top (Continued)**

**DIMENSIONS
INCHES / MM**


D	W
54 / 1372	120 / 3048
54 / 1372	132 / 3353
54 / 1372	144 / 3658
54 / 1372	156 / 3962
54 / 1372	168 / 4267
54 / 1372	180 / 4572
54 / 1372	192 / 4877
54 / 1372	204 / 5182
54 / 1372	216 / 5486
54 / 1372	228 / 5791
54 / 1372	240 / 6096

PRICING

DEEP KNIFE EDGE (W)	
GLASS – GLOSS 6mm (G)	
FOUNDATION LAMINATE WORKSURFACE & EDGE FINISH	
Straight (S)	Radius (R)
7901	9573
8237	9985
8565	10388
9104	11002
9405	11378
9713	11761
10012	12135
10891	12664
11180	13003
11480	13353
11874	13797

M X T O T

Oblong Base Table – Racetrack



WHAT'S INCLUDED

Surface(s), bases and wire management.

WHAT'S EXCLUDED

Power Modules (MXPRH and MXFPF) and Recessed Module – Access Door (MXPRD).

NOTES

If specified, module cutouts are included as listed below:

Width	Flush Power Module – Triple Cutout	Recessed Module – Standard Cutout
96"	1	1
108" to 192"	2	2
204" to 240"	3	3

When Worksurface Style (M) option is specified, only the Edge Trim Styles (8 or 9) options are available.

When Worksurface Style (W) option is specified, only Edge Trim Style (D) option is available.

When Flintwood Worksurface Finish is specified, only Not Applicable (NA) Edge Trim Finish is available.

Underworksurface routing and base cutouts facilitate cable management for edge power solutions (Expansion Meeting or Complements).

PRODUCT OPTIONS

Worksurface Style	Depth	Width	Power Module Cutout	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
M Flat Edge (1 3/16")	42, 48, 54, 58, 60	096, 108, 120, 132, 144, 156, 168, 180, 192, 204, 216, 228, 240	FT Flush Module – Triple	Foundation Laminate	8 Flat Trim (1.5mm)	Edge Trim Colors (for trim style 8 or D)	Foundation Mica Accent
W Deep Knife Edge (1 3/16") (Shown)			NN No Cutout (Shown)	Grade 2 Laminate	9 Flintwood Flat Trim	NA Not Applicable (for trim style 9)	
			RS Recessed Module – Standard	Flintwood (No Cathedral)	D Deep Knife Trim (1.5mm)		

SAMPLE ORDER CODE

MXTOT M	54	132	FT	RV	8	SS	52
----------------	-----------	------------	-----------	-----------	----------	-----------	-----------

DIMENSIONS INCHES / MM

D	W
42 / 1067	96 / 2438
42 / 1067	108 / 2743
42 / 1067	120 / 3048
42 / 1067	132 / 3353
42 / 1067	144 / 3658
42 / 1067	156 / 3962
42 / 1067	168 / 4267
42 / 1067	180 / 4572
42 / 1067	192 / 4877
48 / 1219	96 / 2438
48 / 1219	108 / 2743
48 / 1219	120 / 3048
48 / 1219	132 / 3353
48 / 1219	144 / 3658
48 / 1219	156 / 3962
48 / 1219	168 / 4267
48 / 1219	180 / 4572
48 / 1219	192 / 4877

PRICING

FLAT EDGE (M)			DEEP KNIFE EDGE (W)	
Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate
3433	3829	4874	3893	4289
3667	4112	6056	4167	4612
3809	4304	6283	4349	4844
3951	4495	6512	4531	5075
4089	4682	6748	4709	5302
4437	5080	7194	5097	5740
4561	5253	7417	5261	5953
4695	5437	7648	5435	6177
4819	5610	7871	5599	6390
3540	3992	4975	4020	4472
3780	4289	6512	4300	4809
3936	4501	6692	4496	5061
4094	4716	6873	4694	5316
4245	4923	7062	4885	5563
4608	5343	7461	5288	6023
4741	5532	7662	5461	6252
4884	5732	7872	5644	6492
5017	5921	8073	5817	6721

Pricing is continued on the following page.

M X T O T

Oblong Base Table – Racetrack (Continued)


DIMENSIONS INCHES / MM

D	W
54 / 1372	120 / 3048
54 / 1372	132 / 3353
54 / 1372	144 / 3658
54 / 1372	156 / 3962
54 / 1372	168 / 4267
54 / 1372	180 / 4572
54 / 1372	192 / 4877
54 / 1372	204 / 5182
54 / 1372	216 / 5486
54 / 1372	228 / 5791
54 / 1372	240 / 6096
58 / 1473	144 / 3658
58 / 1473	156 / 3962
58 / 1473	168 / 4267
58 / 1473	180 / 4572
58 / 1473	192 / 4877
58 / 1473	204 / 5182
58 / 1473	216 / 5486
58 / 1473	228 / 5791
58 / 1473	240 / 6096
60 / 1524	144 / 3658
60 / 1524	156 / 3962
60 / 1524	168 / 4267
60 / 1524	180 / 4572
60 / 1524	192 / 4877
60 / 1524	204 / 5182
60 / 1524	216 / 5486
60 / 1524	228 / 5791
60 / 1524	240 / 6096

PRICING

FLAT EDGE (M)			DEEP KNIFE EDGE (W)	
Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate
4328	4964	7879	4908	5544
4501	5200	8336	5121	5820
4666	5429	8800	5326	6089
5042	5868	9475	5742	6568
5179	6069	9920	5919	6809
5324	6277	10373	6104	7057
5460	6477	10818	6280	7297
5828	6908	12524	6688	7768
5954	7098	12941	6854	7998
6090	7298	13367	7030	8238
6321	7592	13803	7301	8572
4780	5599	8940	5454	6273
5179	6067	9624	5893	6781
5345	6301	10077	6099	7055
5521	6545	10540	6315	7339
5687	6779	10993	6521	7613
5933	7093	12725	6807	7967
6083	7312	13151	6997	8226
6241	7538	13586	7195	8492
6437	7802	14030	7431	8796
4836	5684	n/a	5516	6364
5248	6166	n/a	5968	6886
5429	6418	n/a	6189	7178
5619	6678	n/a	6419	7478
5801	6931	n/a	6641	7771
5986	7186	n/a	6866	8066
6147	7418	n/a	7067	8338
6317	7659	n/a	7277	8619
6495	7907	n/a	7495	8907

MXSOT
Oblong Base Table – Racetrack with
Specialty Top



WHAT'S INCLUDED
Surface(s), glass overlay, bases and wire management.

WHAT'S EXCLUDED
Power Modules (MXPRH & MXFPF) and Recessed Module – Access Door (MXPRD).

NOTES
If specified, module cutouts are included as listed below:

Width	Flush Power Module – Triple Cutout	Recessed Module – Standard Cutout
96"	1	1
108" to 192"	2	2
204" to 240"	3	3

For details on the number of worksurface pieces and module cutouts included, please refer to the Application Guide.

Underworksurface routing and base cutouts facilitate cable management for edge power solutions (Expansion Meeting or Complements).

PRODUCT OPTIONS

Worksurface Style	Depth	Width	Power Module Cutout	Specialty Top	Top Finish	Worksurface and Edge Finish	Edge Trim Style	Support Finish
W Deep Knife Edge (1 3/16") (Shown)	42, 48, 54	096, 108, 120, 132, 144, 156, 168, 180, 192, 204, 216, 228, 240	FT Flush Module – Triple NN No Cutout (Shown) RS Recessed Module – Standard	G Glass – Gloss 6mm	Backpainted	Foundation Laminate	D Deep Knife Trim (1.5mm)	Foundation Mica Accent

SAMPLE ORDER CODE

MXSOT W	54	132	FT	G	K7	RV	D	52
---------	----	-----	----	---	----	----	---	----

DIMENSIONS
INCHES / MM

D	W
42 / 1067	96 / 2438
42 / 1067	108 / 2743
42 / 1067	120 / 3048
42 / 1067	132 / 3353
42 / 1067	144 / 3658
42 / 1067	156 / 3962
42 / 1067	168 / 4267
42 / 1067	180 / 4572
42 / 1067	192 / 4877
48 / 1219	96 / 2438
48 / 1219	108 / 2743
48 / 1219	120 / 3048
48 / 1219	132 / 3353
48 / 1219	144 / 3658
48 / 1219	156 / 3962
48 / 1219	168 / 4267
48 / 1219	180 / 4572
48 / 1219	192 / 4877

PRICING

DEEP KNIFE EDGE (W)
GLASS – GLOSS 6mm (G)
Foundation Laminate Worksurface & Edge Finish
5989
7156
7510
7863
8213
8773
9108
9454
9790
6266
7496
7877
8260
8636
9224
9582
9950
10308

Pricing is continued on the following page.

MXSOT

Oblong Base Table – Racetrack with Specialty Top (Continued)

DIMENSIONS INCHES / MM


D	W
54 / 1372	120 / 3048
54 / 1372	132 / 3353
54 / 1372	144 / 3658
54 / 1372	156 / 3962
54 / 1372	168 / 4267
54 / 1372	180 / 4572
54 / 1372	192 / 4877
54 / 1372	204 / 5182
54 / 1372	216 / 5486
54 / 1372	228 / 5791
54 / 1372	240 / 6096

PRICING

DEEP KNIFE EDGE (W)
GLASS – GLOSS 6mm (G)
Foundation Laminate Worksurface & Edge Finish
8509
8921
9324
9938
10314
10697
11071
11600
11939
12289
12733

M X T O R

Oblong Base Table – Rectangular



WHAT'S INCLUDED

Surface(s), bases and wire management.

WHAT'S EXCLUDED

Power Modules (MXPRH and MXFPF) and Recessed Module – Access Door (MXPRD).

NOTES

If specified, module cutouts are included as listed below:

Width	Flush Power Module – Triple Cutout	Recessed Module – Standard Cutout
96"	1	1
108" to 192"	2	2
204" to 240"	3	3

When Worksurface Style (M) option is specified, only the Edge Trim Styles (8 or 9) options are available.

When Worksurface Style (V) option is specified, only the Edge Trim Style (F) option is available.

When Worksurface Style (W) option is specified, only Edge Trim Style (D) option is available.

When Flintwood Worksurface Finish is specified, only Not Applicable (NA) Edge Trim Finish is available.

Underworksurface routing and base cutouts facilitate cable management for edge power solutions (Expansion Meeting or Complements).

PRODUCT OPTIONS

Worksurface Style	Depth	Width	Corner Detail	Power Module Cutout	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
M Flat Edge (1 3/16")	42, 48, 54, 58, 60	096, 108, 120, 132, 144, 156, 168, 180, 192, 204, 216, 228, 240	R Radius (Shown) S Straight	FT Flush Module – Triple	Foundation Laminate	8 Flat Trim (1.5mm)	Edge Trim Colors (for trim style 8, D or F) NA Not Applicable (for trim style 9)	Foundation Mica Accent
V Knife Edge (1 3/16")				NN No Cutout (Shown)	Grade 2 Laminate	9 Flintwood Flat Trim		
W Deep Knife Edge (1 3/16") (Shown)				RS Recessed Module – Standard	Flintwood (No Cathedral)	F Full Knife Trim (1.5mm) D Deep Knife Trim (1.5mm)		

SAMPLE ORDER CODE

MXTOR M	54	132	S	FT	RV	8	SS	52
----------------	-----------	------------	----------	-----------	-----------	----------	-----------	-----------

DIMENSIONS INCHES / MM

D	W
42 / 1067	96 / 2438
42 / 1067	108 / 2743
42 / 1067	120 / 3048
42 / 1067	132 / 3353
42 / 1067	144 / 3658
42 / 1067	156 / 3962
42 / 1067	168 / 4267
42 / 1067	180 / 4572
42 / 1067	192 / 4877

PRICING

FLAT EDGE (M)			KNIFE EDGE (V)		DEEP KNIFE EDGE (W)	
Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate	Foundation Laminate	Grade 2 Laminate
3433	3829	4874	3663	4059	3893	4289
3667	4112	6056	3917	4362	4167	4612
3809	4304	6283	4079	4574	4349	4844
3951	4495	6512	4241	4785	4531	5075
4089	4682	6748	4399	4992	4709	5302
4437	5080	7194	4767	5410	5097	5740
4561	5253	7417	4911	5603	5261	5953
4695	5437	7648	5065	5807	5435	6177
4819	5610	7871	5209	6000	5599	6390

Pricing is continued on the following page.

M X T O R


Oblong Base Table – Rectangular (Continued)

DIMENSIONS INCHES / MM

PRICING

		FLAT EDGE (M)			KNIFE EDGE (V)		DEEP KNIFE EDGE (W)	
D	W	Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate	Foundation Laminate	Grade 2 Laminate
48 / 1219	96 / 2438	3540	3992	4975	3780	4232	4020	4472
48 / 1219	108 / 2743	3780	4289	6512	4040	4549	4300	4809
48 / 1219	120 / 3048	3936	4501	6692	4216	4781	4496	5061
48 / 1219	132 / 3353	4094	4716	6873	4394	5016	4694	5316
48 / 1219	144 / 3658	4245	4923	7062	4565	5243	4885	5563
48 / 1219	156 / 3962	4608	5343	7461	4948	5683	5288	6023
48 / 1219	168 / 4267	4741	5532	7662	5101	5892	5461	6252
48 / 1219	180 / 4572	4884	5732	7872	5264	6112	5644	6492
48 / 1219	192 / 4877	5017	5921	8073	5417	6321	5817	6721
54 / 1372	120 / 3048	4328	4964	7879	4618	5254	4908	5544
54 / 1372	132 / 3353	4501	5200	8336	4811	5510	5121	5820
54 / 1372	144 / 3658	4666	5429	8800	4996	5759	5326	6089
54 / 1372	156 / 3962	5042	5868	9475	5392	6218	5742	6568
54 / 1372	168 / 4267	5179	6069	9920	5549	6439	5919	6809
54 / 1372	180 / 4572	5324	6277	10373	5714	6667	6104	7057
54 / 1372	192 / 4877	5460	6477	10818	5870	6887	6280	7297
54 / 1372	204 / 5182	5828	6908	12524	6258	7338	6688	7768
54 / 1372	216 / 5486	5954	7098	12941	6404	7548	6854	7998
54 / 1372	228 / 5791	6090	7298	13367	6560	7768	7030	8238
54 / 1372	240 / 6096	6321	7592	13803	6811	8082	7301	8572
58 / 1473	144 / 3658	4780	5599	8940	5117	5936	5454	6273
58 / 1473	156 / 3962	5179	6067	9624	5536	6424	5893	6781
58 / 1473	168 / 4267	5345	6301	10077	5722	6678	6099	7055
58 / 1473	180 / 4572	5521	6545	10540	5918	6942	6315	7339
58 / 1473	192 / 4877	5687	6779	10993	6104	7196	6521	7613
58 / 1473	204 / 5182	5933	7093	12725	6370	7530	6807	7967
58 / 1473	216 / 5486	6083	7312	13151	6540	7769	6997	8226
58 / 1473	228 / 5791	6241	7538	13586	6718	8015	7195	8492
58 / 1473	240 / 6096	6437	7802	14030	6934	8299	7431	8796
60 / 1524	144 / 3658	4836	5684	n/a	5176	6024	5516	6364
60 / 1524	156 / 3962	5248	6166	n/a	5608	6526	5968	6886
60 / 1524	168 / 4267	5429	6418	n/a	5809	6798	6189	7178
60 / 1524	180 / 4572	5619	6678	n/a	6019	7078	6419	7478
60 / 1524	192 / 4877	5801	6931	n/a	6221	7351	6641	7771
60 / 1524	204 / 5182	5986	7186	n/a	6426	7626	6866	8066
60 / 1524	216 / 5486	6147	7418	n/a	6607	7878	7067	8338
60 / 1524	228 / 5791	6317	7659	n/a	6797	8139	7277	8619
60 / 1524	240 / 6096	6495	7907	n/a	6995	8407	7495	8907

MXSOR
Oblong Base Table – Rectangular
with Specialty Top



WHAT'S INCLUDED
Surface(s), glass overlay, bases and wire management.

WHAT'S EXCLUDED
Power Modules (MXPRH and MXPFP) and Recessed Module – Access Door (MXPRD).

NOTES
If specified, module cutouts are included as listed below:

Width	Flush Power Module – Triple Cutout	Recessed Module – Standard Cutout
96"	1	1
108" to 192"	2	2
204" to 240"	3	3

Underworksurface routing and base cutouts facilitate cable management for edge power solutions (Expansion Meeting or Complements).

PRODUCT OPTIONS

Worksurface Style	Depth	Width	Corner Detail	Power Module Cutout	Specialty Top	Top Finish	Worksurface and Edge Finish	Edge Trim Style	Support Finish
W Deep Knife Edge (1 3/16") (Shown)	42, 48, 54	096, 108, 120, 132, 144, 156, 168, 180, 192, 204, 216, 228, 240	R Radius (Shown) S Straight	FT Flush Module – Triple NN No Cutout (Shown) RS Recessed Module – Standard	G Glass – Gloss 6mm	Backpainted	Foundation Laminate	D Deep Knife Trim (1.5mm)	Foundation Mica Accent

SAMPLE ORDER CODE

MXSOR W	54	132	S	FT	G	K7	RV	D	52
----------------	-----------	------------	----------	-----------	----------	-----------	-----------	----------	-----------

DIMENSIONS
INCHES / MM

D	W
42 / 1067	96 / 2438
42 / 1067	108 / 2743
42 / 1067	120 / 3048
42 / 1067	132 / 3353
42 / 1067	144 / 3658
42 / 1067	156 / 3962
42 / 1067	168 / 4267
42 / 1067	180 / 4572
42 / 1067	192 / 4877
48 / 1219	96 / 2438
48 / 1219	108 / 2743
48 / 1219	120 / 3048
48 / 1219	132 / 3353
48 / 1219	144 / 3658
48 / 1219	156 / 3962
48 / 1219	168 / 4267
48 / 1219	180 / 4572
48 / 1219	192 / 4877

PRICING

DEEP KNIFE EDGE (W)	
GLASS – GLOSS 6mm (G)	
FOUNDATION LAMINATE WORKSURFACE & EDGE FINISH	
Straight (S)	Radius (R)
5002	5989
5708	7156
5987	7510
6265	7863
6540	8213
7025	8773
7286	9108
7556	9454
7817	9790
5242	6266
5973	7496
6279	7877
6587	8260
6888	8636
7401	9224
7684	9582
7977	9950
8260	10308

Pricing is continued on the following page.

M X S O R

**Oblong Base Table – Rectangular
with Specialty Top (Continued)**


**DIMENSIONS
INCHES / MM**

D	W
54 / 1372	120 / 3048
54 / 1372	132 / 3353
54 / 1372	144 / 3658
54 / 1372	156 / 3962
54 / 1372	168 / 4267
54 / 1372	180 / 4572
54 / 1372	192 / 4877
54 / 1372	204 / 5182
54 / 1372	216 / 5486
54 / 1372	228 / 5791
54 / 1372	240 / 6096

PRICING

DEEP KNIFE EDGE (W)	
GLASS – GLOSS 6mm (G)	
FOUNDATION LAMINATE WORKSURFACE & EDGE FINISH	
Straight (S)	Radius (R)
6837	8509
7173	8921
7501	9324
8040	9938
8341	10314
8649	10697
8948	11071
9827	11600
10116	11939
10416	12289
10810	12733

M X T P R
Panel Base Table – Rectangular



WHAT'S INCLUDED
Surface(s), bases and wire management.

WHAT'S EXCLUDED
Power Modules (MXPRH and MXPFP) and Recessed Module – Access Door (MXPRD).

NOTES
If specified, module cutouts are included as listed below:

Width	Panel Base Quantity	Flush Power Module – Triple Cutout	Recessed Module – Standard Cutout
72" to 96"	2	1	1
108" to 144"	2	2	2
156" to 192"	3	2	2
204" to 216"	3	3	3

When Worksurface Style (M) option is specified, only the Edge Trim Styles (8 or 9) options are available.

When Worksurface Style (V) option is specified, only the Edge Trim Style (F) option is available.

When Worksurface Style (W) option is specified, only Edge Trim Style (D) option is available.

When Flintwood Worksurface Finish is specified, only Not Applicable (NA) Edge Trim Finish is available.

Underworksurface routing and base cutouts facilitate cable management for edge power solutions (Expansion Meeting or Complements).

PRODUCT OPTIONS

Base Infill Style	Worksurface Style	Depth	Width	Corner Detail	Power Module Cutout
M Metal Infill	M Flat Edge (1 3/16")	42, 48, 54, 58, 60	072, 078, 084, 090, 096, 108, 120, 132, 144, 156, 168, 180, 192, 204, 216	R Radius (Shown)	FT Flush Module – Triple
S Solid Infill	V Knife Edge (1 3/16")			S Straight	NN No Cutout (Shown)
	W Deep Knife Edge (1 3/16") (Shown)				RS Recessed Module – Standard

SAMPLE ORDER CODE

MXTPR M	M	54	168	S	NN
----------------	----------	-----------	------------	----------	-----------

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Style	Edge Trim Finish	Base Infill Finish	Support Finish
Foundation Laminate	8 Flat Trim (1.5mm)	Edge Trim Colors (for trim style 8, D or F) NA Not Applicable (for trim style 9)	Metal Infill: • Foundation • Mica • Accent Solid Infill: • Source Laminate • Flintwood (No Cathedral)	Foundation
Grade 2 Laminate	9 Flintwood Flat Trim			Mica
Flintwood (No Cathedral)	F Full Knife Trim (1.5mm)			Accent
	D Deep Knife Trim (1.5mm)			

SAMPLE ORDER CODE CONTINUED

RV	8	SS	52	52
-----------	----------	-----------	-----------	-----------

See Pricing on the following page.

M X T P R

Panel Base Table – Rectangular
(Continued)DIMENSIONS
INCHES / MM

PRICING

		METAL INFILL (M)							
		FLAT EDGE (M)			KNIFE EDGE (V)		DEEP KNIFE EDGE (W)		
D	W	Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate	Foundation Laminate	Grade 2 Laminate	
42 / 1067	72 / 1829	1832	2129	4464	2022	2319	2212	2509	
42 / 1067	78 / 1981	1963	2285	4616	2163	2485	2363	2685	
42 / 1067	84 / 2134	2083	2429	4768	2293	2639	2503	2849	
42 / 1067	90 / 2286	2137	2508	4919	2357	2728	2577	2948	
42 / 1067	96 / 2438	2191	2587	5129	2421	2817	2651	3047	
42 / 1067	108 / 2743	2735	3180	6117	2985	3430	3235	3680	
42 / 1067	120 / 3048	2935	3430	6510	3205	3700	3475	3970	
42 / 1067	132 / 3353	3232	3776	6877	3522	4066	3812	4356	
42 / 1067	144 / 3658	3387	3980	7322	3697	4290	4007	4600	
42 / 1067	156 / 3962	3874	4517	8294	4204	4847	4534	5177	
42 / 1067	168 / 4267	4069	4761	8822	4419	5111	4769	5461	
42 / 1067	180 / 4572	4264	5006	9350	4634	5376	5004	5746	
42 / 1067	192 / 4877	4459	5250	9878	4849	5640	5239	6030	
48 / 1219	96 / 2438	2652	3104	6175	2892	3344	3132	3584	
48 / 1219	108 / 2743	2905	3414	6503	3165	3674	3425	3934	
48 / 1219	120 / 3048	3158	3723	6831	3438	4003	3718	4283	
48 / 1219	132 / 3353	3418	4040	7360	3718	4340	4018	4640	
48 / 1219	144 / 3658	3647	4325	7690	3967	4645	4287	4965	
48 / 1219	156 / 3962	4227	4962	9012	4567	5302	4907	5642	
48 / 1219	168 / 4267	4406	5197	9454	4766	5557	5126	5917	
48 / 1219	180 / 4572	4585	5433	9896	4965	5813	5345	6193	
48 / 1219	192 / 4877	4764	5668	10338	5164	6068	5564	6468	
54 / 1372	120 / 3048	3392	4028	7472	3682	4318	3972	4608	
54 / 1372	132 / 3353	3645	4344	7888	3955	4654	4265	4964	
54 / 1372	144 / 3658	3872	4635	8244	4202	4965	4532	5295	
54 / 1372	156 / 3962	4640	5466	9789	4990	5816	5340	6166	
54 / 1372	168 / 4267	4800	5690	10143	5170	6060	5540	6430	
54 / 1372	180 / 4572	5107	6060	11325	5497	6450	5887	6840	
54 / 1372	192 / 4877	5358	6375	11678	5768	6785	6178	7195	
54 / 1372	204 / 5182	5609	6689	12031	6039	7119	6469	7549	
54 / 1372	216 / 5486	5860	7004	12384	6310	7454	6760	7904	
58 / 1473	144 / 3658	4284	5103	8384	4621	5440	4958	5777	
58 / 1473	156 / 3962	4850	5738	9938	5207	6095	5564	6452	
58 / 1473	168 / 4267	5106	6062	10300	5483	6439	5860	6816	
58 / 1473	180 / 4572	5335	6359	11492	5732	6756	6129	7153	
58 / 1473	192 / 4877	5537	6629	11853	5954	7046	6371	7463	
58 / 1473	204 / 5182	5779	6939	12232	6216	7376	6653	7813	
58 / 1473	216 / 5486	6006	7235	12594	6463	7692	6920	8149	
60 / 1524	144 / 3658	4490	5338	n/a	4830	5678	5170	6018	
60 / 1524	156 / 3962	4955	5873	n/a	5315	6233	5675	6593	
60 / 1524	168 / 4267	5259	6248	n/a	5639	6628	6019	7008	
60 / 1524	180 / 4572	5448	6507	n/a	5848	6907	6248	7307	
60 / 1524	192 / 4877	5626	6756	n/a	6046	7176	6466	7596	
60 / 1524	204 / 5182	5863	7063	n/a	6303	7503	6743	7943	
60 / 1524	216 / 5486	6079	7350	n/a	6539	7810	6999	8270	

Pricing is continued on the following page.

M X T P R
Panel Base Table – Rectangular
(Continued)

DIMENSIONS
INCHES / MM

PRICING

		SOLID INFILL (S)			FLINTWOOD		
		SOURCE LAMINATE					
		FLAT EDGE (M)					
D	W	Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate	Flintwood
42 / 1067	72 / 1829	1720	2017	4352	3216	3513	5848
42 / 1067	78 / 1981	1851	2173	4504	3347	3669	6000
42 / 1067	84 / 2134	1971	2317	4656	3467	3813	6152
42 / 1067	90 / 2286	2025	2396	4807	3521	3892	6303
42 / 1067	96 / 2438	2079	2475	5017	3575	3971	6513
42 / 1067	108 / 2743	2623	3068	6005	4119	4564	7501
42 / 1067	120 / 3048	2823	3318	6398	4319	4814	7894
42 / 1067	132 / 3353	3120	3664	6765	4616	5160	8261
42 / 1067	144 / 3658	3275	3868	7210	4771	5364	8706
42 / 1067	156 / 3962	3706	4349	8126	5950	6593	10370
42 / 1067	168 / 4267	3901	4593	8654	6145	6837	10898
42 / 1067	180 / 4572	4096	4838	9182	6340	7082	11426
42 / 1067	192 / 4877	4291	5082	9710	6535	7326	11954
48 / 1219	96 / 2438	2540	2992	6063	4036	4488	7559
48 / 1219	108 / 2743	2793	3302	6391	4289	4798	7887
48 / 1219	120 / 3048	3046	3611	6719	4542	5107	8215
48 / 1219	132 / 3353	3306	3928	7248	4802	5424	8744
48 / 1219	144 / 3658	3535	4213	7578	5031	5709	9074
48 / 1219	156 / 3962	4059	4794	8844	6303	7038	11088
48 / 1219	168 / 4267	4238	5029	9286	6482	7273	11530
48 / 1219	180 / 4572	4417	5265	9728	6661	7509	11972
48 / 1219	192 / 4877	4596	5500	10170	6840	7744	12414
54 / 1372	120 / 3048	3240	3876	7320	4927	5563	9007
54 / 1372	132 / 3353	3493	4192	7736	5180	5879	9423
54 / 1372	144 / 3658	3720	4483	8092	5407	6170	9779
54 / 1372	156 / 3962	4413	5239	9562	6947	7773	12096
54 / 1372	168 / 4267	4573	5463	9916	7107	7997	12450
54 / 1372	180 / 4572	4880	5833	11098	7414	8367	13632
54 / 1372	192 / 4877	5131	6148	11451	7665	8682	13985
54 / 1372	204 / 5182	5382	6462	11804	7916	8996	14338
54 / 1372	216 / 5486	5633	6777	12157	8167	9311	14691
58 / 1473	144 / 3658	4132	4951	8232	5819	6638	9919
58 / 1473	156 / 3962	4623	5511	9711	7157	8045	12245
58 / 1473	168 / 4267	4879	5835	10073	7413	8369	12607
58 / 1473	180 / 4572	5108	6132	11265	7642	8666	13799
58 / 1473	192 / 4877	5310	6402	11626	7844	8936	14160
58 / 1473	204 / 5182	5552	6712	12005	8086	9246	14539
58 / 1473	216 / 5486	5779	7008	12367	8313	9542	14901
60 / 1524	144 / 3658	4338	5186	n/a	6025	6873	n/a
60 / 1524	156 / 3962	4728	5646	n/a	7262	8180	n/a
60 / 1524	168 / 4267	5032	6021	n/a	7566	8555	n/a
60 / 1524	180 / 4572	5221	6280	n/a	7755	8814	n/a
60 / 1524	192 / 4877	5399	6529	n/a	7933	9063	n/a
60 / 1524	204 / 5182	5636	6836	n/a	8170	9370	n/a
60 / 1524	216 / 5486	5852	7123	n/a	8386	9657	n/a

Pricing is continued on the following page.


M X T P R

Panel Base Table – Rectangular
(Continued)DIMENSIONS
INCHES / MM

PRICING

		SOLID INFILL (S)							
		SOURCE LAMINATE		FLINTWOOD		SOURCE LAMINATE		FLINTWOOD	
		KNIFE EDGE (V)				DEEP KNIFE EDGE (W)			
D	W	Foundation Laminate	Grade 2 Laminate	Foundation Laminate	Grade 2 Laminate	Foundation Laminate	Grade 2 Laminate	Foundation Laminate	Grade 2 Laminate
42 / 1067	72 / 1829	1910	2207	3406	3703	2100	2397	3596	3893
42 / 1067	78 / 1981	2051	2373	3547	3869	2251	2573	3747	4069
42 / 1067	84 / 2134	2181	2527	3677	4023	2391	2737	3887	4233
42 / 1067	90 / 2286	2245	2616	3741	4112	2465	2836	3961	4332
42 / 1067	96 / 2438	2309	2705	3805	4201	2539	2935	4035	4431
42 / 1067	108 / 2743	2873	3318	4369	4814	3123	3568	4619	5064
42 / 1067	120 / 3048	3093	3588	4589	5084	3363	3858	4859	5354
42 / 1067	132 / 3353	3410	3954	4906	5450	3700	4244	5196	5740
42 / 1067	144 / 3658	3585	4178	5081	5674	3895	4488	5391	5984
42 / 1067	156 / 3962	4036	4679	6280	6923	4366	5009	6610	7253
42 / 1067	168 / 4267	4251	4943	6495	7187	4601	5293	6845	7537
42 / 1067	180 / 4572	4466	5208	6710	7452	4836	5578	7080	7822
42 / 1067	192 / 4877	4681	5472	6925	7716	5071	5862	7315	8106
48 / 1219	96 / 2438	2780	3232	4276	4728	3020	3472	4516	4968
48 / 1219	108 / 2743	3053	3562	4549	5058	3313	3822	4809	5318
48 / 1219	120 / 3048	3326	3891	4822	5387	3606	4171	5102	5667
48 / 1219	132 / 3353	3606	4228	5102	5724	3906	4528	5402	6024
48 / 1219	144 / 3658	3855	4533	5351	6029	4175	4853	5671	6349
48 / 1219	156 / 3962	4399	5134	6643	7378	4739	5474	6983	7718
48 / 1219	168 / 4267	4598	5389	6842	7633	4958	5749	7202	7993
48 / 1219	180 / 4572	4797	5645	7041	7889	5177	6025	7421	8269
48 / 1219	192 / 4877	4996	5900	7240	8144	5396	6300	7640	8544
54 / 1372	120 / 3048	3530	4166	5217	5853	3820	4456	5507	6143
54 / 1372	132 / 3353	3803	4502	5490	6189	4113	4812	5800	6499
54 / 1372	144 / 3658	4050	4813	5737	6500	4380	5143	6067	6830
54 / 1372	156 / 3962	4763	5589	7297	8123	5113	5939	7647	8473
54 / 1372	168 / 4267	4943	5833	7477	8367	5313	6203	7847	8737
54 / 1372	180 / 4572	5270	6223	7804	8757	5660	6613	8194	9147
54 / 1372	192 / 4877	5541	6558	8075	9092	5951	6968	8485	9502
54 / 1372	204 / 5182	5812	6892	8346	9426	6242	7322	8776	9856
54 / 1372	216 / 5486	6083	7227	8617	9761	6533	7677	9067	10211
58 / 1473	144 / 3658	4469	5288	6156	6975	4806	5625	6493	7312
58 / 1473	156 / 3962	4980	5868	7514	8402	5337	6225	7871	8759
58 / 1473	168 / 4267	5256	6212	7790	8746	5633	6589	8167	9123
58 / 1473	180 / 4572	5505	6529	8039	9063	5902	6926	8436	9460
58 / 1473	192 / 4877	5727	6819	8261	9353	6144	7236	8678	9770
58 / 1473	204 / 5182	5989	7149	8523	9683	6426	7586	8960	10120
58 / 1473	216 / 5486	6236	7465	8770	9999	6693	7922	9227	10456
60 / 1524	144 / 3658	4678	5526	6365	7213	5018	5866	6705	7553
60 / 1524	156 / 3962	5088	6006	7622	8540	5448	6366	7982	8900
60 / 1524	168 / 4267	5412	6401	7946	8935	5792	6781	8326	9315
60 / 1524	180 / 4572	5621	6680	8155	9214	6021	7080	8555	9614
60 / 1524	192 / 4877	5819	6949	8353	9483	6239	7369	8773	9903
60 / 1524	204 / 5182	6076	7276	8610	9810	6516	7716	9050	10250
60 / 1524	216 / 5486	6312	7583	8846	10117	6772	8043	9306	10577

MXSPR
Panel Base Table – Rectangular with
Specialty Top



WHAT'S INCLUDED
Surface(s), glass overlay, bases and wire management.

WHAT'S EXCLUDED
Power Modules (MXPRH and MXPFP) and Recessed Module – Access Door (MXPRD).

NOTES
If specified, module cutouts are included as listed below:

Width	Panel Base Quantity	Flush Power Module – Triple Cutout	Recessed Module – Standard Cutout
72" to 96"	2	1	1
108" to 144"	2	2	2
156" to 192"	3	2	2
204" to 216"	3	3	3

Underworksurface routing and base cutouts facilitate cable management for edge power solutions (Expansion Meeting or Complements).

PRODUCT OPTIONS

Base Infill Style	Worksurface Style	Depth	Width	Corner Detail	Power Module Cutout
M Metal Infill S Solid Infill	W Deep Knife Edge (1 3/16") (Shown)	42, 48, 54	072, 078, 084, 090, 096, 108, 120, 132, 144, 156, 168, 180, 192, 204, 216	R Radius (Shown) S Straight	FT Flush Module – Triple NN No Cutout (Shown) RS Recessed Module – Standard

SAMPLE ORDER CODE

MXSPR S	W	54	168	S	NN
----------------	----------	-----------	------------	----------	-----------

PRODUCT OPTIONS CONTINUED

Specialty Top	Top Finish	Worksurface and Edge Finish	Edge Trim Style	Base Infill Finish	Support Finish
G Glass – Gloss 6mm	Backpainted	Foundation Laminate	D Deep Knife Trim (1.5mm)	Metal Infill: • Foundation • Mica • Accent Solid Infill: • Source Laminate • Flintwood (No Cathedral)	Foundation Mica Accent

SAMPLE ORDER CODE CONTINUED

G	K7	RV	D	LE	52
----------	-----------	-----------	----------	-----------	-----------

See Pricing on the following page.

M X S P R

Panel Base Table – Rectangular with
Specialty Top (Continued)DIMENSIONS
INCHES / MM

D	W
42 / 1067	72 / 1829
42 / 1067	78 / 1981
42 / 1067	84 / 2134
42 / 1067	90 / 2286
42 / 1067	96 / 2438
42 / 1067	108 / 2743
42 / 1067	120 / 3048
42 / 1067	132 / 3353
42 / 1067	144 / 3658
42 / 1067	156 / 3962
42 / 1067	168 / 4267
42 / 1067	180 / 4572
42 / 1067	192 / 4877
48 / 1219	96 / 2438
48 / 1219	108 / 2743
48 / 1219	120 / 3048
48 / 1219	132 / 3353
48 / 1219	144 / 3658
48 / 1219	156 / 3962
48 / 1219	168 / 4267
48 / 1219	180 / 4572
48 / 1219	192 / 4877
54 / 1372	120 / 3048
54 / 1372	132 / 3353
54 / 1372	144 / 3658
54 / 1372	156 / 3962
54 / 1372	168 / 4267
54 / 1372	180 / 4572
54 / 1372	192 / 4877
54 / 1372	204 / 5182
54 / 1372	216 / 5486

PRICING

METAL INFILL (M)	
DEEP KNIFE EDGE (W)	
GLASS – GLOSS 6mm (G)	
FOUNDATION LAMINATE WORKSURFACE & EDGE FINISH	
Straight (S)	Radius (R)
3128	3964
3327	4201
3516	4427
3638	4587
3760	4747
4776	6224
5113	6636
5546	7144
5838	7511
6462	8210
6794	8616
7125	9023
7457	9430
4354	5378
5098	6621
5501	7099
5911	7584
6290	8038
7020	8843
7349	9247
7678	9651
8007	10055
5901	7573
6317	8065
6707	8530
7638	9536
7962	9935
8432	10480
8846	10969
9608	11381
10022	11845

Pricing is continued on the following page.

MXSPR

Panel Base Table – Rectangular with
Specialty Top (Continued)

DIMENSIONS
INCHES / MM

PRICING


		SOLID INFILL (S)			
		SOURCE LAMINATE		FLINTWOOD	
		DEEP KNIFE EDGE (W)			
		GLASS – GLOSS 6mm (G)			
FOUNDATION LAMINATE WORKSURFACE & EDGE FINISH					
D	W	Straight (S)	Radius (R)	Straight (S)	Radius (R)
42 / 1067	72 / 1829	3016	3852	4512	5348
42 / 1067	78 / 1981	3215	4089	4711	5585
42 / 1067	84 / 2134	3404	4315	4900	5811
42 / 1067	90 / 2286	3526	4475	5022	5971
42 / 1067	96 / 2438	3648	4635	5144	6131
42 / 1067	108 / 2743	4664	6112	6160	7608
42 / 1067	120 / 3048	5001	6524	6497	8020
42 / 1067	132 / 3353	5434	7032	6930	8528
42 / 1067	144 / 3658	5726	7399	7222	8895
42 / 1067	156 / 3962	6294	8042	8538	10286
42 / 1067	168 / 4267	6626	8448	8870	10692
42 / 1067	180 / 4572	6957	8855	9201	11099
42 / 1067	192 / 4877	7289	9262	9533	11506
48 / 1219	96 / 2438	4242	5266	5738	6762
48 / 1219	108 / 2743	4986	6509	6482	8005
48 / 1219	120 / 3048	5389	6987	6885	8483
48 / 1219	132 / 3353	5799	7472	7295	8968
48 / 1219	144 / 3658	6178	7926	7674	9422
48 / 1219	156 / 3962	6852	8675	9096	10919
48 / 1219	168 / 4267	7181	9079	9425	11323
48 / 1219	180 / 4572	7510	9483	9754	11727
48 / 1219	192 / 4877	7839	9887	10083	12131
54 / 1372	120 / 3048	5749	7421	7436	9108
54 / 1372	132 / 3353	6165	7913	7852	9600
54 / 1372	144 / 3658	6555	8378	8242	10065
54 / 1372	156 / 3962	7411	9309	9945	11843
54 / 1372	168 / 4267	7735	9708	10269	12242
54 / 1372	180 / 4572	8205	10253	10739	12787
54 / 1372	192 / 4877	8619	10742	11153	13276
54 / 1372	204 / 5182	9381	11154	11915	13688
54 / 1372	216 / 5486	9795	11618	12329	14152

round & square tables

round & square tables product map

MXTCO Cone Base Table – Round

Page 146



MXSCO Cone Base Table – Round with Specialty Top

Page 147



MXTGO Gemstone Base Table – Round

Page 148



MXSGO Gemstone Base Table – Round with Specialty Top


Page 149



round & square tables

M X T C O

Cone Base Table – Round



WHAT'S INCLUDED
Surface, base and counterweight bags (if required).

WHAT'S EXCLUDED
Flush Power Module (MXFPF).

NOTES
When Worksurface Style (M) option is specified, only the Edge Trim Styles (8 or 9) options are available.

When Worksurface Style (W) option is specified, only Edge Trim Style (D) option is available.

When Flintwood Worksurface Finish is specified, only Not Applicable (NA) Edge Trim Finish is available.

PRODUCT OPTIONS

Worksurface Style	Height	Diameter	Power Module Cutout	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
M Flat Edge (1 3/16")	29, 36, 42	36, 42, 48, 54, 58, 60	FD Flush Module – Dual	Foundation Laminate	8 Flat Trim (1.5mm)	Edge Trim Colors (for trim style 8 or D) NA Not Applicable (for trim style 9)	Foundation Mica Accent
W Deep Knife Edge (1 3/16") (Shown)			FT Flush Module – Triple	Grade 2 Laminate	9 Flintwood Flat Trim		
			NN No Cutout (Shown)	Flintwood (No Cathedral)	D Deep Knife Trim (1.5mm)		

SAMPLE ORDER CODE

MXTCO M	29	60	FT	RV	8	SS	52
----------------	-----------	-----------	-----------	-----------	----------	-----------	-----------

DIMENSIONS

INCHES / MM

H	Dia.
29 / 737	42 / 1067
29 / 737	48 / 1219
29 / 737	54 / 1372
29 / 737	58 / 1473
29 / 737	60 / 1524
36 / 914	36 / 914
36 / 914	42 / 1067
42 / 1067	36 / 914
42 / 1067	42 / 1067

PRICING

FLAT EDGE (M)			DEEP KNIFE EDGE (W)	
Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate
2680	2853	3540	2900	3073
2972	3198	3974	3224	3450
3301	3587	4443	3584	3870
3551	3881	4788	3855	4185
3593	3946	n/a	3907	4260
2575	2703	3368	2764	2892
2731	2904	3591	2951	3124
2615	2743	3408	2804	2932
2771	2944	3631	2991	3164

WHAT'S INCLUDED


Surface, glass overlay, base and counterweight bags (if required).

WHAT'S EXCLUDED

Flush Power Module (MXFPF).

MXSCO

Cone Base Table – Round with Specialty Top



PRODUCT OPTIONS

Worksurface Style	Height	Diameter	Power Module Cutout	Specialty Top	Top Finish	Worksurface and Edge Finish	Edge Trim Style	Support Finish
W Deep Knife Edge (1 3/16") (Shown)	29, 36, 42	36, 42, 48, 54	FD Flush Module – Dual FT Flush Module – Triple NN No Cutout (Shown)	G Glass – Gloss 6mm	Backpainted	Foundation Laminate	D Deep Knife Trim (1.5mm)	Foundation Mica Accent

SAMPLE ORDER CODE

MXSCO W	36	42	NN	G	K7	RV	D	52
----------------	-----------	-----------	-----------	----------	-----------	-----------	----------	-----------

DIMENSIONS INCHES / MM

H	Dia.
29 / 737	42 / 1067
29 / 737	48 / 1219
29 / 737	54 / 1372
36 / 914	36 / 914
36 / 914	42 / 1067
42 / 1067	36 / 914
42 / 1067	42 / 1067

PRICING


DEEP KNIFE EDGE (W)

GLASS – GLOSS 6mm (G)

Foundation Laminate Worksurface & Edge Finish

4223
4730
5286
3917
4274
3957
4314

M X T G O
Gemstone Base Table – Round



WHAT'S INCLUDED
Surface, base and counterweight bags (if required).

WHAT'S EXCLUDED
Flush Power Module (MXFPF).

NOTES
When Worksurface Style (M) option is specified, only the Edge Trim Styles (8 or 9) options are available.
When Worksurface Style (W) option is specified, only Edge Trim Style (D) option is available.
When Flintwood Worksurface Finish is specified, only Not Applicable (NA) Edge Trim Finish is available.

PRODUCT OPTIONS

Worksurface Style	Height	Diameter	Power Module Cutout	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Support Finish
M Flat Edge (1 3/16")	29, 36, 42	36, 42, 48, 54, 58, 60	FD Flush Module – Dual	Foundation Laminate	8 Flat Trim (1.5mm)	Edge Trim Colors (for trim style 8 or D) NA Not Applicable (for trim style 9)	Foundation Mica Accent
W Deep Knife Edge (1 3/16") (Shown)			FT Flush Module – Triple	Grade 2 Laminate	9 Flintwood Flat Trim		
			NN No Cutout (Shown)	Flintwood (No Cathedral)	D Deep Knife Trim (1.5mm)		

SAMPLE ORDER CODE

MXTGO W	29	58	FT	RV	D	SS	52
---------	----	----	----	----	---	----	----

DIMENSIONS
INCHES / MM

H	Dia.
29 / 737	42 / 1067
29 / 737	48 / 1219
29 / 737	54 / 1372
29 / 737	58 / 1473
29 / 737	60 / 1524
36 / 914	36 / 914
36 / 914	42 / 1067
42 / 1067	36 / 914
42 / 1067	42 / 1067

PRICING

FLAT EDGE (M)			DEEP KNIFE EDGE (W)	
Foundation Laminate	Grade 2 Laminate	Flintwood	Foundation Laminate	Grade 2 Laminate
2873	3046	3733	3093	3266
3165	3391	4167	3417	3643
3494	3780	4636	3777	4063
3744	4074	4981	4048	4378
3786	4139	n/a	4100	4453
2683	2811	3476	2872	3000
2923	3096	3783	3143	3316
2729	2857	3522	2918	3046
2969	3142	3829	3189	3362

WHAT'S INCLUDED


Surface, glass overlay, base and counterweight bags (if required).

WHAT'S EXCLUDED

Flush Power Module (MXFPF).

MXSGO

Gemstone Base Table – Round with Specialty Top



PRODUCT OPTIONS

Worksurface Style	Height	Diameter	Power Module Cutout	Specialty Top	Top Finish	Worksurface and Edge Finish	Edge Trim Style	Support Finish
W Deep Knife Edge (1 3/16") (Shown)	29, 36, 42	36, 42, 48, 54	FD Flush Module – Dual FT Flush Module – Triple NN No Cutout (Shown)	G Glass – Gloss 6mm	Backpainted	Foundation Laminate	D Deep Knife Trim (1.5mm)	Foundation Mica Accent

SAMPLE ORDER CODE

MXSGO W	42	36	NN	G	K7	RV	D	52
----------------	-----------	-----------	-----------	----------	-----------	-----------	----------	-----------

DIMENSIONS INCHES / MM

H	Dia.
29 / 737	42 / 1067
29 / 737	48 / 1219
29 / 737	54 / 1372
36 / 914	36 / 914
36 / 914	42 / 1067
42 / 1067	36 / 914
42 / 1067	42 / 1067

PRICING

DEEP KNIFE EDGE (W)

GLASS – GLOSS 6mm (G)

Foundation Laminate Worksurface & Edge Finish


4416
4923
5479
4025
4466
4071
4512

credenzas

credenzas product map


MXCLN Credenza

Page 154



MXCLV Credenza – Ventilated

Page 158



MXCLS Credenza with Specialty Top

Page 162




MXCLX Credenza with Specialty Top – Ventilated

Page 166




MXCEN Elevated Credenza

Page 170




MXCEV Elevated Credenza – Ventilated

Page 174



MXCRV Elevated Credenza – Ventilated and Integrated Fridge

Page 176



MXCES Elevated Credenza with Specialty Top

Page 178



credenzas product map

MXCEX Elevated Credenza with Specialty Top –
Ventilated

Page 182




MXCRX Elevated Credenza with Specialty Top –
Ventilated and Integrated Fridge

Page 184




MXCWN Wall-Mounted Credenza

Page 186



MXCWS Wall-Mounted Credenza with Specialty
Top

Page 187




MXCID Interior Drawer for Credenza

Page 188




MXAOT Drawer Organizer – Cutlery Tray

Page 189



MXAOB Drawer Organizer – Utility Box

Page 189



MXASR Symbol for Credenza

Page 190



credenzas product map

K Locks and Keys

Page 191

SOKL Set of Keys Alike

Page 192



Master
Key




Lock
Removal Key



Lock Core
Keys

MXCLN
Credenza



WHAT'S INCLUDED
Credenza, pull-out with bin (as specified) and pulls (as specified).

NOTES
When a Key Style is specified, the Pull-Out section is **not** lockable.

Interior Drawer for Credenza (MXCID), Symbol for Credenza (MXASR) are compatible and can be specified separately.

PRODUCT OPTIONS

Depth	Width	Height	Pull-Out Bin	Front Finish
16, 20	30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	29, 36	N No Pull-Out Bin L 1 Pull-Out Bin – Left R 1 Pull-Out Bin – Right T 2 Pull-Out Bins – Left V 2 Pull-Out Bins – Right	Source Laminate Grade 2 Laminate (No Accents) Flintwood (No Cathedral)

SAMPLE ORDER CODE

MXCLN 20	60	36	N	XG
----------	----	----	---	----

PRODUCT OPTIONS CONTINUED

Case Finish	Pull Style	Pull Finish (If Applicable)	Key Style
Source Laminate Flintwood (No Cathedral)	9 Rectangular E Edge – Standard M Modern Straight (ADA) S Slim T Touch-to-Open	Foundation Mica Accent	K Keyed Alike R Keyed Randomly N No Lock

SAMPLE ORDER CODE CONTINUED

XG	S	52	K
----	---	----	---

See Pricing on the following page.

M X C L N

Credenza (Continued)

DIMENSIONS INCHES / MM

D	W	H
16 / 406	30 / 762	29 / 737
16 / 406	36 / 914	29 / 737
16 / 406	42 / 1067	29 / 737
16 / 406	48 / 1219	29 / 737
16 / 406	54 / 1372	29 / 737
16 / 406	60 / 1524	29 / 737
16 / 406	66 / 1676	29 / 737
16 / 406	72 / 1829	29 / 737
16 / 406	78 / 1981	29 / 737
16 / 406	84 / 2134	29 / 737
16 / 406	90 / 2286	29 / 737
16 / 406	96 / 2438	29 / 737
16 / 406	30 / 762	36 / 914
16 / 406	36 / 914	36 / 914
16 / 406	42 / 1067	36 / 914
16 / 406	48 / 1219	36 / 914
16 / 406	54 / 1372	36 / 914
16 / 406	60 / 1524	36 / 914
16 / 406	66 / 1676	36 / 914
16 / 406	72 / 1829	36 / 914
16 / 406	78 / 1981	36 / 914
16 / 406	84 / 2134	36 / 914
16 / 406	90 / 2286	36 / 914
16 / 406	96 / 2438	36 / 914
20 / 508	30 / 762	29 / 737
20 / 508	36 / 914	29 / 737
20 / 508	42 / 1067	29 / 737
20 / 508	48 / 1219	29 / 737
20 / 508	54 / 1372	29 / 737
20 / 508	60 / 1524	29 / 737
20 / 508	66 / 1676	29 / 737
20 / 508	72 / 1829	29 / 737
20 / 508	78 / 1981	29 / 737
20 / 508	84 / 2134	29 / 737
20 / 508	90 / 2286	29 / 737
20 / 508	96 / 2438	29 / 737
20 / 508	30 / 762	36 / 914
20 / 508	36 / 914	36 / 914
20 / 508	42 / 1067	36 / 914
20 / 508	48 / 1219	36 / 914
20 / 508	54 / 1372	36 / 914
20 / 508	60 / 1524	36 / 914
20 / 508	66 / 1676	36 / 914
20 / 508	72 / 1829	36 / 914
20 / 508	78 / 1981	36 / 914
20 / 508	84 / 2134	36 / 914
20 / 508	90 / 2286	36 / 914
20 / 508	96 / 2438	36 / 914

PRICING

NO PULL-OUT BIN (N)				
SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH	
FRONT FINISH				
Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood
1449	1785	2014	3519	3748
1553	1956	2156	3807	4007
1721	2191	2549	4602	4960
1825	2362	2691	4885	5214
1929	2533	2833	5167	5467
2086	2757	3216	5501	5960
2201	2940	3381	5813	6254
2294	3100	3501	6092	6493
2469	3342	3913	6903	7474
2570	3510	4046	7185	7721
2669	3676	4177	7467	7968
2828	3902	4560	7804	8462
1737	2154	2332	3748	3926
1893	2393	2539	4043	4189
2112	2696	2979	4894	5177
2266	2933	3185	5210	5462
2421	3171	3390	5525	5744
2630	3463	3820	5894	6251
2796	3713	4055	6239	6581
2939	3939	4231	6552	6844
3166	4249	4696	7403	7850
3317	4484	4890	7720	8126
3467	4717	5082	8037	8402
3676	5009	5512	8409	8912
1563	1899	2128	3744	3973
1686	2089	2289	4104	4304
1870	2340	2698	4924	5282
1993	2530	2859	5243	5572
2115	2719	3019	5563	5863
2290	2961	3420	5932	6391
2423	3162	3603	6278	6719
2534	3340	3741	6586	6987
2726	3599	4170	7478	8049
2845	3785	4321	7796	8332
2963	3970	4471	8114	8615
3139	4213	4871	8486	9144
1806	2223	2401	4008	4186
1971	2471	2617	4375	4521
2198	2782	3065	5270	5553
2361	3028	3280	5621	5873
2525	3275	3494	5975	6194
2742	3575	3932	6378	6735
2916	3833	4175	6758	7100
3069	4069	4361	7099	7391
3303	4386	4833	8050	8497
3463	4630	5036	8402	8808
3622	4872	5237	8755	9120
3839	5172	5675	9162	9665

Pricing is continued on the following page.

MXCLN

Credenza (Continued)

DIMENSIONS INCHES / MM

D	W	H
20 / 508	30 / 762	29 / 737
20 / 508	36 / 914	29 / 737
20 / 508	42 / 1067	29 / 737
20 / 508	48 / 1219	29 / 737
20 / 508	54 / 1372	29 / 737
20 / 508	60 / 1524	29 / 737
20 / 508	66 / 1676	29 / 737
20 / 508	72 / 1829	29 / 737
20 / 508	78 / 1981	29 / 737
20 / 508	84 / 2134	29 / 737
20 / 508	90 / 2286	29 / 737
20 / 508	96 / 2438	29 / 737

20 / 508	30 / 762	36 / 914
20 / 508	36 / 914	36 / 914
20 / 508	42 / 1067	36 / 914
20 / 508	48 / 1219	36 / 914
20 / 508	54 / 1372	36 / 914
20 / 508	60 / 1524	36 / 914
20 / 508	66 / 1676	36 / 914
20 / 508	72 / 1829	36 / 914
20 / 508	78 / 1981	36 / 914
20 / 508	84 / 2134	36 / 914
20 / 508	90 / 2286	36 / 914
20 / 508	96 / 2438	36 / 914

20 / 508	60 / 1524	29 / 737
20 / 508	66 / 1676	29 / 737
20 / 508	72 / 1829	29 / 737
20 / 508	78 / 1981	29 / 737
20 / 508	84 / 2134	29 / 737
20 / 508	90 / 2286	29 / 737
20 / 508	96 / 2438	29 / 737


20 / 508	60 / 1524	36 / 914
20 / 508	66 / 1676	36 / 914
20 / 508	72 / 1829	36 / 914
20 / 508	78 / 1981	36 / 914
20 / 508	84 / 2134	36 / 914
20 / 508	90 / 2286	36 / 914
20 / 508	96 / 2438	36 / 914

PRICING

1 PULL-OUT BIN (L or R)					
SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH		
FRONT FINISH					
Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood	
1874	2210	2439	3973	4202	
1997	2400	2600	4333	4533	
2181	2651	3009	5153	5511	
2304	2841	3170	5472	5801	
2426	3030	3330	5792	6092	
2601	3272	3731	6161	6620	
2734	3473	3914	6507	6948	
2845	3651	4052	6815	7216	
3037	3910	4481	7707	8278	
3156	4096	4632	8025	8561	
3274	4281	4782	8343	8844	
3450	4524	5182	8715	9373	
2127	2544	2722	4280	4458	
2292	2792	2938	4647	4793	
2519	3103	3386	5542	5825	
2682	3349	3601	5893	6145	
2846	3596	3815	6247	6466	
3063	3896	4253	6650	7007	
3237	4154	4496	7030	7372	
3390	4390	4682	7371	7663	
3624	4707	5154	8322	8769	
3784	4951	5357	8674	9080	
3943	5193	5558	9027	9392	
4160	5493	5996	9434	9937	

2 PULL-OUT BINS (T or V)					
2821	3492	3951	6327	6786	
2954	3693	4134	6673	7114	
3065	3871	4272	6981	7382	
3257	4130	4701	7873	8444	
3376	4316	4852	8191	8727	
3494	4501	5002	8509	9010	
3670	4744	5402	8881	9539	
3283	4116	4473	6816	7173	
3457	4374	4716	7196	7538	
3610	4610	4902	7537	7829	
3844	4927	5374	8488	8935	
4004	5171	5577	8840	9246	
4163	5413	5778	9193	9558	
4380	5713	6216	9600	10103	

MXCLV
Credenza – Ventilated



WHAT'S INCLUDED
Credenza, metal vents, pull-out with bin (as specified) and pulls (as specified).

NOTES
When a Key Style is specified, the Pull-Out section is **not** lockable.

Interior Drawer for Credenza (MXCID), Symbol for Credenza (MXASR) are compatible and can be specified separately.

PRODUCT OPTIONS

Depth	Width	Height	Pull-Out Bin	Front Finish
20, 24	60, 66, 72, 78, 84, 90, 96	29, 36	N No Pull-Out Bin L 1 Pull-Out Bin – Left R 1 Pull-Out Bin – Right T 2 Pull-Out Bins – Left V 2 Pull-Out Bins – Right	Source Laminate Grade 2 Laminate (No Accents) Flintwood (No Cathedral)

SAMPLE ORDER CODE

MXCLV 20	60	36	N	XG
-----------------	-----------	-----------	----------	-----------

PRODUCT OPTIONS CONTINUED

Case Finish	Pull Style	Pull Finish (If Applicable)	Key Style
Source Laminate Flintwood (No Cathedral)	9 Rectangular E Edge – Standard M Modern Straight (ADA) S Slim T Touch-to-Open	Foundation Mica Accent	K Keyed Alike R Keyed Randomly N No Lock

SAMPLE ORDER CODE CONTINUED

XG	S	52	K
-----------	----------	-----------	----------

See Pricing on the following page.

MXCLV

Credenza – Ventilated (Continued)

DIMENSIONS INCHES / MM

D	W	H
20 / 508	60 / 1524	29 / 737
20 / 508	66 / 1676	29 / 737
20 / 508	72 / 1829	29 / 737
20 / 508	78 / 1981	29 / 737
20 / 508	84 / 2134	29 / 737
20 / 508	90 / 2286	29 / 737
20 / 508	96 / 2438	29 / 737
20 / 508	60 / 1524	36 / 914
20 / 508	66 / 1676	36 / 914
20 / 508	72 / 1829	36 / 914
20 / 508	78 / 1981	36 / 914
20 / 508	84 / 2134	36 / 914
20 / 508	90 / 2286	36 / 914
20 / 508	96 / 2438	36 / 914
24 / 610	60 / 1524	29 / 737
24 / 610	66 / 1676	29 / 737
24 / 610	72 / 1829	29 / 737
24 / 610	78 / 1981	29 / 737
24 / 610	84 / 2134	29 / 737
24 / 610	90 / 2286	29 / 737
24 / 610	96 / 2438	29 / 737
24 / 610	60 / 1524	36 / 914
24 / 610	66 / 1676	36 / 914
24 / 610	72 / 1829	36 / 914
24 / 610	78 / 1981	36 / 914
24 / 610	84 / 2134	36 / 914
24 / 610	90 / 2286	36 / 914
24 / 610	96 / 2438	36 / 914

PRICING

NO PULL-OUT BIN (N)					
SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH		
FRONT FINISH					
Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood	
2418	3089	3548	6060	6519	
2551	3290	3731	6406	6847	
2662	3468	3869	6714	7115	
2918	3791	4362	7670	8241	
3037	3977	4513	7988	8524	
3155	4162	4663	8306	8807	
3331	4405	5063	8678	9336	
2870	3703	4060	6506	6863	
3044	3961	4303	6886	7228	
3197	4197	4489	7227	7519	
3495	4578	5025	8242	8689	
3655	4822	5228	8594	9000	
3814	5064	5429	8947	9312	
4031	5364	5867	9354	9857	
2622	3293	3752	6493	6952	
2773	3512	3953	6873	7314	
2902	3708	4109	7206	7607	
3177	4050	4621	8245	8816	
3312	4252	4788	8599	9135	
3448	4455	4956	8953	9454	
3642	4716	5374	9360	10018	
2982	3815	4172	6993	7350	
3165	4082	4424	7406	7748	
3326	4326	4618	7773	8065	
3634	4717	5164	8888	9335	
3800	4967	5373	9277	9683	
3968	5218	5583	9666	10031	
4194	5527	6030	10107	10610	

Pricing is continued on the following page.

MXCLV

Credenza – Ventilated (Continued)

DIMENSIONS INCHES / MM

D	W	H
20 / 508	60 / 1524	29 / 737
20 / 508	66 / 1676	29 / 737
20 / 508	72 / 1829	29 / 737
20 / 508	78 / 1981	29 / 737
20 / 508	84 / 2134	29 / 737
20 / 508	90 / 2286	29 / 737
20 / 508	96 / 2438	29 / 737
20 / 508	60 / 1524	36 / 914
20 / 508	66 / 1676	36 / 914
20 / 508	72 / 1829	36 / 914
20 / 508	78 / 1981	36 / 914
20 / 508	84 / 2134	36 / 914
20 / 508	90 / 2286	36 / 914
20 / 508	96 / 2438	36 / 914
24 / 610	60 / 1524	29 / 737
24 / 610	66 / 1676	29 / 737
24 / 610	72 / 1829	29 / 737
24 / 610	78 / 1981	29 / 737
24 / 610	84 / 2134	29 / 737
24 / 610	90 / 2286	29 / 737
24 / 610	96 / 2438	29 / 737
24 / 610	60 / 1524	36 / 914
24 / 610	66 / 1676	36 / 914
24 / 610	72 / 1829	36 / 914
24 / 610	78 / 1981	36 / 914
24 / 610	84 / 2134	36 / 914
24 / 610	90 / 2286	36 / 914
24 / 610	96 / 2438	36 / 914

PRICING

1 PULL-OUT BIN (L or R)					
SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH		
FRONT FINISH					
Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood	
2729	3400	3859	6289	6748	
2862	3601	4042	6635	7076	
2973	3779	4180	6943	7344	
3165	4038	4609	7835	8406	
3284	4224	4760	8153	8689	
3402	4409	4910	8471	8972	
3642	4716	5374	8907	9565	
3191	4024	4381	6778	7135	
3365	4282	4624	7158	7500	
3518	4518	4810	7499	7791	
3752	4835	5282	8450	8897	
3912	5079	5485	8802	9208	
4071	5321	5686	9155	9520	
4352	5685	6188	9626	10129	
2937	3608	4067	6744	7203	
3088	3827	4268	7124	7565	
3217	4023	4424	7457	7858	
3428	4301	4872	8432	9003	
3563	4503	5039	8786	9322	
3699	4706	5207	9140	9641	
3957	5031	5689	9611	10269	
3308	4141	4498	7305	7662	
3491	4408	4750	7718	8060	
3652	4652	4944	8085	8377	
3896	4979	5426	9136	9583	
4062	5229	5635	9525	9931	
4230	5480	5845	9914	10279	
4520	5853	6356	10419	10922	

Pricing is continued on the following page.

MXCLV

Credenza – Ventilated (Continued)


DIMENSIONS INCHES / MM

D	W	H
20 / 508	60 / 1524	29 / 737
20 / 508	66 / 1676	29 / 737
20 / 508	72 / 1829	29 / 737
20 / 508	78 / 1981	29 / 737
20 / 508	84 / 2134	29 / 737
20 / 508	90 / 2286	29 / 737
20 / 508	96 / 2438	29 / 737
20 / 508	60 / 1524	36 / 914
20 / 508	66 / 1676	36 / 914
20 / 508	72 / 1829	36 / 914
20 / 508	78 / 1981	36 / 914
20 / 508	84 / 2134	36 / 914
20 / 508	90 / 2286	36 / 914
20 / 508	96 / 2438	36 / 914
24 / 610	60 / 1524	29 / 737
24 / 610	66 / 1676	29 / 737
24 / 610	72 / 1829	29 / 737
24 / 610	78 / 1981	29 / 737
24 / 610	84 / 2134	29 / 737
24 / 610	90 / 2286	29 / 737
24 / 610	96 / 2438	29 / 737
24 / 610	60 / 1524	36 / 914
24 / 610	66 / 1676	36 / 914
24 / 610	72 / 1829	36 / 914
24 / 610	78 / 1981	36 / 914
24 / 610	84 / 2134	36 / 914
24 / 610	90 / 2286	36 / 914
24 / 610	96 / 2438	36 / 914

PRICING

2 PULL-OUT BINS (T or V)					
SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH		
FRONT FINISH					
Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood	
2885	3556	4015	6391	6850	
3018	3757	4198	6737	7178	
3129	3935	4336	7045	7446	
3385	4258	4829	8001	8572	
3504	4444	4980	8319	8855	
3622	4629	5130	8637	9138	
3798	4872	5530	9009	9667	
3347	4180	4537	6880	7237	
3521	4438	4780	7260	7602	
3674	4674	4966	7601	7893	
3972	5055	5502	8616	9063	
4132	5299	5705	8968	9374	
4291	5541	5906	9321	9686	
4508	5841	6344	9728	10231	
3088	3759	4218	6815	7274	
3239	3978	4419	7195	7636	
3368	4174	4575	7528	7929	
3643	4516	5087	8567	9138	
3778	4718	5254	8921	9457	
3914	4921	5422	9275	9776	
4108	5182	5840	9682	10340	
3459	4292	4649	7376	7733	
3642	4559	4901	7789	8131	
3803	4803	5095	8156	8448	
4111	5194	5641	9271	9718	
4277	5444	5850	9660	10066	
4445	5695	6060	10049	10414	
4671	6004	6507	10490	10993	

MXCLS
Credenza with Specialty Top



WHAT'S INCLUDED
Credenza, glass overlay, pull-out with bin (as specified) and pulls (as specified).

NOTES
When a Key Style is specified, the Pull-Out section is **not** lockable.

Interior Drawer for Credenza (MXCID), Symbol for Credenza (MXASR) are compatible and can be specified separately.

PRODUCT OPTIONS

Depth	Width	Height	Pull-Out Bin	Specialty Top	Top Finish
16, 20	30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	29, 36	N No Pull-Out Bin L 1 Pull-Out Bin – Left R 1 Pull-Out Bin – Right T 2 Pull-Out Bins – Left V 2 Pull-Out Bins – Right	H Glass – Gloss 10mm	Backpainted

SAMPLE ORDER CODE

MXCLS 20	60	36	N	H	K7
-----------------	-----------	-----------	----------	----------	-----------

PRODUCT OPTIONS CONTINUED

Front Finish	Case Finish	Pull Style	Pull Finish (If Applicable)	Key Style
Source Laminate Grade 2 Laminate (No Accents) Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)	9 Rectangular E Edge – Standard M Modern Straight (ADA) S Slim T Touch-to-Open	Foundation Mica Accent	K Keyed Alike R Keyed Randomly N No Lock

SAMPLE ORDER CODE CONTINUED

XG	XG	S	52	K
-----------	-----------	----------	-----------	----------

See Pricing on the following page.

MXCLS

Credenza with Specialty Top (Continued)

DIMENSIONS INCHES / MM

D	W	H
16 / 406	30 / 762	29 / 737
16 / 406	36 / 914	29 / 737
16 / 406	42 / 1067	29 / 737
16 / 406	48 / 1219	29 / 737
16 / 406	54 / 1372	29 / 737
16 / 406	60 / 1524	29 / 737
16 / 406	66 / 1676	29 / 737
16 / 406	72 / 1829	29 / 737
16 / 406	78 / 1981	29 / 737
16 / 406	84 / 2134	29 / 737
16 / 406	90 / 2286	29 / 737
16 / 406	96 / 2438	29 / 737
16 / 406	30 / 762	36 / 914
16 / 406	36 / 914	36 / 914
16 / 406	42 / 1067	36 / 914
16 / 406	48 / 1219	36 / 914
16 / 406	54 / 1372	36 / 914
16 / 406	60 / 1524	36 / 914
16 / 406	66 / 1676	36 / 914
16 / 406	72 / 1829	36 / 914
16 / 406	78 / 1981	36 / 914
16 / 406	84 / 2134	36 / 914
16 / 406	90 / 2286	36 / 914
16 / 406	96 / 2438	36 / 914
20 / 508	30 / 762	29 / 737
20 / 508	36 / 914	29 / 737
20 / 508	42 / 1067	29 / 737
20 / 508	48 / 1219	29 / 737
20 / 508	54 / 1372	29 / 737
20 / 508	60 / 1524	29 / 737
20 / 508	66 / 1676	29 / 737
20 / 508	72 / 1829	29 / 737
20 / 508	78 / 1981	29 / 737
20 / 508	84 / 2134	29 / 737
20 / 508	90 / 2286	29 / 737
20 / 508	96 / 2438	29 / 737
20 / 508	30 / 762	36 / 914
20 / 508	36 / 914	36 / 914
20 / 508	42 / 1067	36 / 914
20 / 508	48 / 1219	36 / 914
20 / 508	54 / 1372	36 / 914
20 / 508	60 / 1524	36 / 914
20 / 508	66 / 1676	36 / 914
20 / 508	72 / 1829	36 / 914
20 / 508	78 / 1981	36 / 914
20 / 508	84 / 2134	36 / 914
20 / 508	90 / 2286	36 / 914
20 / 508	96 / 2438	36 / 914

PRICING

NO PULL-OUT BIN (N)					
GLASS – GLOSS 10mm (H)					
SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH		
FRONT FINISH					
Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood	
1615	1951	2180	3492	3721	
1736	2139	2339	3774	3974	
1921	2391	2749	4562	4920	
2042	2579	2908	4838	5167	
2163	2767	3067	5113	5413	
2337	3008	3467	5440	5899	
2470	3209	3650	5746	6187	
2580	3386	3787	6018	6419	
2772	3645	4216	6822	7393	
2890	3830	4366	7097	7633	
3006	4013	4514	7372	7873	
3182	4256	4914	7702	8360	
1903	2320	2498	3721	3899	
2076	2576	2722	4010	4156	
2312	2896	3179	4854	5137	
2483	3150	3402	5163	5415	
2655	3405	3624	5471	5690	
2881	3714	4071	5833	6190	
3065	3982	4324	6172	6514	
3225	4225	4517	6478	6770	
3469	4552	4999	7322	7769	
3637	4804	5210	7632	8038	
3804	5054	5419	7942	8307	
4030	5363	5866	8307	8810	
1753	2089	2318	3710	3939	
1897	2300	2500	4060	4260	
2102	2572	2930	4869	5227	
2246	2783	3112	5178	5507	
2389	2993	3293	5488	5788	
2586	3257	3716	5848	6307	
2740	3479	3920	6185	6626	
2872	3678	4079	6483	6884	
3086	3959	4530	7366	7937	
3226	4166	4702	7675	8211	
3365	4372	4873	7983	8484	
3562	4636	5294	8346	9004	
1996	2413	2591	3974	4152	
2182	2682	2828	4331	4477	
2430	3014	3297	5215	5498	
2614	3281	3533	5556	5808	
2799	3549	3768	5900	6119	
3038	3871	4228	6294	6651	
3233	4150	4492	6665	7007	
3407	4407	4699	6996	7288	
3663	4746	5193	7938	8385	
3844	5011	5417	8281	8687	
4024	5274	5639	8624	8989	
4262	5595	6098	9022	9525	

Pricing is continued on the following page.

MXCLS


Credenza with Specialty Top (Continued)

DIMENSIONS
INCHES / MM

PRICING

			1 PULL-OUT BIN (L or R)				
			GLASS – GLOSS 10mm (H)				
			SOURCE LAMINATE CASE FINISH		FLINTWOOD CASE FINISH		
			FRONT FINISH				
D	W	H	Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood
20 / 508	30 / 762	29 / 737	2064	2400	2629	3939	4168
20 / 508	36 / 914	29 / 737	2208	2611	2811	4289	4489
20 / 508	42 / 1067	29 / 737	2413	2883	3241	5098	5456
20 / 508	48 / 1219	29 / 737	2557	3094	3423	5407	5736
20 / 508	54 / 1372	29 / 737	2700	3304	3604	5717	6017
20 / 508	60 / 1524	29 / 737	2897	3568	4027	6077	6536
20 / 508	66 / 1676	29 / 737	3051	3790	4231	6414	6855
20 / 508	72 / 1829	29 / 737	3183	3989	4390	6712	7113
20 / 508	78 / 1981	29 / 737	3397	4270	4841	7595	8166
20 / 508	84 / 2134	29 / 737	3537	4477	5013	7904	8440
20 / 508	90 / 2286	29 / 737	3676	4683	5184	8212	8713
20 / 508	96 / 2438	29 / 737	3873	4947	5605	8575	9233
20 / 508	30 / 762	36 / 914	2317	2734	2912	4246	4424
20 / 508	36 / 914	36 / 914	2503	3003	3149	4603	4749
20 / 508	42 / 1067	36 / 914	2751	3335	3618	5487	5770
20 / 508	48 / 1219	36 / 914	2935	3602	3854	5828	6080
20 / 508	54 / 1372	36 / 914	3120	3870	4089	6172	6391
20 / 508	60 / 1524	36 / 914	3359	4192	4549	6566	6923
20 / 508	66 / 1676	36 / 914	3554	4471	4813	6937	7279
20 / 508	72 / 1829	36 / 914	3728	4728	5020	7268	7560
20 / 508	78 / 1981	36 / 914	3984	5067	5514	8210	8657
20 / 508	84 / 2134	36 / 914	4165	5332	5738	8553	8959
20 / 508	90 / 2286	36 / 914	4345	5595	5960	8896	9261
20 / 508	96 / 2438	36 / 914	4583	5916	6419	9294	9797
			2 PULL-OUT BINS (T or V)				
20 / 508	60 / 1524	29 / 737	3117	3788	4247	6243	6702
20 / 508	66 / 1676	29 / 737	3271	4010	4451	6580	7021
20 / 508	72 / 1829	29 / 737	3403	4209	4610	6878	7279
20 / 508	78 / 1981	29 / 737	3617	4490	5061	7761	8332
20 / 508	84 / 2134	29 / 737	3757	4697	5233	8070	8606
20 / 508	90 / 2286	29 / 737	3896	4903	5404	8378	8879
20 / 508	96 / 2438	29 / 737	4093	5167	5825	8741	9399
20 / 508	60 / 1524	36 / 914	3579	4412	4769	6732	7089
20 / 508	66 / 1676	36 / 914	3774	4691	5033	7103	7445
20 / 508	72 / 1829	36 / 914	3948	4948	5240	7434	7726
20 / 508	78 / 1981	36 / 914	4204	5287	5734	8376	8823
20 / 508	84 / 2134	36 / 914	4385	5552	5958	8719	9125
20 / 508	90 / 2286	36 / 914	4565	5815	6180	9062	9427
20 / 508	96 / 2438	36 / 914	4803	6136	6639	9460	9963

MXCLX
Credenza with Specialty Top –
Ventilated



WHAT'S INCLUDED
Credenza, glass overlay, metal vents, pull-out with bin (as specified) and pulls (as specified).

NOTES
When a Key Style is specified, the Pull-Out section is **not** lockable.

Interior Drawer for Credenza (MXCID), Symbol for Credenza (MXASR) are compatible and can be specified separately.

PRODUCT OPTIONS

Depth	Width	Height	Pull-Out Bin	Specialty Top	Top Finish
20, 24	60, 66, 72, 78, 84, 90, 96	29, 36	N No Pull-Out Bin L 1 Pull-Out Bin – Left R 1 Pull-Out Bin – Right T 2 Pull-Out Bins – Left V 2 Pull-Out Bins – Right	H Glass – Gloss 10mm	Backpainted

SAMPLE ORDER CODE

MXCLX 20	60	36	N	H	K7
-----------------	-----------	-----------	----------	----------	-----------

PRODUCT OPTIONS CONTINUED

Front Finish	Case Finish	Pull Style	Pull Finish (If Applicable)	Key Style
Source Laminate Grade 2 Laminate (No Accents) Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)	9 Rectangular E Edge – Standard M Modern Straight (ADA) S Slim T Touch-to-Open	Foundation Mica Accent	K Keyed Alike R Keyed Randomly N No Lock

SAMPLE ORDER CODE CONTINUED

XG	XG	S	52	K
-----------	-----------	----------	-----------	----------

See Pricing on the following page.

MXCLX

Credenza with Specialty Top – Ventilated (Continued)

DIMENSIONS INCHES / MM

D	W	H
20 / 508	60 / 1524	29 / 737
20 / 508	66 / 1676	29 / 737
20 / 508	72 / 1829	29 / 737
20 / 508	78 / 1981	29 / 737
20 / 508	84 / 2134	29 / 737
20 / 508	90 / 2286	29 / 737
20 / 508	96 / 2438	29 / 737
20 / 508	60 / 1524	36 / 914
20 / 508	66 / 1676	36 / 914
20 / 508	72 / 1829	36 / 914
20 / 508	78 / 1981	36 / 914
20 / 508	84 / 2134	36 / 914
20 / 508	90 / 2286	36 / 914
20 / 508	96 / 2438	36 / 914
24 / 610	60 / 1524	29 / 737
24 / 610	66 / 1676	29 / 737
24 / 610	72 / 1829	29 / 737
24 / 610	78 / 1981	29 / 737
24 / 610	84 / 2134	29 / 737
24 / 610	90 / 2286	29 / 737
24 / 610	96 / 2438	29 / 737
24 / 610	60 / 1524	36 / 914
24 / 610	66 / 1676	36 / 914
24 / 610	72 / 1829	36 / 914
24 / 610	78 / 1981	36 / 914
24 / 610	84 / 2134	36 / 914
24 / 610	90 / 2286	36 / 914
24 / 610	96 / 2438	36 / 914

PRICING

NO PULL-OUT BIN (N)					
GLASS – GLOSS 10mm (H)					
SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH		
FRONT FINISH					
Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood	
2714	3385	3844	5976	6435	
2868	3607	4048	6313	6754	
3000	3806	4207	6611	7012	
3278	4151	4722	7558	8129	
3418	4358	4894	7867	8403	
3557	4564	5065	8175	8676	
3754	4828	5486	8538	9196	
3166	3999	4356	6422	6779	
3361	4278	4620	6793	7135	
3535	4535	4827	7124	7416	
3855	4938	5385	8130	8577	
4036	5203	5609	8473	8879	
4216	5466	5831	8816	9181	
4454	5787	6290	9214	9717	
2962	3633	4092	6384	6843	
3138	3877	4318	6752	7193	
3292	4098	4499	7074	7475	
3592	4465	5036	8101	8672	
3754	4694	5230	8444	8980	
3915	4922	5423	8786	9287	
4134	5208	5866	9182	9840	
3322	4155	4512	6884	7241	
3530	4447	4789	7285	7627	
3716	4716	5008	7641	7933	
4049	5132	5579	8744	9191	
4242	5409	5815	9122	9528	
4435	5685	6050	9499	9864	
4686	6019	6522	9929	10432	

Pricing is continued on the following page.

MXCLX

Credenza with Specialty Top –
Ventilated (Continued)

DIMENSIONS
INCHES / MM

PRICING

			1 PULL-OUT BIN (L or R)				
			GLASS – GLOSS 10mm (H)				
			SOURCE LAMINATE CASE FINISH		FLINTWOOD CASE FINISH		
			FRONT FINISH				
D	W	H	Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood
20 / 508	60 / 1524	29 / 737	3025	3696	4155	6205	6664
20 / 508	66 / 1676	29 / 737	3179	3918	4359	6542	6983
20 / 508	72 / 1829	29 / 737	3311	4117	4518	6840	7241
20 / 508	78 / 1981	29 / 737	3525	4398	4969	7723	8294
20 / 508	84 / 2134	29 / 737	3665	4605	5141	8032	8568
20 / 508	90 / 2286	29 / 737	3804	4811	5312	8340	8841
20 / 508	96 / 2438	29 / 737	4065	5139	5797	8767	9425
20 / 508	60 / 1524	36 / 914	3487	4320	4677	6694	7051
20 / 508	66 / 1676	36 / 914	3682	4599	4941	7065	7407
20 / 508	72 / 1829	36 / 914	3856	4856	5148	7396	7688
20 / 508	78 / 1981	36 / 914	4112	5195	5642	8338	8785
20 / 508	84 / 2134	36 / 914	4293	5460	5866	8681	9087
20 / 508	90 / 2286	36 / 914	4473	5723	6088	9024	9389
20 / 508	96 / 2438	36 / 914	4775	6108	6611	9486	9989
24 / 610	60 / 1524	29 / 737	3277	3948	4407	6635	7094
24 / 610	66 / 1676	29 / 737	3453	4192	4633	7003	7444
24 / 610	72 / 1829	29 / 737	3607	4413	4814	7325	7726
24 / 610	78 / 1981	29 / 737	3843	4716	5287	8288	8859
24 / 610	84 / 2134	29 / 737	4005	4945	5481	8631	9167
24 / 610	90 / 2286	29 / 737	4166	5173	5674	8973	9474
24 / 610	96 / 2438	29 / 737	4449	5523	6181	9433	10091
24 / 610	60 / 1524	36 / 914	3648	4481	4838	7196	7553
24 / 610	66 / 1676	36 / 914	3856	4773	5115	7597	7939
24 / 610	72 / 1829	36 / 914	4042	5042	5334	7953	8245
24 / 610	78 / 1981	36 / 914	4311	5394	5841	8992	9439
24 / 610	84 / 2134	36 / 914	4504	5671	6077	9370	9776
24 / 610	90 / 2286	36 / 914	4697	5947	6312	9747	10112
24 / 610	96 / 2438	36 / 914	5012	6345	6848	10241	10744

Pricing is continued on the following page.

MXCLX

Credenza with Specialty Top – Ventilated (Continued)


DIMENSIONS INCHES / MM

D	W	H
20 / 508	60 / 1524	29 / 737
20 / 508	66 / 1676	29 / 737
20 / 508	72 / 1829	29 / 737
20 / 508	78 / 1981	29 / 737
20 / 508	84 / 2134	29 / 737
20 / 508	90 / 2286	29 / 737
20 / 508	96 / 2438	29 / 737
20 / 508	60 / 1524	36 / 914
20 / 508	66 / 1676	36 / 914
20 / 508	72 / 1829	36 / 914
20 / 508	78 / 1981	36 / 914
20 / 508	84 / 2134	36 / 914
20 / 508	90 / 2286	36 / 914
20 / 508	96 / 2438	36 / 914
24 / 610	60 / 1524	29 / 737
24 / 610	66 / 1676	29 / 737
24 / 610	72 / 1829	29 / 737
24 / 610	78 / 1981	29 / 737
24 / 610	84 / 2134	29 / 737
24 / 610	90 / 2286	29 / 737
24 / 610	96 / 2438	29 / 737
24 / 610	60 / 1524	36 / 914
24 / 610	66 / 1676	36 / 914
24 / 610	72 / 1829	36 / 914
24 / 610	78 / 1981	36 / 914
24 / 610	84 / 2134	36 / 914
24 / 610	90 / 2286	36 / 914
24 / 610	96 / 2438	36 / 914

PRICING

2 PULL-OUT BINS (T or V)					
GLASS – GLOSS 10mm (H)					
SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH		
FRONT FINISH					
Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood	
3181	3852	4311	6307	6766	
3335	4074	4515	6644	7085	
3467	4273	4674	6942	7343	
3745	4618	5189	7889	8460	
3885	4825	5361	8198	8734	
4024	5031	5532	8506	9007	
4221	5295	5953	8869	9527	
3643	4476	4833	6796	7153	
3838	4755	5097	7167	7509	
4012	5012	5304	7498	7790	
4332	5415	5862	8504	8951	
4513	5680	6086	8847	9253	
4693	5943	6308	9190	9555	
4931	6264	6767	9588	10091	
3428	4099	4558	6706	7165	
3604	4343	4784	7074	7515	
3758	4564	4965	7396	7797	
4058	4931	5502	8423	8994	
4220	5160	5696	8766	9302	
4381	5388	5889	9108	9609	
4600	5674	6332	9504	10162	
3799	4632	4989	7267	7624	
4007	4924	5266	7668	8010	
4193	5193	5485	8024	8316	
4526	5609	6056	9127	9574	
4719	5886	6292	9505	9911	
4912	6162	6527	9882	10247	
5163	6496	6999	10312	10815	

MXCEN
Elevated Credenza



WHAT'S INCLUDED
Credenza, feet, pull-out with bin (as specified) and pulls (as specified).

NOTES
When a Key Style is specified, the Pull-Out section is **not** lockable.

Interior Drawer for Credenza (MXCID), Symbol for Credenza (MXASR) are compatible and can be specified separately.

PRODUCT OPTIONS

Foot Style	Depth	Width	Height	Pull-Out Bin	Front Finish
B Blade Foot	16, 20	30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	29, 36	N No Pull-Out Bin	Source Laminate
S Square Foot (Shown)				L 1 Pull-Out Bin – Left	Grade 2 Laminate (No Accents)
				R 1 Pull-Out Bin – Right	Flintwood (No Cathedral)
				T 2 Pull-Out Bins – Left	
				V 2 Pull-Out Bins – Right	

SAMPLE ORDER CODE

MXCEN B	20	60	36	N	XG
----------------	-----------	-----------	-----------	----------	-----------

PRODUCT OPTIONS CONTINUED

Case Finish	Base Finish	Pull Style	Pull Finish (If Applicable)	Key Style
Source Laminate	Foundation	9 Rectangular	Foundation	K Keyed Alike
Flintwood (No Cathedral)	Mica	E Edge – Standard	Mica	R Keyed Randomly
	Accent	M Modern Straight (ADA)	Accent	N No Lock
		S Slim		
		T Touch-to-Open		

SAMPLE ORDER CODE CONTINUED

XG	52	S	52	K
-----------	-----------	----------	-----------	----------

See Pricing on the following page.

M X C E N

Elevated Credenza (Continued)

DIMENSIONS – INCHES FOR MM X 25.4

PRICING

			SQUARE FOOT (S)					BLADE FOOT (B)				
			NO PULL-OUT BIN (N)									
			SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH		SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH	
			FRONT FINISH									
D	W	H	Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood	Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood
16	30	29	1685	1952	2216	3612	3876	2093	2360	2624	4020	4284
16	36	29	1769	2089	2324	3864	4099	2172	2492	2727	4267	4502
16	42	29	1916	2289	2700	4623	5034	2313	2686	3097	5020	5431
16	48	29	1999	2425	2808	4869	5252	2390	2816	3199	5260	5643
16	54	29	2083	2562	2916	5116	5470	2468	2947	3301	5501	5855
16	60	29	2220	2753	3281	5415	5943	2598	3131	3659	5793	6321
16	66	29	2312	2898	3406	5675	6183	2684	3270	3778	6047	6555
16	72	29	2387	3026	3498	5907	6379	2753	3392	3864	6273	6745
16	78	29	2538	3230	3886	6665	7321	2899	3591	4247	7026	7682
16	84	29	2620	3366	3988	6900	7522	2975	3721	4343	7255	7877
16	90	29	2700	3499	4088	7134	7723	3049	3848	4437	7483	8072
16	96	29	2838	3690	4455	7421	8186	3180	4032	4797	7763	8528
16	30	36	1975	2323	2540	3843	4060	2383	2731	2948	4251	4468
16	36	36	2111	2528	2714	4102	4288	2514	2931	3117	4505	4691
16	42	36	2309	2795	3137	4916	5258	2706	3192	3534	5313	5655
16	48	36	2444	3000	3310	5198	5508	2835	3391	3701	5589	5899
16	54	36	2579	3204	3483	5478	5757	2964	3589	3868	5863	6142
16	60	36	2768	3463	3898	5812	6247	3146	3841	4276	6190	6625
16	66	36	2913	3677	4093	6107	6523	3285	4049	4465	6479	6895
16	72	36	3036	3869	4243	6371	6745	3402	4235	4609	6737	7111
16	78	36	3242	4145	4686	7173	7714	3603	4506	5047	7534	8075
16	84	36	3374	4346	4850	7441	7945	3729	4701	5205	7796	8300
16	90	36	3504	4546	5012	7710	8176	3853	4895	5361	8059	8525
16	96	36	3694	4805	5426	8034	8655	4036	5147	5768	8376	8997
20	30	29	1786	2053	2317	3820	4084	2306	2573	2837	4340	4604
20	36	29	1884	2204	2439	4137	4372	2399	2719	2954	4652	4887
20	42	29	2043	2416	2827	4914	5325	2552	2925	3336	5423	5834
20	48	29	2140	2566	2949	5190	5573	2643	3069	3452	5693	6076
20	54	29	2238	2717	3071	5467	5821	2735	3214	3568	5964	6318
20	60	29	2388	2921	3449	5795	6323	2878	3411	3939	6285	6813
20	66	29	2495	3081	3589	6088	6596	2979	3565	4073	6572	7080
20	72	29	2583	3222	3694	6347	6819	3061	3700	4172	6825	7297
20	78	29	2747	3439	4095	7185	7841	3220	3912	4568	7658	8314
20	84	29	2842	3588	4210	7455	8077	3309	4055	4677	7922	8544
20	90	29	2936	3735	4324	7724	8313	3397	4196	4785	8185	8774
20	96	29	3087	3939	4704	8045	8810	3541	4393	5158	8499	9264
20	30	36	2031	2379	2596	4086	4303	2551	2899	3116	4606	4823
20	36	36	2171	2588	2774	4410	4596	2686	3103	3289	4925	5111
20	42	36	2373	2859	3201	5261	5603	2882	3368	3710	5770	6112
20	48	36	2512	3068	3378	5572	5882	3015	3571	3881	6075	6385
20	54	36	2652	3277	3556	5883	6162	3149	3774	4053	6380	6659
20	60	36	2844	3539	3974	6245	6680	3334	4029	4464	6735	7170
20	66	36	2994	3758	4174	6574	6990	3478	4242	4658	7058	7474
20	72	36	3122	3955	4329	6864	7238	3600	4433	4807	7342	7716
20	78	36	3331	4234	4775	7765	8306	3804	4707	5248	8238	8779
20	84	36	3467	4439	4943	8067	8571	3934	4906	5410	8534	9038
20	90	36	3601	4643	5109	8371	8837	4062	5104	5570	8832	9298
20	96	36	3795	4906	5527	8729	9350	4249	5360	5981	9183	9804


Pricing is continued on the following page.

MXCEN
Elevated Credenza (Continued)

DIMENSIONS – INCHES
FOR MM X 25.4 PRICING

			SQUARE FOOT (S)					BLADE FOOT (B)				
			1 PULL-OUT BIN (L or R)									
			SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH		SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH	
			FRONT FINISH									
D	W	H	Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood	Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood
20	30	36	2342	2690	2907	4315	4532	2862	3210	3427	4835	5052
20	36	36	2482	2899	3085	4639	4825	2997	3414	3600	5154	5340
20	42	36	2684	3170	3512	5490	5832	3193	3679	4021	5999	6341
20	48	36	2823	3379	3689	5801	6111	3326	3882	4192	6304	6614
20	54	36	2963	3588	3867	6112	6391	3460	4085	4364	6609	6888
20	60	36	3155	3850	4285	6474	6909	3645	4340	4775	6964	7399
20	66	36	3305	4069	4485	6803	7219	3789	4553	4969	7287	7703
20	72	36	3433	4266	4640	7093	7467	3911	4744	5118	7571	7945
20	78	36	3642	4545	5086	7994	8535	4115	5018	5559	8467	9008
20	84	36	3778	4750	5254	8296	8800	4245	5217	5721	8763	9267
20	90	36	3912	4954	5420	8600	9066	4373	5415	5881	9061	9527
20	96	36	4106	5217	5838	8958	9579	4560	5671	6292	9412	10033
			2 PULL-OUT BINS (T or V)									
20	60	36	3375	4070	4505	6640	7075	3865	4560	4995	7130	7565
20	66	36	3525	4289	4705	6969	7385	4009	4773	5189	7453	7869
20	72	36	3653	4486	4860	7259	7633	4131	4964	5338	7737	8111
20	78	36	3862	4765	5306	8160	8701	4335	5238	5779	8633	9174
20	84	36	3998	4970	5474	8462	8966	4465	5437	5941	8929	9433
20	90	36	4132	5174	5640	8766	9232	4593	5635	6101	9227	9693
20	96	36	4326	5437	6058	9124	9745	4780	5891	6512	9578	10199

MXCEV
Elevated Credenza – Ventilated



WHAT'S INCLUDED
Credenza, feet, metal vents, pull-out with bin (as specified) and pulls (as specified).

NOTES
When a Key Style is specified, the Pull-Out section is **not** lockable.

Interior Drawer for Credenza (MXCID), Symbol for Credenza (MXASR) are compatible and can be specified separately.

PRODUCT OPTIONS

Foot Style	Depth	Width	Height	Pull-Out Bin	Front Finish
B Blade Foot	20, 24	60, 66, 72, 78, 84, 90, 96	36	N No Pull-Out Bin	Source Laminate
S Square Foot (Shown)				L 1 Pull-Out Bin – Left	Grade 2 Laminate (No Accents)
				R 1 Pull-Out Bin – Right	Flintwood (No Cathedral)
				T 2 Pull-Out Bins – Left	
				V 2 Pull-Out Bins – Right	

SAMPLE ORDER CODE

MXCEV B	20	60	36	N	XG
---------	----	----	----	---	----

PRODUCT OPTIONS CONTINUED

Case Finish	Base Finish	Pull Style	Pull Finish (If Applicable)	Key Style
Source Laminate	Foundation	9 Rectangular	Foundation	K Keyed Alike
Flintwood (No Cathedral)	Mica	E Edge – Standard	Mica	R Keyed Randomly
	Accent	M Modern Straight (ADA)	Accent	N No Lock
		S Slim		
		T Touch-to-Open		

SAMPLE ORDER CODE CONTINUED

XG	52	S	52	K
----	----	---	----	---

See Pricing on the following page.

M X C E V


Elevated Credenza – Ventilated (Continued)

DIMENSIONS – INCHES FOR MM X 25.4

PRICING

			SQUARE FOOT (S)					BLADE FOOT (B)				
			NO PULL-OUT BIN (N)									
			SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH		SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH	
			FRONT FINISH									
D	W	H	Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood	Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood
20	60	36	2972	3667	4102	6373	6808	3462	4157	4592	6863	7298
20	66	36	3122	3886	4302	6702	7118	3606	4370	4786	7186	7602
20	72	36	3250	4083	4457	6992	7366	3728	4561	4935	7470	7844
20	78	36	3523	4426	4967	7957	8498	3996	4899	5440	8430	8971
20	84	36	3659	4631	5135	8259	8763	4126	5098	5602	8726	9230
20	90	36	3793	4835	5301	8563	9029	4254	5296	5762	9024	9490
20	96	36	3987	5098	5719	8921	9542	4441	5552	6173	9375	9996
24	60	36	3051	3746	4181	6810	7245	3613	4308	4743	7372	7807
24	66	36	3205	3969	4385	7171	7587	3761	4525	4941	7727	8143
24	72	36	3337	4170	4544	7487	7861	3887	4720	5094	8037	8411
24	78	36	3615	4518	5059	8550	9091	4160	5063	5604	9095	9636
24	84	36	3753	4725	5229	8888	9392	4292	5264	5768	9427	9931
24	90	36	3892	4934	5400	9227	9693	4425	5467	5933	9760	10226
24	96	36	4090	5201	5822	9617	10238	4616	5727	6348	10143	10764
			1 PULL-OUT BIN (L or R)									
20	60	36	3283	3978	4413	6602	7037	3773	4468	4903	7092	7527
20	66	36	3433	4197	4613	6931	7347	3917	4681	5097	7415	7831
20	72	36	3561	4394	4768	7221	7595	4039	4872	5246	7699	8073
20	78	36	3770	4673	5214	8122	8663	4243	5146	5687	8595	9136
20	84	36	3906	4878	5382	8424	8928	4373	5345	5849	8891	9395
20	90	36	4040	5082	5548	8728	9194	4501	5543	6009	9189	9655
20	96	36	4298	5409	6030	9150	9771	4752	5863	6484	9604	10225
24	60	36	3366	4061	4496	7061	7496	3928	4623	5058	7623	8058
24	66	36	3520	4284	4700	7422	7838	4076	4840	5256	7978	8394
24	72	36	3652	4485	4859	7738	8112	4202	5035	5409	8288	8662
24	78	36	3866	4769	5310	8737	9278	4411	5314	5855	9282	9823
24	84	36	4004	4976	5480	9075	9579	4543	5515	6019	9614	10118
24	90	36	4143	5185	5651	9414	9880	4676	5718	6184	9947	10413
24	96	36	4405	5516	6137	9868	10489	4931	6042	6663	10394	11015
			2 PULL-OUT BINS (T or V)									
20	60	36	3439	4134	4569	6704	7139	3929	4624	5059	7194	7629
20	66	36	3589	4353	4769	7033	7449	4073	4837	5253	7517	7933
20	72	36	3717	4550	4924	7323	7697	4195	5028	5402	7801	8175
20	78	36	3990	4893	5434	8288	8829	4463	5366	5907	8761	9302
20	84	36	4126	5098	5602	8590	9094	4593	5565	6069	9057	9561
20	90	36	4260	5302	5768	8894	9360	4721	5763	6229	9355	9821
20	96	36	4454	5565	6186	9252	9873	4908	6019	6640	9706	10327
24	60	36	3517	4212	4647	7132	7567	4079	4774	5209	7694	8129
24	66	36	3671	4435	4851	7493	7909	4227	4991	5407	8049	8465
24	72	36	3803	4636	5010	7809	8183	4353	5186	5560	8359	8733
24	78	36	4081	4984	5525	8872	9413	4626	5529	6070	9417	9958
24	84	36	4219	5191	5695	9210	9714	4758	5730	6234	9749	10253
24	90	36	4358	5400	5866	9549	10015	4891	5933	6399	10082	10548
24	96	36	4556	5667	6288	9939	10560	5082	6193	6814	10465	11086

MXCRV
Elevated Credenza – Ventilated and Integrated Fridge



WHAT'S INCLUDED
Credenza, feet, metal vents, fronts for integrated fridge, pull-out with bin (as specified), and pulls (as specified).

WHAT'S EXCLUDED
Integrated fridge.

NOTES
When Width 72" and Pull-Out Bin (2) are specified, only No Lock (N) Keystyle is available.
When a Key Style is specified, the Integrated Fridge and the Pull-Out sections are **not** lockable.
Interior Drawer for Credenza (MXCID), Symbol for Credenza (MXASR) are compatible and can be specified separately.
Only compatible with Fisher & Paykel fridge drawer RB36S25MKIWN1, unit to be provided separately by the customer.

PRODUCT OPTIONS

Foot Style	Depth	Width	Height	Fridge Position	Pull-Out Bin
B Blade Foot S Square Foot (Shown)	24	72, 90	36	L Fridge – Left R Fridge – Right	N No Pull-Out Bin 1 1 Pull-Out Bin 2 2 Pull-Out Bins

SAMPLE ORDER CODE

MXCRV B	24	72	36	L	N
----------------	-----------	-----------	-----------	----------	----------

PRODUCT OPTIONS CONTINUED

Front Finish	Case Finish	Base Finish	Pull Style	Pull Finish (If Applicable)	Key Style
Source Laminate Grade 2 Laminate (No Accents) Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)	Foundation Mica Accent	9 Rectangular E Edge – Standard M Modern Straight (ADA) S Slim	Foundation Mica Accent	K Keyed Alike R Keyed Randomly N No Lock

SAMPLE ORDER CODE CONTINUED

XG	XG	52	S	52	N
-----------	-----------	-----------	----------	-----------	----------

See Pricing on the following page.


M X C R V
Elevated Credenza – Ventilated and Integrated Fridge (Continued)

DIMENSIONS – INCHES
FOR MM X 25.4

PRICING

			SQUARE FOOT (S)					BLADE FOOT (B)				
NO PULL-OUT BIN (N)												
SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH			SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH			
FRONT FINISH												
D	W	H	Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood	Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood
24	72	36	3355	4188	4562	7167	7541	3905	4738	5112	7717	8091
24	90	36	3910	4952	5418	8907	9373	4443	5485	5951	9440	9906
1 PULL-OUT BIN (L or R)												
24	72	36	3670	4503	4877	7418	7792	4220	5053	5427	7968	8342
24	90	36	4161	5203	5669	9094	9560	4694	5736	6202	9627	10093
2 PULL-OUT BINS (T or V)												
24	72	36	3821	4654	5028	7489	7863	4371	5204	5578	8039	8413
24	90	36	4376	5418	5884	9229	9695	4909	5951	6417	9762	10228

MXCES
Elevated Credenza with Specialty
Top



WHAT'S INCLUDED
Credenza, feet, glass overlay, pull-out with bin (as specified) and pulls (as specified).

NOTES
When a Key Style is specified, the Pull-Out section is **not** lockable.

Interior Drawer for Credenza (MXCID), Symbol for Credenza (MXASR) are compatible and can be specified separately.

PRODUCT OPTIONS

Foot Style	Depth	Width	Height	Pull-Out Bin	Specialty Top
B Blade Foot S Square Foot (Shown)	16, 20	30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	29, 36	N No Pull-Out Bin L 1 Pull-Out Bin – Left R 1 Pull-Out Bin – Right T 2 Pull-Out Bins – Left V 2 Pull-Out Bins – Right	H Glass – Gloss 10mm

SAMPLE ORDER CODE

MXCES B	20	60	36	N	H
----------------	-----------	-----------	-----------	----------	----------

PRODUCT OPTIONS CONTINUED

Top Finish	Front Finish	Case Finish	Base Finish	Pull Style	Pull Finish (If Applicable)	Key Style
Backpainted	Source Laminate Grade 2 Laminate (No Accents) Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)	Foundation Mica Accent	9 Rectangular E Edge – Standard M Modern Straight (ADA) S Slim T Touch-to-Open	Foundation Mica Accent	K Keyed Alike R Keyed Randomly N No Lock

SAMPLE ORDER CODE CONTINUED

K7	XG	XG	52	S	52	K
-----------	-----------	-----------	-----------	----------	-----------	----------

See Pricing on the following page.

M X C E S

Elevated Credenza with Specialty Top (Continued)

DIMENSIONS – INCHES FOR MM X 25.4

PRICING

			SQUARE FOOT (S)				BLADE FOOT (B)					
			NO PULL-OUT BIN (N)									
			GLASS – GLOSS 10mm (H)									
			SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH		SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH	
			FRONT FINISH									
D	W	H	Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood	Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood
16	30	29	1851	2118	2382	3585	3849	2259	2526	2790	3993	4257
16	36	29	1952	2272	2507	3831	4066	2355	2675	2910	4234	4469
16	42	29	2116	2489	2900	4583	4994	2513	2886	3297	4980	5391
16	48	29	2216	2642	3025	4822	5205	2607	3033	3416	5213	5596
16	54	29	2317	2796	3150	5062	5416	2702	3181	3535	5447	5801
16	60	29	2471	3004	3532	5354	5882	2849	3382	3910	5732	6260
16	66	29	2581	3167	3675	5608	6116	2953	3539	4047	5980	6488
16	72	29	2673	3312	3784	5833	6305	3039	3678	4150	6199	6671
16	78	29	2841	3533	4189	6584	7240	3202	3894	4550	6945	7601
16	84	29	2940	3686	4308	6812	7434	3295	4041	4663	7167	7789
16	90	29	3037	3836	4425	7039	7628	3386	4185	4774	7388	7977
16	96	29	3192	4044	4809	7319	8084	3534	4386	5151	7661	8426
16	30	36	2141	2489	2706	3816	4033	2549	2897	3114	4224	4441
16	36	36	2294	2711	2897	4069	4255	2697	3114	3300	4472	4658
16	42	36	2509	2995	3337	4876	5218	2906	3392	3734	5273	5615
16	48	36	2661	3217	3527	5151	5461	3052	3608	3918	5542	5852
16	54	36	2813	3438	3717	5424	5703	3198	3823	4102	5809	6088
16	60	36	3019	3714	4149	5751	6186	3397	4092	4527	6129	6564
16	66	36	3182	3946	4362	6040	6456	3554	4318	4734	6412	6828
16	72	36	3322	4155	4529	6297	6671	3688	4521	4895	6663	7037
16	78	36	3545	4448	4989	7092	7633	3906	4809	5350	7453	7994
16	84	36	3694	4666	5170	7353	7857	4049	5021	5525	7708	8212
16	90	36	3841	4883	5349	7615	8081	4190	5232	5698	7964	8430
16	96	36	4048	5159	5780	7932	8553	4390	5501	6122	8274	8895
20	30	29	1976	2243	2507	3786	4050	2496	2763	3027	4306	4570
20	36	29	2095	2415	2650	4093	4328	2610	2930	3165	4608	4843
20	42	29	2275	2648	3059	4859	5270	2784	3157	3568	5368	5779
20	48	29	2393	2819	3202	5125	5508	2896	3322	3705	5628	6011
20	54	29	2512	2991	3345	5392	5746	3009	3488	3842	5889	6243
20	60	29	2684	3217	3745	5711	6239	3174	3707	4235	6201	6729
20	66	29	2812	3398	3906	5995	6503	3296	3882	4390	6479	6987
20	72	29	2921	3560	4032	6244	6716	3399	4038	4510	6722	7194
20	78	29	3107	3799	4455	7073	7729	3580	4272	4928	7546	8202
20	84	29	3223	3969	4591	7334	7956	3690	4436	5058	7801	8423
20	90	29	3338	4137	4726	7593	8182	3799	4598	5187	8054	8643
20	96	29	3510	4362	5127	7905	8670	3964	4816	5581	8359	9124
20	30	36	2221	2569	2786	4052	4269	2741	3089	3306	4572	4789
20	36	36	2382	2799	2985	4366	4552	2897	3314	3500	4881	5067
20	42	36	2605	3091	3433	5206	5548	3114	3600	3942	5715	6057
20	48	36	2765	3321	3631	5507	5817	3268	3824	4134	6010	6320
20	54	36	2926	3551	3830	5808	6087	3423	4048	4327	6305	6584
20	60	36	3140	3835	4270	6161	6596	3630	4325	4760	6651	7086
20	66	36	3311	4075	4491	6481	6897	3795	4559	4975	6965	7381
20	72	36	3460	4293	4667	6761	7135	3938	4771	5145	7239	7613
20	78	36	3691	4594	5135	7653	8194	4164	5067	5608	8126	8667
20	84	36	3848	4820	5324	7946	8450	4315	5287	5791	8413	8917
20	90	36	4003	5045	5511	8240	8706	4464	5506	5972	8701	9167
20	96	36	4218	5329	5950	8589	9210	4672	5783	6404	9043	9664


Pricing is continued on the following page.

M X C E S
Elevated Credenza with Specialty
Top (Continued)

DIMENSIONS – INCHES
FOR MM X 25.4 PRICING

			SQUARE FOOT (\$)					BLADE FOOT (B)				
			1 PULL-OUT BIN (L or R)									
			GLASS – GLOSS 10mm (H)									
			SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH		SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH	
FRONT FINISH												
D	W	H	Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood	Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood
20	30	36	2532	2880	3097	4281	4498	3052	3400	3617	4801	5018
20	36	36	2693	3110	3296	4595	4781	3208	3625	3811	5110	5296
20	42	36	2916	3402	3744	5435	5777	3425	3911	4253	5944	6286
20	48	36	3076	3632	3942	5736	6046	3579	4135	4445	6239	6549
20	54	36	3237	3862	4141	6037	6316	3734	4359	4638	6534	6813
20	60	36	3451	4146	4581	6390	6825	3941	4636	5071	6880	7315
20	66	36	3622	4386	4802	6710	7126	4106	4870	5286	7194	7610
20	72	36	3771	4604	4978	6990	7364	4249	5082	5456	7468	7842
20	78	36	4002	4905	5446	7882	8423	4475	5378	5919	8355	8896
20	84	36	4159	5131	5635	8175	8679	4626	5598	6102	8642	9146
20	90	36	4314	5356	5822	8469	8935	4775	5817	6283	8930	9396
20	96	36	4529	5640	6261	8818	9439	4983	6094	6715	9272	9893
			2 PULL-OUT BINS (T or V)									
20	60	36	3671	4366	4801	6556	6991	4161	4856	5291	7046	7481
20	66	36	3842	4606	5022	6876	7292	4326	5090	5506	7360	7776
20	72	36	3991	4824	5198	7156	7530	4469	5302	5676	7634	8008
20	78	36	4222	5125	5666	8048	8589	4695	5598	6139	8521	9062
20	84	36	4379	5351	5855	8341	8845	4846	5818	6322	8808	9312
20	90	36	4534	5576	6042	8635	9101	4995	6037	6503	9096	9562
20	96	36	4749	5860	6481	8984	9605	5203	6314	6935	9438	10059

MXCEX
Elevated Credenza with Specialty
Top – Ventilated



WHAT'S INCLUDED
Credenza, feet, glass overlay, metal vents, pull-out with bin (as specified) and pulls (as specified).

NOTES
When a Key Style is specified, the Pull-Out section is **not** lockable.

Interior Drawer for Credenza (MXCID), Symbol for Credenza (MXASR) are compatible and can be specified separately.

PRODUCT OPTIONS

Foot Style	Depth	Width	Height	Pull-Out Bin	Specialty Top
B Blade Foot S Square Foot (Shown)	20, 24	60, 66, 72, 78, 84, 90, 96	36	N No Pull-Out Bin L 1 Pull-Out Bin – Left R 1 Pull-Out Bin – Right T 2 Pull-Out Bins – Left V 2 Pull-Out Bins – Right	H Glass – Gloss 10mm

SAMPLE ORDER CODE

MXCEX B	20	60	36	N	H
----------------	-----------	-----------	-----------	----------	----------

PRODUCT OPTIONS CONTINUED

Top Finish	Front Finish	Case Finish	Base Finish	Pull Style	Pull Finish (If Applicable)	Key Style
Backpainted	Source Laminate Grade 2 Laminate (No Accents) Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)	Foundation Mica Accent	9 Rectangular E Edge – Standard M Modern Straight (ADA) S Slim T Touch-to-Open	Foundation Mica Accent	K Keyed Alike R Keyed Randomly N No Lock

SAMPLE ORDER CODE CONTINUED

K7	XG	XG	52	S	52	K
-----------	-----------	-----------	-----------	----------	-----------	----------

See Pricing on the following page.

M X C E X


Elevated Credenza with Specialty Top – Ventilated (Continued)

DIMENSIONS – INCHES FOR MM X 25.4

PRICING

			SQUARE FOOT (S)				BLADE FOOT (B)					
NO PULL-OUT BIN (N)												
			GLASS – GLOSS 10mm (H)									
			SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH		SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH	
FRONT FINISH												
D	W	H	Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood	Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood
20	60	36	3268	3963	4398	6289	6724	3758	4453	4888	6779	7214
20	66	36	3439	4203	4619	6609	7025	3923	4687	5103	7093	7509
20	72	36	3588	4421	4795	6889	7263	4066	4899	5273	7367	7741
20	78	36	3883	4786	5327	7845	8386	4356	5259	5800	8318	8859
20	84	36	4040	5012	5516	8138	8642	4507	5479	5983	8605	9109
20	90	36	4195	5237	5703	8432	8898	4656	5698	6164	8893	9359
20	96	36	4410	5521	6142	8781	9402	4864	5975	6596	9235	9856
24	60	36	3391	4086	4521	6701	7136	3953	4648	5083	7263	7698
24	66	36	3570	4334	4750	7050	7466	4126	4890	5306	7606	8022
24	72	36	3727	4560	4934	7355	7729	4277	5110	5484	7905	8279
24	78	36	4030	4933	5474	8406	8947	4575	5478	6019	8951	9492
24	84	36	4195	5167	5671	8733	9237	4734	5706	6210	9272	9776
24	90	36	4359	5401	5867	9060	9526	4892	5934	6400	9593	10059
24	96	36	4582	5693	6314	9439	10060	5108	6219	6840	9965	10586
1 PULL-OUT BIN (L or R)												
20	60	36	3579	4274	4709	6518	6953	4069	4764	5199	7008	7443
20	66	36	3750	4514	4930	6838	7254	4234	4998	5414	7322	7738
20	72	36	3899	4732	5106	7118	7492	4377	5210	5584	7596	7970
20	78	36	4130	5033	5574	8010	8551	4603	5506	6047	8483	9024
20	84	36	4287	5259	5763	8303	8807	4754	5726	6230	8770	9274
20	90	36	4442	5484	5950	8597	9063	4903	5945	6411	9058	9524
20	96	36	4721	5832	6453	9010	9631	5175	6286	6907	9464	10085
24	60	36	3706	4401	4836	6952	7387	4268	4963	5398	7514	7949
24	66	36	3885	4649	5065	7301	7717	4441	5205	5621	7857	8273
24	72	36	4042	4875	5249	7606	7980	4592	5425	5799	8156	8530
24	78	36	4281	5184	5725	8593	9134	4826	5729	6270	9138	9679
24	84	36	4446	5418	5922	8920	9424	4985	5957	6461	9459	9963
24	90	36	4610	5652	6118	9247	9713	5143	6185	6651	9780	10246
24	96	36	4897	6008	6629	9690	10311	5423	6534	7155	10216	10837
2 PULL-OUT BINS (T or V)												
20	60	36	3735	4430	4865	6620	7055	4225	4920	5355	7110	7545
20	66	36	3906	4670	5086	6940	7356	4390	5154	5570	7424	7840
20	72	36	4055	4888	5262	7220	7594	4533	5366	5740	7698	8072
20	78	36	4350	5253	5794	8176	8717	4823	5726	6267	8649	9190
20	84	36	4507	5479	5983	8469	8973	4974	5946	6450	8936	9440
20	90	36	4662	5704	6170	8763	9229	5123	6165	6631	9224	9690
20	96	36	4877	5988	6609	9112	9733	5331	6442	7063	9566	10187
24	60	36	3857	4552	4987	7023	7458	4419	5114	5549	7585	8020
24	66	36	4036	4800	5216	7372	7788	4592	5356	5772	7928	8344
24	72	36	4193	5026	5400	7677	8051	4743	5576	5950	8227	8601
24	78	36	4496	5399	5940	8728	9269	5041	5944	6485	9273	9814
24	84	36	4661	5633	6137	9055	9559	5200	6172	6676	9594	10098
24	90	36	4825	5867	6333	9382	9848	5358	6400	6866	9915	10381
24	96	36	5048	6159	6780	9761	10382	5574	6685	7306	10287	10908

MXCRX
Elevated Credenza with Specialty
Top – Ventilated and Integrated
Fridge



WHAT'S INCLUDED
Credenza, feet, glass overlay, metal vents, fronts for integrated fridge, pull-out with bin (as specified) and pulls (as specified).

WHAT'S EXCLUDED
Integrated fridge.

NOTES
When Width 72" and Pull-Out Bin (2) are specified, only No Lock (N) Keystyle is available.
When a Key Style is specified, the Integrated Fridge and the Pull-Out sections are **not** lockable.
Interior Drawer for Credenza (MXCID), Symbol for Credenza (MXASR) are compatible and can be specified separately.
Only compatible with Fisher & Paykel fridge drawer RB36S25MKIWN1, unit to be provided separately by the customer.

PRODUCT OPTIONS

Foot Style	Depth	Width	Height	Fridge Position	Pull-Out Bin
B Blade Foot S Square Foot (Shown)	24	72, 90	36	L Fridge – Left R Fridge – Right	N No Pull-Out Bin 1 1 Pull-Out Bin 2 2 Pull-Out Bins

SAMPLE ORDER CODE

MXCRX B	24	72	36	L	N
---------	----	----	----	---	---

PRODUCT OPTIONS CONTINUED

Specialty Top	Top Finish	Front Finish	Case Finish	Base Finish	Pull Style	Pull Finish (If Applicable)	Key Style
H Glass – Gloss 10mm	Backpainted	Source Laminate Grade 2 Laminate (No Accents) Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)	Foundation Mica Accent	9 Rectangular E Edge – Standard M Modern Straight (ADA) S Slim	Foundation Mica Accent	K Keyed Alike R Keyed Randomly N No Lock

SAMPLE ORDER CODE CONTINUED

H	K7	XG	XG	52	S	52	N
---	----	----	----	----	---	----	---

See Pricing on the following page.

M X C R X
Elevated Credenza with Specialty
Top – Ventilated and Integrated
Fridge (Continued)

DIMENSIONS – INCHES
FOR MM X 25.4


PRICING

			SQUARE FOOT (S)				BLADE FOOT (B)					
NO PULL-OUT BIN (N)												
GLASS – GLOSS 10mm (H)												
			SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH		SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH	
FRONT FINISH												
D	W	H	Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood	Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood
24	72	36	3745	4578	4952	7035	7409	4295	5128	5502	7585	7959
24	90	36	4377	5419	5885	8740	9206	4910	5952	6418	9273	9739
1 PULL-OUT BIN (L or R)												
24	72	36	4060	4893	5267	7286	7660	4610	5443	5817	7836	8210
24	90	36	4628	5670	6136	8927	9393	5161	6203	6669	9460	9926
2 PULL-OUT BINS (T or V)												
24	72	36	4211	5044	5418	7357	7731	4761	5594	5968	7907	8281
24	90	36	4843	5885	6351	9062	9528	5376	6418	6884	9595	10061

MXCWN
Wall-Mounted Credenza

WHAT'S INCLUDED
Credenza, pulls (as specified), mounting hardware and wall-mounted rail.

NOTES
Interior Drawer for Credenza (MXCID) is **not** compatible with this product.



PRODUCT OPTIONS

Depth	Width	Height	Front Finish	Case Finish	Pull Style	Pull Finish (If Applicable)	Key Style
14	54, 60, 66, 72, 78, 84, 90, 96	20	Source Laminate Grade 2 Laminate (No Accents) Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)	9 Rectangular E Edge – Standard M Modern Straight (ADA) S Slim T Touch-to-Open	Foundation Mica Accent	K Keyed Alike R Keyed Randomly N No Lock

SAMPLE ORDER CODE

MXCWN 14	60	20	XG	XG	S	52	K
----------	----	----	----	----	---	----	---

DIMENSIONS
INCHES / MM

D	W	H
14 / 356	54 / 1372	20 / 508
14 / 356	60 / 1524	20 / 508
14 / 356	66 / 1676	20 / 508
14 / 356	72 / 1829	20 / 508
14 / 356	78 / 1981	20 / 508
14 / 356	84 / 2134	20 / 508
14 / 356	90 / 2286	20 / 508
14 / 356	96 / 2438	20 / 508

PRICING


SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH	
FRONT FINISH				
Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood
1725	2142	2523	4368	4749
1866	2329	2893	4639	5203
1960	2470	3011	4873	5414
2040	2596	3104	5081	5589
2194	2796	3493	5779	6476
2279	2927	3593	5989	6655
2363	3058	3693	6198	6833
2504	3245	4063	6459	7277

WHAT'S INCLUDED

Credenza, glass overlay, pulls (as specified), mounting hardware and wall-mounted rail.

NOTES

Interior Drawer for Credenza (MXCID) is **not** compatible with this product.

M X C W S**Wall-Mounted Credenza with Specialty Top****PRODUCT OPTIONS**

Depth	Width	Height	Specialty Top	Top Finish	Front Finish	Case Finish	Pull Style	Pull Finish (If Applicable)	Key Style
14	54, 60, 66, 72, 78, 84, 90, 96	20	H Glass – Gloss 10mm	Backpainted	Source Laminate Grade 2 Laminate (No Accents) Flintwood (No Cathedral)	Source Laminate Flintwood (No Cathedral)	9 Rectangular E Edge – Standard M Modern Straight (ADA) S Slim T Touch-to-Open	Foundation Mica Accent	K Keyed Alike R Keyed Randomly N No Lock

SAMPLE ORDER CODE

MXCWS 14	60	20	H	K7	XG	XG	S	52	K
-----------------	-----------	-----------	----------	-----------	-----------	-----------	----------	-----------	----------

**DIMENSIONS
INCHES / MM**

D	W	H
14 / 356	54 / 1372	20 / 508
14 / 356	60 / 1524	20 / 508
14 / 356	66 / 1676	20 / 508
14 / 356	72 / 1829	20 / 508
14 / 356	78 / 1981	20 / 508
14 / 356	84 / 2134	20 / 508
14 / 356	90 / 2286	20 / 508
14 / 356	96 / 2438	20 / 508


PRICING

GLASS – GLOSS 10mm (H)				
SOURCE LAMINATE CASE FINISH			FLINTWOOD CASE FINISH	
FRONT FINISH				
Source Laminate	Grade 2 Laminate	Flintwood	Grade 2 Laminate	Flintwood
1940	2357	2738	4325	4706
2096	2559	3123	4591	5155
2205	2715	3256	4819	5360
2300	2856	3364	5021	5529
2469	3071	3768	5714	6411
2569	3217	3883	5918	6584
2668	3363	3998	6121	6756
2824	3565	4383	6377	7195

MXCID
Interior Drawer for Credenza

WHAT'S INCLUDED
1 drawer with metal front and mounting hardware.

NOTES
Drawer features a 16" deep white drawer body.
Compatible with all 20" and 24" depth credenzas with dual door sections.



PRODUCT OPTIONS

Credenza Width	Configuration	Front Finish	Case Finish
30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	T Two-Door Section	Foundation Mica Accent	Source Laminate

SAMPLE ORDER CODE

MXCID 30	T	52	XG
----------	---	----	----

DIMENSIONS
INCHES / MM

Credenza W
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

PRICING

878
905
869
882
905
878
892
905
882
892
905
882


WHAT'S INCLUDED

1 cutlery tray.

NOTES

The Drawer Organizer – Cutlery Tray fits in 16" deep Standard – Soft Close drawers.

The cutlery tray is finished in grey plastic.

MXAOT**Drawer Organizer – Cutlery Tray****PRICING**

111


WHAT'S INCLUDED

1 utility box and 1 reconfigurable divider with magnet.

NOTES

The reconfigurable divider can be installed in 3 different positions.

16" depth Drawer Organizer is compatible with Interior Drawer for Credenza (MXCID) available for 20" and 24" depth credenzas.

MXAOB**Drawer Organizer – Utility Box****PRODUCT OPTIONS**

Credenza Depth	Width	Organizer Finish
20, 24	06	Foundation Mica Accent

SAMPLE ORDER CODE

MXAOB 20	06	52
-----------------	-----------	-----------

**DIMENSIONS
INCHES / MM**


Credenza D	W
20 / 508	6 / 152
24 / 610	6 / 152

PRICING

114
114

MXASR
Symbol for Credenza

WHAT'S INCLUDED
1 symbol for credenza and mounting hardware.



PRODUCT OPTIONS

Symbol	Plate Finish
F Fridge R Recycling W Waste	Foundation Mica Accent

SAMPLE ORDER CODE

MXASR R	52
---------	----

CONFIGURATION	PRICING
F	21
R	21
W	21

K


Locks and Keys

WHAT'S INCLUDED

- Style M: 1 Master Key.
- Style R: 1 Lock Removal Key.
- Style C: 1 Lock Core and Keys.

NOTES

The Master Key (M) unlocks any storage unit.
The Lock Removal Key (R) removes lock cores from storage units.
Lock Core and Keys (C) are replacements for those currently installed.



PRODUCT OPTIONS

Style
M Master Key
R Lock Removal Key
C Lock Core and Keys

SAMPLE ORDER CODE

K M

STYLE	PRICING
M	7
R	7
C	30

S O K L
Set of Keys Alike

WHAT'S INCLUDED
Each set of cores include a lock & core and 2 identical keys.

NOTES
All storage furniture is shipped with the lock housing pre-installed in each unit ready to receive the required lock plug cores. Based on the product option, lock cores and keys are shipped either numbered randomly or in "keyed-alike" sets. Quantity of lock cores and keys will match the quantities required for the locking components on the order.

SPECIFICATION NOTES
Count the number of locking components in each workstation. Enter the number of locks into the Quantity column, and then assign a SET to each quantity.

Office Number	Quantity	Set #	Set Total
T1	4	SOKL - 4	1
T2	2	SOKL - 2	1
T3	4	SOKL - 4	1
T4	3	SOKL - 3	1

Total the number of SOKL (Sets of Keys Alike) quantities and transfer each total quantity to your Purchase Order.

Sets ordered in the incorrect quantities that are required for the order may result in the order being placed on hold.

Please verify the quantity by reviewing the plan carefully to ensure that all products with locks have been identified. Remember that some products may have more than one lock core per unit based on size and configuration.

For further details on how to specify locks, please see the Teknion Lock Specification Guide on our website.

PRODUCT OPTIONS

Number of Sets of Cores			
01 1 Set of Cores	07 7 Sets of Cores	13 13 Sets of Cores	19 19 Sets of Cores
02 2 Sets of Cores	08 8 Sets of Cores	14 14 Sets of Cores	20 20 Sets of Cores
03 3 Sets of Cores	09 9 Sets of Cores	15 15 Sets of Cores	
04 4 Sets of Cores	10 10 Sets of Cores	16 16 Sets of Cores	
05 5 Sets of Cores	11 11 Sets of Cores	17 17 Sets of Cores	
06 6 Sets of Cores	12 12 Sets of Cores	18 18 Sets of Cores	

SAMPLE ORDER CODE


SOKL 04

electrics &
communications

electrics & communications product map


MXPRD Recessed Module – Access Door

Page 198




MXPRH Recessed Module – Power Hub

Page 199




MXFPF Flush Power Module

Page 200




MXPBP Below Power Module

Page 202



MXPPP Plug-In Power Bar

Page 203




MXPWB WE Connect Distribution Block

Page 204




MXPWC WE Connect Linking Cable

Page 205



MXPWF WE Connect Plug-In Basefeed Unit


Page 206



electrics & communications product map

MXPPK Keystone Insert

Page 207



MXPMF Floor Cable Cover

Page 208



MXPMW Wrap Around Cable Manager

Page 209



MXPGR Media Grommet – Round

Page 210




M X P R D
Recessed Module – Access Door

WHAT'S INCLUDED
1 access door and mounting hardware.

WHAT'S EXCLUDED
Recessed Module – Power Hub (MXPRH).

NOTES
The Access Door can be opened from both sides allowing easy access to the Recessed Module.



PRODUCT OPTIONS

Electrical Cutout	Metal Door Finish
AE 12" Standard	Foundation Mica Accent

SAMPLE ORDER CODE

MXPRD AE	52
----------	----

ELECTRICAL CUTOUT	PRICING
AE	221

WHAT'S INCLUDED

1 power module, 4 keystone inserts (MXPPK), cable manager and mounting hardware.

WHAT'S EXCLUDED

Recessed Module – Access Door (MXPRD).

NOTES

The Module bottom is covered with a felt Pad protection.

Unit is defaulted to Soft Black.

USB-A Output: 5VDC 2.1A on USB A (12 W).


USB-C Output: 5-12 VDC (18 W).

USB-C Output: 5-20 VDC 3.25A (65 W).

Cord is Grey cloth covered and PVC free.

MXPRH

Recessed Module – Power Hub

**PRODUCT OPTIONS**

Cord and Plug Type	Electrical Cutout	Configuration	Cord Length	Country of Installation	Receptacle Finish	Case Finish
A Standard Plug-In	AE 12" Standard	CK 4Power / 2USB – A+C (65W)	018, 072, 120, 180	A Canada / U.S.A.	YY Ebony Coordinate	2Z Soft Black
H Hardwire		CL 4Power / 2USB – A+C (18W)				
W WE Connect		CM 6Power				

SAMPLE ORDER CODE

MXPRH A	AE	CK	072	A	YY	2Z
----------------	-----------	-----------	------------	----------	-----------	-----------


DIMENSIONS
INCHES / MM

Cord Length
18 / 457
72 / 1829
120 / 3048
180 / 4572

PRICING

STANDARD PLUG-IN (A)			HARDWIRE (H)			WE CONNECT (W)		
CONFIGURATION								
6Power (CM)	4Power / 2USB-A+C (18W) (CL)	4Power / 2USB-A+C (65W) (CK)	6Power (CM)	4Power / 2USB-A+C (18W) (CL)	4Power / 2USB-A+C (65W) (CK)	6Power (CM)	4Power / 2USB-A+C (18W) (CL)	4Power / 2USB-A+C (65W) (CK)
n/a	n/a	n/a	n/a	n/a	n/a	488	639	794
499	650	805	564	715	870	n/a	n/a	n/a
519	670	825	n/a	n/a	n/a	n/a	n/a	n/a
542	693	848	n/a	n/a	n/a	n/a	n/a	n/a

MXFPF
Flush Power Module



WHAT'S INCLUDED
1 flush power module and mounting option.

NOTES
Not available in Chicago.

USB-A Output: 5VDC 2.1A on USB A (12 W).
USB-C Output: 5-12 VDC (18 W).
USB-C Output: 5-20 VDC 3.25A (65 W).
Cord is Grey cloth covered and PVC free.

PRODUCT OPTIONS

Cord and Plug Type	Faceplate Style	Electrical Cutout	Configuration	Cord Length	Country of Installation	Receptacle Finish	Faceplate Finish
A Standard Plug-In	C Circular	AH Dual	AJ 1Power / 1USB – A+C (65W)	018, 072, 120, 180	A Canada / U.S.A.	YA Atrium White Coordinate	Foundation
W WE Connect	R Rectangular	AJ Triple	AM 1Power / 1USB – A+C (18W)			YS Soft Gris Coordinate	Mica
	T Rectangular with Pass-Through		AS 2Power			YY Ebony Coordinate	Accent
			AZ 2Power / 1USB – A+C (65W)				
			BA 2Power / 1USB – A+C (18W)				
			BJ 3Power				

SAMPLE ORDER CODE

MXFPF A	R	AH	AJ	072	A	YY	52
---------	---	----	----	-----	---	----	----

DIMENSIONS
INCHES / MM

Cord Length
72 / 1829
120 / 3048
180 / 4572

PRICING

STANDARD PLUG-IN (A)					
CIRCULAR (C)					
DUAL (AH)					
	2Power (AS)	1Power / 1USB-A+C (18W) (AM)	1Power / 1USB-A+C (65W) (AJ)		
	168	260	339		
	188	280	359		
	211	303	382		
RECTANGULAR (R)					
DUAL (AH)			TRIPLE (AJ)		
	2Power (AS)	1Power / 1USB-A+C (18W) (AM)	1Power / 1USB-A+C (65W) (AJ)	3Power (BJ)	2Power / 1USB-A+C (18W) (BA)
	168	260	339	199	273
	188	280	359	219	293
	211	303	382	242	316
RECTANGULAR WITH PASS-THROUGH (T)					
TRIPLE (AJ)					
	2Power (AS)	1Power / 1USB-A+C (18W) (AM)	1Power / 1USB-A+C (65W) (AJ)		
	168	260	339		
	188	280	359		
	211	303	382		


M X P F P
Flush Power Module (Continued)

DIMENSIONS
INCHES / MM

PRICING

		WE CONNECT (W)				
		CIRCULAR (C)				
		DUAL (AH)				
Cord Length	2Power (AS)	1Power / 1USB-A+C (18W) (AM)	1Power / 1USB-A+C (65W) (AJ)			
	157	249	328			
18 / 457						
		RECTANGULAR (R)				
		DUAL (AH)		TRIPLE (AJ)		
	2Power (AS)	1Power / 1USB-A+C (18W) (AM)	1Power / 1USB-A+C (65W) (AJ)	3Power (BJ)	2Power / 1USB-A+C (18W) (BA)	2Power / 1USB-A+C (65W) (AZ)
	157	249	328	188	262	188
18 / 457						
		RECTANGULAR WITH PASS-THROUGH (T)				
		TRIPLE (AJ)				
	2Power (AS)	1Power / 1USB-A+C (18W) (AM)	1Power / 1USB-A+C (65W) (AJ)			
	157	249	328			
18 / 457						

MXBPB
Below Power Module



WHAT'S INCLUDED
1 below power module, HDMI Keystone Insert Atrium White or Ebony only (if specified), and mounting hardware.

NOTES
Not available in Chicago.

USB-A Output: 5VDC 2.1A on USB A (12 W).
USB-C Output: 5-12 VDC (18 W).
USB-C Output: 5-20 VDC 3.25A (65 W).
Cord is Grey cloth covered and PVC free.

PRODUCT OPTIONS

Cord and Plug Type	Mounting Option	Configuration	Cord Length	Country of Installation	Receptacle Finish	Faceplate Finish	Bracket Finish
A Standard Plug-In	U Standard Undermount	RA 1Power / 1USB – A+C (65W) / 1Rear Power	054, 072, 120, 180	A Canada / U.S.A.	YA Atrium White Coordinate	Foundation	Foundation
W WE Connect		RB 1Power / 1USB – A+C (18W) / 1Rear Power			YS Soft Gris Coordinate	Mica	Mica
		RC 2Power / 1Rear Power			YY Ebony Coordinate	Accent	Accent
		RD 1Power / 1HDMI / 1HDMI Rear Throughport					

SAMPLE ORDER CODE

MXBPB A	U	RA	072	A	YY	52	52
---------	---	----	-----	---	----	----	----

DIMENSIONS
INCHES / MM

Cord Length
72 / 1829
120 / 3048
180 / 4572

PRICING

STANDARD PLUG-IN (A)			
2Power / 1Rear Power (RC)	1Power / 1HDMI / 1 HDMI Rear Throughport (RD)	1Power / 1USB-A+C (18W) / 1 Rear Power (RB)	1Power / 1USB-A+C (65W) / 1 Rear Power (RA)
206	249	286	363
226	269	306	383
249	292	329	406
WE CONNECT (W)			
2Power / 1Rear Power (RC)	1Power / 1HDMI / 1 HDMI Rear Throughport (RD)	1Power / 1USB-A+C (18W) / 1 Rear Power (RB)	1Power / 1USB-A+C (65W) / 1 Rear Power (RA)
202	245	282	359
218	261	298	375

WHAT'S INCLUDED

1 plug-in power bar and accessories listed below:

	Configuration (as specified)	
	H	N
Single Wire Management Clip	2	n/a
Underworksurface Bracket	1	n/a


NOTES

This product has a flat 45° plug.

This product is finished in Clear Anodized.

The underworksurface bracket is finished in recycled paint and the single wire management clips, in Black only.

MXPPP Plug-In Power Bar



PRODUCT OPTIONS

Configuration	Length
N No Mounting Hardware	072, 120, 180
H Worksurface Mounted with Wire Clips	

SAMPLE ORDER CODE

MXPPP N	072
---------	-----

DIMENSIONS INCHES / MM

Length
72 / 1829
120 / 3048
180 / 4572

PRICING

CONFIGURATION

No Mounting Hardware (N)	Worksurface Mounted with Wire Clips (H)
225	272
242	286
315	363

M X P W B
WE Connect Distribution Block

WHAT'S INCLUDED
1 WE connect distribution block.

NOTES
The WE Connect Distribution Block splits the power between multiple WE Connect products.



1in – 3out (13)



1in – 5out (15)

PRODUCT OPTIONS

Connections
13 1in – 3out
15 1in – 5out

SAMPLE ORDER CODE

MXPWB 13

CONFIGURATION	PRICING
13	79
15	102

WHAT'S INCLUDED

1 WE connect linking cable and mounting hardware.

WHAT'S EXCLUDED


WE Connect Distribution Block (MXPWC).

NOTES

The WE Connect Linking Cable connects Recessed Module – Power Hub (MXPRH) or Flush Power Module (MXFPF) with WE Connect (W) cord type to each other.

Cord is Grey cloth covered and PVC free.

M X P W C
WE Connect Linking Cable



PRODUCT OPTIONS


Cord Length
072

SAMPLE ORDER CODE

MXPWC 072

DIMENSIONS INCHES / MM	PRICING
Cord Length	
72 / 1829	123

M X P W F
WE Connect Plug-In Basefeed Unit



WHAT'S INCLUDED
1 WE connect plug-in basefeed unit with reset button.

WHAT'S EXCLUDED
WE Connect Distribution Block (MXPWC).

NOTES
The WE Connect Plug-In Basefeed Unit connects to the building supply and routes power into the table from the wall or floor.
The unit includes 2 outlets and one reset button.

PRODUCT OPTIONS

Configuration	Cord Length	Country of Installation
AS 2Power	072, 120	A Canada / U.S.A.

SAMPLE ORDER CODE

MXPWF AS	072	A
----------	-----	---

DIMENSIONS
INCHES / MM

Cord Length
72 / 1829
120 / 3048

PRICING

171
225

WHAT'S INCLUDED

User Supplied (00): Simplex adaptor/receptacle and Keystone.

HDMI (01): Receptacle and HDMI Keystone coupler.

Data Port (02): Receptacle and data Keystone coupler.

Cable Manager (03): Receptacle ready for Keystone couple.

NOTES

Compatible with Recessed Module – Power Hub (MXPRH).

Keystone Jack with 4K 60Hz (HDMI (01)).


CAT6 RJ45 Keystone Jack Inline Coupler (Data Port (02)).

User Supplied type Keystone receptacle fits Keystone jack only.

Not compatible with Linear Power Module.

MXPPK

Keystone Insert

**PRODUCT OPTIONS**

Configuration	Type	Receptacle Finish
KA Single	00 User Supplied 01 HDMI 02 Data Port 03 Cable Manager	YY Ebony Coordinate

SAMPLE ORDER CODE

MXPPK KA	01	YY
-----------------	-----------	-----------


TYPE

00
01
02
03

PRICING

12
33
33
12

MXPMF
Floor Cable Cover



WHAT'S INCLUDED
1 floor cable cover, 2 velcro® cable tie and mounting hardware.

NOTES
Not intended to be used in corridors or circulation paths, the product is design for low traffic area like meeting room.

Comes with Velcro® and mounting holes to ensure the fixation on a variety of flooring style.

PRODUCT OPTIONS

Width	Cover Finish
36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96	Foundation Mica Accent AC Clear Anodized

SAMPLE ORDER CODE

MXPMF 36	60
----------	----

DIMENSIONS
INCHES / MM

W
36 / 914
37 / 940
38 / 965
39 / 991
40 / 1016
41 / 1041
42 / 1067
43 / 1092
44 / 1118
45 / 1143
46 / 1168
47 / 1194
48 / 1219
49 / 1245
50 / 1270
51 / 1295
52 / 1321
53 / 1346
54 / 1372
55 / 1397
56 / 1422

PRICING

W	W	W	W
346	57 / 1448	533	77 / 1956
355	58 / 1473	542	78 / 1981
365	59 / 1499	552	79 / 2007
373	60 / 1524	560	80 / 2032
382	61 / 1549	569	81 / 2057
391	62 / 1575	578	82 / 2083
400	63 / 1600	587	83 / 2109
408	64 / 1626	596	84 / 2134
418	65 / 1651	605	85 / 2159
427	66 / 1676	614	86 / 2184
435	67 / 1702	622	87 / 2210
445	68 / 1727	632	88 / 2235
453	69 / 1753	640	89 / 2261
462	70 / 1778	649	90 / 2286
471	71 / 1803	659	91 / 2311
480	72 / 1829	667	92 / 2337
489	73 / 1854	676	93 / 2362
498	74 / 1880	685	94 / 2388
507	75 / 1905	694	95 / 2413
515	76 / 1930	702	96 / 2438
525			

The Wrap Around Cable Manager hides and routes power and communication cables from the floor to the worksurface.


WHAT'S INCLUDED

1 mesh wrap around cable manager, 2 velcro® and mounting hardware.

NOTES

Has a 2" diameter.

M X P M W Wrap Around Cable Manager



PRODUCT OPTIONS

Configuration	Finish
FF Fixed-Height	B Black
HS Height-Adjustable – Standard Range (Up to 43")	G Grey

SAMPLE ORDER CODE

MXPMW FF	B
-----------------	----------

CONFIGURATION	PRICING
FF	165
HS	187

M X P G R
Media Grommet – Round

WHAT'S INCLUDED
1 round grommet.

NOTES
The grommet must be field installed when cable management is needed.
1 1/4" hole diameter.



PRODUCT OPTIONS

Grommet Finish
Foundation
Mica
Accent

SAMPLE ORDER CODE

MXPGR 52

PRICING

25

teknion

www.teknion.com

CAN/US/INT 09-22
©Teknion 2025

®, ™ trade marks of Teknion Corporation and/or its subsidiaries or licensed to it. Patents may be pending.

Some products may not be available in all markets. Contact your local Teknion Representative for availability.

SEP25-EXPMEET-PG