


W W C B S S

Solid End Gable Overlay – Single-Sided Bench



End Gable Overlay Screens – Single-Sided mount directly to the bench frame structure to create a physical separation between the bench and the corridor in a single-sided bench application.

WHAT'S INCLUDED

1 solid screen, 2 brackets, accessory rail (if specified), hardware and bumpers.

NOTES

Single-Sided Screens are handed. Handedness is from the users perspective.

When 6" Overhang is desired, user must specify depth of screen that is 6" longer than the depth of their bench (eg. 36" screen on a 30" depth bench). The 6" overhang option only indicated desired location of brackets and not length of screen.

Please note that 6" Overhang screens are not interchangeable with "Flush to the Edge" screens. In other words, a 36" "with 6" Overhang" screen can only be used on a 30" depth bench and not used flush on a 36" bench.

PRODUCT OPTIONS

Application	Handedness	Modesty Base Height	Height Above Worksurface	Accessory Rail	Width (6" increments)	Screen Finish	Bracket & Rail Finish
F Flush with Edge of Bench	L Left R Right	M Modesty Height (15" From Floor)	00 For 29" High Datum	A With Accessory Rail	24 - 42	Source Laminate	Foundation
G 6" Overhang from Edge of Bench		E Elevated Height (6" From Floor)	13 For 42" High Datum	N Without Accessory Rail		Seamless	Mica
		F Floor Height (1" From Floor)	22 For 51" High Datum			Flintwood	Accent

SAMPLE ORDER CODE

WWCBSS F	R	M	13	A	42	ZA	74
----------	---	---	----	---	----	----	----

Pricing is on the following page.

**Solid End Gable Overlay –
Single-Sided Bench (Continued)**

**DIMENSIONS
INCHES / MM**

H	W
29 / 737	24 / 610
29 / 737	30 / 762
29 / 737	36 / 914
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
29 / 737	24 / 610
29 / 737	30 / 762
29 / 737	36 / 914
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
29 / 737	24 / 610
29 / 737	30 / 762
29 / 737	36 / 914
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914

PRICING

FLUSH (F)		
WITHOUT ACCESSORY RAIL (N)		
MODESTY HEIGHT (M)		
Source Laminate	Seamless	Flintwood
208	292	396
214	303	430
226	316	466
261	399	585
280	424	650
296	451	718
313	479	643
336	508	716
354	541	790
ELEVATED HEIGHT (E)		
232	379	514
239	395	557
251	411	605
313	479	643
336	508	716
354	541	790
335	550	739
359	586	822
379	622	909
FLOOR HEIGHT (F)		
261	399	585
280	424	650
296	451	718
330	526	674
353	560	752
373	594	830
WITH ACCESSORY RAIL (A)		
MODESTY HEIGHT (M)		
284	421	607
307	451	676
326	480	748
336	501	666
361	536	742
383	570	819
ELEVATED HEIGHT (E)		
336	501	666
361	536	742
383	570	819
356	572	760
383	611	850
405	650	939
FLOOR HEIGHT (F)		
352	549	696
379	586	778
401	624	858

If Mica/Accent Bracket is specified, add 20

Pricing is continued on the following page.

W W C B S S

Solid End Gable Overlay – Single-Sided Bench (Continued)

DIMENSIONS INCHES / MM

H	W
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067

51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067

42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067

51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067

42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067

42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067

51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067

42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067

51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067

42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067

PRICING

6" OVERHANG (G)

WITHOUT ACCESSORY RAIL (N)

MODESTY HEIGHT (M)

Source Laminate	Seamless	Flintwood
-----------------	----------	-----------

284	421	607
-----	-----	-----

307	451	676
-----	-----	-----

326	480	748
-----	-----	-----

336	501	666
-----	-----	-----

361	536	742
-----	-----	-----

383	570	819
-----	-----	-----

ELEVATED HEIGHT (E)

336	501	666
-----	-----	-----

361	536	742
-----	-----	-----

383	570	819
-----	-----	-----

356	572	760
-----	-----	-----

383	611	850
-----	-----	-----

405	650	939
-----	-----	-----

FLOOR HEIGHT (F)

352	549	696
-----	-----	-----

379	586	778
-----	-----	-----

401	624	858
-----	-----	-----

WITH ACCESSORY RAIL (A)

MODESTY HEIGHT (M)

307	451	676
-----	-----	-----

326	480	748
-----	-----	-----

351	515	811
-----	-----	-----

361	536	742
-----	-----	-----

383	570	819
-----	-----	-----

414	610	887
-----	-----	-----

ELEVATED HEIGHT (E)

361	536	742
-----	-----	-----

383	570	819
-----	-----	-----

414	610	887
-----	-----	-----

386	611	850
-----	-----	-----

410	650	939
-----	-----	-----

441	696	1016
-----	-----	------

FLOOR HEIGHT (F)

379	586	778
-----	-----	-----

401	624	858
-----	-----	-----

432	669	929
-----	-----	-----

If Mica/Accent Bracket is specified, add 20