


W W C B S S

Solid End Gable Overlay – Single-Sided Bench



End Gable Overlay Screens – Single-Sided mount directly to the bench frame structure to create a physical separation between the bench and the corridor in a single-sided bench application.

WHAT'S INCLUDED

1 solid screen, 2 brackets, accessory rail (if specified), hardware and bumpers.

NOTES

Single-Sided Screens are handed. Handedness is from the users perspective.

When 6" Overhang is desired, user must specify depth of screen that is 6" longer than the depth of their bench (eg. 36" screen on a 30" depth bench). The 6" overhang option only indicated desired location of brackets and not length of screen.

Please note that 6" Overhang screens are not interchangeable with "Flush to the Edge" screens. In other words, a 36" "with 6" Overhang" screen can only be used on a 30" depth bench and not used flush on a 36" bench.

PRODUCT OPTIONS

Application	Handedness	Modesty Base Height	Height Above Worksurface	Accessory Rail	Width (6" increments)	Screen Finish	Bracket & Rail Finish
F Flush with Edge of Bench	L Left	M Modesty Height (15" From Floor)	00 For 29" High Datum	A With Accessory Rail	24 - 42	Source Laminate Flintwood	Foundation Mica Accent
	R Right						
G 6" Overhang from Edge of Bench		E Elevated Height (6" From Floor)	13 For 42" High Datum	N Without Accessory Rail			
		F Floor Height (1" From Floor)	22 For 51" High Datum				

SAMPLE ORDER CODE

WWCBSS F	R	M	13	A	42	ZA	74
----------	---	---	----	---	----	----	----

Pricing is on the following page.

W W C B S S
Solid End Gable Overlay –
Single-Sided Bench (Continued)

DIMENSIONS
INCHES / MM

H	W
29 / 737	24 / 610
29 / 737	30 / 762
29 / 737	36 / 914
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
29 / 737	24 / 610
29 / 737	30 / 762
29 / 737	36 / 914
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
29 / 737	24 / 610
29 / 737	30 / 762
29 / 737	36 / 914
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914

PRICING

FLUSH (F)	
WITHOUT ACCESSORY RAIL (N)	
MODESTY HEIGHT (M)	
Source Laminate	Flintwood
252	479
259	520
274	564
316	706
339	785
358	868
378	777
406	865
428	955
ELEVATED HEIGHT (E)	
281	622
289	673
304	731
378	777
406	865
428	955
405	893
434	993
458	1099
FLOOR HEIGHT (F)	
316	706
339	785
358	868
399	814
427	908
451	1003
WITH ACCESSORY RAIL (A)	
MODESTY HEIGHT (M)	
343	733
371	817
394	904
406	805
436	897
463	989
ELEVATED HEIGHT (E)	
406	805
436	897
463	989
430	919
463	1027
490	1134
FLOOR HEIGHT (F)	
426	841
458	940
485	1037

If Mica/Accent Bracket is specified, add 24

Pricing is continued on the following page.

casual space division

W W C B S S

Solid End Gable Overlay – Single-Sided Bench (Continued)

DIMENSIONS INCHES / MM

H	W
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067

PRICING

6" OVERHANG (G)	
WITHOUT ACCESSORY RAIL (N)	
MODESTY HEIGHT (M)	
Source Laminate	Flintwood
343	733
371	817
394	904
406	805
436	897
463	989
430	919
463	1027
490	1134
426	841
458	940
485	1037
WITH ACCESSORY RAIL (A)	
MODESTY HEIGHT (M)	
371	817
394	904
425	980
436	897
463	989
500	1072
ELEVATED HEIGHT (E)	
436	897
463	989
500	1072
466	1027
495	1134
534	1227
FLOOR HEIGHT (F)	
458	940
485	1037
522	1123

If Mica/Accent Bracket is specified, add 24

