


## C J C Z

### Closed Storage, Integral Top, 2 High



#### WHAT'S INCLUDED

1 cabinet with back (as specified), hinged door(s), 1 height-adjustable shelf, pulls (as specified), top surface grommet, module notch (if specified), lock and keys (if specified).

#### NOTES

No additional top is required for this unit.

16" and 24" widths have single door, 30" widths and greater have double doors.

42" and 48" widths have a center gable.

Left/Right electrical options are only for 24" widths and greater.

For Wood Grain Directions, see the *Application Guide* section.

#### PRODUCT OPTIONS

Base & Back Style	Case Handedness	Depth	Width	Case Finish
<b>S</b> Standard (Levelers), Unfinished Back	<b>L</b> Left	20, 24	16, 24, 30, 32, 36, 42, 48	Flintwood
<b>F</b> Standard (Levelers), Finished Back	<b>R</b> Right			Veneer
<b>A</b> Standard (Levelers), Electrical Access Back	<b>D</b> Double			Journal Laminate

#### SAMPLE ORDER CODE

<b>CJ CZ S</b>	<b>D</b>	<b>20</b>	<b>30</b>	<b>FX</b>
----------------	----------	-----------	-----------	-----------

#### PRODUCT OPTIONS (CONTINUED)

Electrical	Pull Style	Pull Finish	Lock Option	Wire Management Notch
<b>N</b> None	<b>R</b> Rectangular	<b>7</b> Platinum	<b>N</b> No Lock	<b>N</b> None
<b>G</b> Left Grommet	<b>J</b> Journal	<b>V</b> Very White	<b>K</b> Key Alike	<b>L</b> Left
<b>H</b> Center Grommet		<b>E</b> Ebony	<b>R</b> Key Random	<b>R</b> Right
<b>I</b> Right Grommet		<b>X</b> Anthracite		<b>B</b> Both
<b>U</b> Center Notch				
<b>O</b> Left Module White				
<b>P</b> Left Module Black				
<b>Q</b> Center Module White				
<b>R</b> Center Module Black				
<b>S</b> Right Module White				
<b>T</b> Right Module Black				

#### SAMPLE ORDER CODE (CONTINUED)

<b>N</b>	<b>J</b>	<b>V</b>	<b>L</b>	<b>L</b>
----------	----------	----------	----------	----------

See Pricing on the following page.

**C J C Z**  
**Closed Storage, Integral Top, 2**  
**High (Continued)**

**DIMENSIONS**  
**INCHES / MM**

D	W
20 / 508	16 / 406
20 / 508	24 / 610
24 / 610	16 / 406
24 / 610	24 / 610

20 / 508	30 / 762
20 / 508	32 / 813
20 / 508	36 / 914
20 / 508	42 / 1067
20 / 508	48 / 1219
24 / 610	30 / 762
24 / 610	32 / 813
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219

20 / 508	16 / 406
20 / 508	24 / 610
24 / 610	16 / 406
24 / 610	24 / 610

20 / 508	30 / 762
20 / 508	32 / 813
20 / 508	36 / 914
20 / 508	42 / 1067
20 / 508	48 / 1219
24 / 610	30 / 762
24 / 610	32 / 813
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219

**PRICING**

**STANDARD, UNFINISHED BACK (S)**

**LEFT (L) / RIGHT (R)**

Journal Laminate	Flintwood	Veneer
1111	1735	1822
1155	1804	1896
1148	1795	1883
1193	1863	1957

**DOUBLE (D)**

Journal Laminate	Flintwood	Veneer
1224	1910	2006
1247	1947	2045
1291	2016	2117
1356	2118	2224
1426	2229	2340
1261	1970	2069
1283	2005	2108
1329	2074	2177
1394	2177	2287
1460	2280	2395

**STANDARD, FINISHED BACK (F)**

**LEFT (L) / RIGHT (R)**

Journal Laminate	Flintwood	Veneer
1145	1786	1877
1189	1856	1949
1181	1846	1940
1226	1916	2011

**DOUBLE (D)**

Journal Laminate	Flintwood	Veneer
1256	1964	2062
1279	1999	2098
1323	2068	2172
1389	2171	2279
1460	2280	2395
1295	2023	2124
1318	2057	2162
1361	2126	2234
1426	2229	2340
1492	2333	2450

Pricing is continued on the following page.

C J C Z

Closed Storage, Integral Top, 2 High (Continued)

DIMENSIONS  
INCHES / MM

D	W
20 / 508	16 / 406
20 / 508	24 / 610
24 / 610	16 / 406
24 / 610	24 / 610

PRICING

STANDARD, ELECTRICAL ACCESS BACK (A)

LEFT (L) / RIGHT (R)

Journal Laminate	Flintwood	Veneer
1158	1809	1900
1200	1877	1971
1195	1868	1961
1240	1936	2032

DOUBLE (D)

D	W	Journal Laminate	Flintwood	Veneer
20 / 508	30 / 762	1271	1985	2085
20 / 508	32 / 813	1293	2021	2121
20 / 508	36 / 914	1353	2113	2218
20 / 508	42 / 1067	1440	2249	2363
20 / 508	48 / 1219	1533	2395	2515
24 / 610	30 / 762	1308	2044	2146
24 / 610	32 / 813	1331	2078	2183
24 / 610	36 / 914	1390	2172	2280
24 / 610	42 / 1067	1479	2309	2424
24 / 610	48 / 1219	1566	2447	2570

If Grommet is specified, add 27

If Module Black is specified, add 174

If Module White is specified, add 240

If Notch is specified, add 13

If Lock is specified, add 61