

The Rectangle Perpendicular with Radius Corners Worksurface (D-Style) provides a range of depths to support primary worksurface applications.

K W S D


Rectangle Perpendicular with Radius Corners Worksurface (D-Style)

WHAT'S INCLUDED

1 worksurface, grommet (if specified), scallop (if specified).

NOTES

Worksurface is designed to accompany the Leverage Infinity Curved Desk Edge Screen (GXCL). Actual depth is 3/8" less than nominal depth.



PRODUCT OPTIONS

Scallop Option	Depth	Width (in 1" increments)	Corner Profile	Leg Style	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Grommet (optional)	Grommet Location	Grommet Finish
Y Yes N No	20, 24, 30	48 - 96	F Four Round 3" Radius L Round 3" Radius Left R Round 3" Radius Right	K Leverage	Foundation Laminate Flintwood	8 Flat (with Laminate) 9 Flat (with Flintwood) H Full Knife	Edge Trim Colors	S Square	1 Left 2 Centered 3 Right	Q Storm White P Espresso 7 Platinum V Very White

SAMPLE ORDER CODE

KWSD Y	24	48	R	K	LW	8	ST	S	2	Q
---------------	-----------	-----------	----------	----------	-----------	----------	-----------	----------	----------	----------

DIMENSIONS – INCHES FOR MM X BY 25.4

D	W
20	48
20	49-51
20	52-54
20	55-57
20	58-60
20	61-63
20	64-66
20	67-69
20	70-72
20	73-75
20	76-78
20	79-81
20	82-84
20	85-87
20	88-90
20	91-93
20	94-96

PRICING

WITHOUT SCALLOP (N)

FOUNDATION LAMINATE

FLINTWOOD

Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
418	529	1068	1226
499	638	1105	1266
502	646	1143	1306
506	652	1180	1344
512	659	1261	1443
516	666	1296	1484
522	674	1334	1522
525	680	1369	1563
530	686	1430	1632
705	937	1465	1670
709	943	1503	1712
712	951	1540	1750
718	958	1576	1790
724	965	1614	1832
728	972	1650	1871
732	980	1688	1909
737	986	1768	2009

If Grommet is specified, add 41

Pricing is continued on the following page.

K W S D

Rectangle Perpendicular with Radius Corners Worksurface (D-Style) (Continued)

DIMENSIONS – INCHES
FOR MM X BY 25.4

PRICING

		WITHOUT SCALLOP (N) (CONTINUED)			
		FOUNDATION LAMINATE		FLINTWOOD	
D	W	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
24	48	477	615	1189	1369
24	49-51	623	806	1231	1414
24	52-54	629	814	1268	1457
24	55-57	632	822	1308	1500
24	58-60	639	829	1369	1572
24	61-63	645	838	1411	1617
24	64-66	648	846	1450	1660
24	67-69	653	854	1491	1702
24	70-72	659	860	1531	1746
24	73-75	723	958	1569	1790
24	76-78	728	966	1654	1892
24	79-81	732	973	1692	1935
24	82-84	737	981	1734	1978
24	85-87	741	989	1774	2022
24	88-90	747	996	1814	2066
24	91-93	753	1005	1853	2109
24	94-96	759	1013	1936	2211
30	48	523	670	1327	1530
30	49-51	641	831	1371	1579
30	52-54	647	839	1415	1626
30	55-57	653	849	1460	1675
30	58-60	659	856	1505	1724
30	61-63	665	865	1592	1832
30	64-66	673	876	1637	1878
30	67-69	677	883	1682	1928
30	70-72	682	890	1725	1978
30	73-75	1029	1358	1770	2025
30	76-78	1034	1368	1859	2133
30	79-81	1041	1377	1902	2182
30	82-84	1046	1385	1948	2230
30	85-87	1053	1393	1992	2278
30	88-90	1059	1404	2037	2328
30	91-93	1064	1412	2080	2376
30	94-96	1070	1420	2125	2426

If Grommet is specified, add 41

Pricing is continued on the following page.

K W S D

Rectangle Perpendicular with Radius
Corners Worksurface (D-Style)
(Continued)

DIMENSIONS – INCHES
FOR MM X BY 25.4

PRICING

		WITH SCALLOP (Y)			
		FOUNDATION LAMINATE		FLINTWOOD	
D	W	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
20	48	418	529	1254	1411
20	49-51	499	638	1297	1459
20	52-54	502	646	1343	1507
20	55-57	506	652	1387	1554
20	58-60	512	659	1478	1660
20	61-63	516	666	1521	1709
20	64-66	522	674	1567	1756
20	67-69	525	680	1611	1805
20	70-72	530	686	1677	1880
20	73-75	705	937	1724	1928
20	76-78	709	943	1768	1977
20	79-81	712	951	1814	2024
20	82-84	718	958	1859	2073
20	85-87	724	965	1904	2122
20	88-90	728	972	1949	2169
20	91-93	732	980	1994	2217
20	94-96	737	986	2083	2322
24	48	477	615	1384	1566
24	49-51	623	806	1433	1617
24	52-54	629	814	1481	1668
24	55-57	632	822	1529	1719
24	58-60	639	829	1598	1801
24	61-63	645	838	1646	1853
24	64-66	648	846	1695	1904
24	67-69	653	854	1743	1955
24	70-72	659	860	1790	2008
24	73-75	723	958	1839	2058
24	76-78	728	966	1931	2168
24	79-81	732	973	1978	2219
24	82-84	737	981	2025	2271
24	85-87	741	989	2074	2322
24	88-90	747	996	2123	2375
24	91-93	753	1005	2170	2426
24	94-96	759	1013	2262	2536
30	48	523	670	1538	1741
30	49-51	641	831	1590	1797
30	52-54	647	839	1643	1854
30	55-57	653	849	1696	1912
30	58-60	659	856	1748	1967
30	61-63	665	865	1844	2083
30	64-66	673	876	1897	2140
30	67-69	677	883	1950	2197
30	70-72	682	890	2002	2254
30	73-75	1029	1358	2053	2311
30	76-78	1034	1368	2152	2426
30	79-81	1041	1377	2202	2482
30	82-84	1046	1385	2255	2540
30	85-87	1053	1393	2307	2597
30	88-90	1059	1404	2362	2654
30	91-93	1064	1412	2415	2711
30	94-96	1070	1420	2466	2768

If Grommet is specified, add 41