


VKEC

International Power/ Communication Element



The International Power/Communication Element provides face mounted access to power and/or communication outlets.

WHAT'S INCLUDED

1 element with appropriate bezel and communication faceplate.

WHAT'S EXCLUDED

Outlet Boxes (VED), data/communications and power cables to be specified separately.

NOTES

For Element widths 24 and 30, configuration option 1 and 2 will automatically default to a 2-power cut out instead of 4.

Configurations 2 and 3 are **not** available in 24" wide.

PRODUCT OPTIONS

Configuration	Height	Width (in 6" increments)	Element Finish
1 4-Power Cut Out, No Communications	09, 15, 21, 24, 30	24 - 60	Fabric
2 4-Power Cut Out, One Communication Cut Out			
3 One Communication Cut Out			
4 2-Power Cut Out			
5 CALA Power and Communication Two Outlets			
6 CALA Power and Communication Four Outlets			

SAMPLE ORDER CODE

VKEC 4	15	30	R573
--------	----	----	------

DIMENSIONS INCHES / MM

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524

PRICING

4 POWER CUTOUT, NO COMMUNICATION (1)								
FABRIC								
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
154	158	165	171	176	180	184	194	
166	171	187	196	203	208	216	226	
175	182	197	204	211	216	227	234	
184	194	204	212	222	231	240	249	
196	203	211	224	234	244	256	266	
205	211	227	237	246	258	269	281	
213	224	238	248	261	271	287	297	
173	177	181	194	204	212	224	231	
186	195	217	230	240	248	262	273	
202	210	230	241	255	266	281	293	
215	225	238	255	270	287	300	317	
230	238	248	268	288	304	322	340	
242	253	262	284	304	326	346	362	
258	266	276	300	325	348	369	387	
197	202	208	225	240	255	267	278	
215	224	254	267	281	293	313	327	
234	246	267	288	306	326	348	367	
255	266	278	304	329	354	378	399	
271	285	295	324	353	382	408	433	
291	302	319	351	384	414	443	470	
311	322	342	377	412	444	476	505	

Pricing is continued on the following page.

V K E C
International Power/
Communication Element (Continued)

DIMENSIONS
INCHES / MM

PRICING

4 POWER CUTOUT, NO COMMUNICATION (1) (CONTINUED)

FABRIC

A/COM Gr. 1 Gr. 2 Gr. 3 Gr. 4 Gr. 5 Gr. 6 Gr. 7

H	W
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524

201	206	212	230	245	260	273	287
219	230	267	283	297	313	332	350
240	255	283	300	320	336	358	379
261	273	296	320	345	365	389	412
281	293	309	338	367	394	420	444
299	314	327	360	392	425	454	479
320	332	350	386	422	456	488	517

212	229	241	258	271	287	300	317
235	255	298	317	333	351	376	396
258	284	324	345	363	384	411	435
276	304	342	363	386	407	434	461
298	327	356	384	412	438	469	496
320	349	408	436	464	492	527	559
342	372	442	473	505	535	575	614

4 POWER CUTOUT, ONE COMMUNICATION CUTOUT (2)

FABRIC

A/COM Gr. 1 Gr. 2 Gr. 3 Gr. 4 Gr. 5 Gr. 6 Gr. 7

H	W
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524

209	213	233	240	247	254	262	269
219	229	240	247	256	262	270	278
231	237	248	259	267	274	287	295
239	246	258	268	278	290	299	311
249	258	270	281	291	300	316	325
260	267	284	295	305	318	329	343

232	238	263	273	284	293	305	319
245	256	273	287	298	311	325	338
261	268	284	299	317	329	347	360
273	284	293	313	331	350	367	384
289	296	305	328	351	372	389	408
300	311	322	347	370	391	413	434

261	267	297	311	325	338	356	374
278	292	313	332	353	372	391	412
298	311	324	349	375	399	421	443
318	328	340	369	397	426	451	476
334	348	362	394	428	461	488	514
355	367	385	420	455	491	522	551

264	273	313	327	343	356	378	394
287	298	326	346	363	382	405	422
304	319	342	364	389	411	435	456
325	338	354	383	412	440	466	491
346	357	374	406	438	470	499	525
363	378	394	432	466	501	532	561

281	298	345	361	379	396	419	441
300	327	369	389	409	429	455	478
322	350	385	408	432	450	477	503
345	374	403	429	456	483	513	539
363	392	451	479	507	535	571	604
385	415	487	520	551	581	619	658

Pricing is continued on the following page

V K E C

International Power/
Communication Element (Continued)

DIMENSIONS
INCHES / MM

H	W
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524

PRICING

ONE COMMUNICATION CUTOOUT (3)

FABRIC

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
166	171	187	196	203	208	216	226
175	182	197	204	211	216	227	234
184	194	204	212	222	231	240	249
196	203	211	224	234	244	256	266
205	211	227	237	246	258	269	281
213	224	238	248	261	271	287	297

186	195	217	230	240	248	262	273
202	210	230	241	255	266	281	293
215	225	238	255	270	287	300	317
230	238	248	268	288	304	322	340
242	253	262	284	304	326	346	362
258	266	276	300	325	348	369	387

215	224	254	267	281	293	313	327
234	246	267	288	306	326	348	367
255	266	278	304	329	354	378	399
271	285	295	324	353	382	408	433
291	302	319	351	384	414	443	470
311	322	342	377	412	444	476	505

219	230	267	283	297	313	332	350
240	255	283	300	320	336	358	379
261	273	296	320	345	365	389	412
281	293	309	338	367	394	420	444
299	314	327	360	392	425	454	479
320	332	350	386	422	456	488	517

235	255	298	317	333	351	376	396
258	284	324	345	363	384	411	435
276	304	342	363	386	407	434	461
298	327	356	384	412	438	469	496
320	349	408	436	464	492	527	559
342	372	442	473	505	535	575	614

2-POWER CUTOOUT (4)

FABRIC

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
154	158	165	171	176	180	184	194
166	171	187	196	203	208	216	226
175	182	197	204	211	216	227	234
184	194	204	212	222	231	240	249
196	203	211	224	234	244	256	266
205	211	227	237	246	258	269	281
213	224	238	248	261	271	287	297

173	177	181	194	204	212	224	231
186	195	217	230	240	248	262	273
202	210	230	241	255	266	281	293
215	225	238	255	270	287	300	317
230	238	248	268	288	304	322	340
242	253	262	284	304	326	346	362
258	266	276	300	325	348	369	387

Pricing is continued on the following page

V K E C
International Power/
Communication Element (Continued)

DIMENSIONS
INCHES / MM

H	W
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524

PRICING

2-POWER CUTOUT (4) (CONTINUED)								
FABRIC								
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
197	202	208	225	240	255	267	278	
215	224	254	267	281	293	313	327	
234	246	267	288	306	326	348	367	
255	266	278	304	329	354	378	399	
271	285	295	324	353	382	408	433	
291	302	319	351	384	414	443	470	
311	322	342	377	412	444	476	505	
201	206	212	230	245	260	273	287	
219	230	267	283	297	313	332	350	
240	255	283	300	320	336	358	379	
261	273	296	320	345	365	389	412	
281	293	309	338	367	394	420	444	
299	314	327	360	392	425	454	479	
320	332	350	386	422	456	488	517	
212	229	241	258	271	287	300	317	
235	255	298	317	333	351	376	396	
258	284	324	345	363	384	411	435	
276	304	342	363	386	407	434	461	
298	327	356	384	412	438	469	496	
320	349	408	436	464	492	527	559	
342	372	442	473	505	535	575	614	

CALA POWER & COMMUNICATION TWO OUTLETS (5)								
FABRIC								
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
186	190	196	202	208	211	216	225	
197	202	219	227	233	239	248	258	
206	213	229	235	242	248	259	266	
216	225	235	244	254	262	271	283	
227	234	242	255	266	275	288	297	
237	242	259	268	277	289	300	313	
245	255	269	281	292	303	318	328	
204	209	212	225	235	244	255	262	
217	226	249	261	270	281	293	304	
233	241	261	273	287	297	313	325	
246	256	269	287	302	318	332	348	
261	269	281	299	319	336	354	372	
274	284	293	316	335	357	377	394	
289	297	309	333	357	379	401	419	
229	233	239	256	271	287	298	311	
246	255	285	298	313	325	345	358	
266	278	298	319	338	357	379	399	
287	297	311	335	361	385	409	432	
303	317	326	355	384	413	440	464	
322	333	350	383	415	445	474	501	
343	354	374	408	443	476	507	536	

Pricing is continued on the following page

V K E C

International Power/
Communication Element (Continued)

DIMENSIONS
INCHES / MM

H	W
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524

PRICING

CALA POWER & COMMUNICATION TWO OUTLETS (5) (CONTINUED)

FABRIC

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
232	238	244	261	276	291	304	318
253	261	298	314	328	345	363	382
271	287	314	332	351	369	390	411
292	304	327	351	376	397	420	443
313	325	342	370	399	426	451	476
331	346	358	391	423	456	485	512
351	363	382	418	454	488	521	550
244	260	273	289	303	318	332	348
267	287	329	348	364	383	407	428
289	316	355	376	394	415	442	466
309	336	374	394	418	438	465	492
329	358	387	415	443	470	500	528
351	380	440	467	495	523	558	590
374	404	473	505	536	566	607	645

CALA POWER & COMMUNICATION FOUR OUTLETS (6)

FABRIC

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
196	200	203	209	215	219	226	232
204	209	229	234	240	246	258	264
213	224	235	242	249	258	266	273
226	232	242	253	261	269	281	290
234	241	253	263	274	285	295	304
244	253	266	275	287	296	309	320
255	262	276	290	302	313	325	336
211	216	222	233	244	254	262	269
227	233	259	268	277	289	300	314
240	249	268	281	293	304	320	332
256	263	276	293	309	325	342	355
268	276	289	306	326	346	361	379
284	291	300	324	347	365	384	404
296	304	318	342	364	386	408	428
235	240	246	263	278	293	305	319
256	262	292	305	320	332	351	367
273	288	305	326	347	365	386	407
293	304	319	345	369	392	416	438
313	324	333	362	391	420	447	471
329	343	357	390	422	454	483	508
350	361	380	415	450	484	516	544

Pricing is continued on the following page

V K E C
**International Power/
 Communication Element (Continued)**

**DIMENSIONS
 INCHES / MM**

PRICING

DIMENSIONS INCHES / MM		PRICING							
		CALA POWER & COMMUNICATION FOUR OUTLETS (6)							
		FABRIC							
H	W	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
24 / 610	24 / 610	239	245	254	268	284	298	314	325
24 / 610	30 / 762	260	268	305	321	335	351	374	389
24 / 610	36 / 914	281	293	321	340	358	377	399	418
24 / 610	42 / 1067	299	314	334	358	383	406	429	450
24 / 610	48 / 1219	320	332	349	378	407	435	462	484
24 / 610	54 / 1372	340	353	367	401	434	465	494	521
24 / 610	60 / 1524	358	374	389	425	463	496	528	557
30 / 762	24 / 610	254	267	283	297	313	325	342	355
30 / 762	30 / 762	274	293	338	356	375	390	414	436
30 / 762	36 / 914	296	322	362	383	404	422	449	473
30 / 762	42 / 1067	318	346	380	404	425	445	472	499
30 / 762	48 / 1219	338	367	396	423	451	477	507	535
30 / 762	54 / 1372	358	387	447	474	502	530	565	597
30 / 762	60 / 1524	380	411	480	512	543	575	615	652