

PANELS . . . . . 2

LYFT . . . . . 21

PANEL CONNECTIONS AND TRIMS . . . . . 25

ELEMENTS . . . . . 69

WORKSURFACES AND COUNTERTOPS . . . . . 101

WORKSURFACE SUPPORTS & ACCESSORIES . . . . . 175

MOUNTED STORAGE & ACCESSORIES . . . . . 209

FREESTANDING STORAGE & ACCESSORIES . . . . . 221

LIGHTING, ELECTRICS & COMMUNICATIONS . . . . . 231

INTERNATIONAL ELECTRICS . . . . . 253

**General Information:**

Please note, the weights and volumes listed in this section are provided for unpacked product only and are only approximations. Packaging requirements will vary depending on the location to which the product is being shipped, type of product and the amount of product being ordered.

For details, please contact your Customer Service Representative.



# leverage weights & volumes

## Panels

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Standard Panel (KP_T)</b>				
KPWT3624	14.39	6.53	1.50	0.043
KPWT3630	16.30	7.40	1.88	0.053
KPWT3636	20.50	9.31	2.25	0.064
KPWT3642	24.50	11.12	2.63	0.074
KPWT3648	28.50	12.94	3.00	0.085
KPWT3654	32.77	14.88	3.38	0.096
KPWT3660	36.77	16.69	3.75	0.106
KPWT4224	16.39	7.44	1.75	0.050
KPWT4230	20.48	9.30	2.19	0.062
KPWT4236	24.58	11.16	2.63	0.074
KPWT4242	28.68	13.02	3.06	0.087
KPWT4248	32.77	14.88	3.50	0.099
KPWT4254	36.80	16.71	3.94	0.112
KPWT4260	40.90	18.57	4.38	0.124
KPWT5124	17.59	7.99	2.13	0.060
KPWT5130	19.50	8.85	2.66	0.075
KPWT5136	23.70	10.76	3.19	0.090
KPWT5142	27.70	12.58	3.72	0.105
KPWT5148	31.70	14.39	4.25	0.120
KPWT5154	35.97	16.33	4.78	0.135
KPWT5160	39.97	18.15	5.31	0.150
KPWT6624	23.79	10.80	2.75	0.078
KPWT6630	25.70	11.67	3.44	0.097
KPWT6636	29.90	13.57	4.13	0.117
KPWT6642	33.90	15.39	4.81	0.136
KPWT6648	37.90	17.21	5.50	0.156
KPWT6654	42.17	19.15	6.19	0.175
KPWT6660	46.17	20.96	6.88	0.195
KPUT3624	14.39	6.53	1.50	0.042
KPUT3630	16.30	7.40	1.88	0.053
KPUT3636	20.50	9.31	2.25	0.064
KPUT3642	24.50	11.12	2.63	0.074
KPUT3648	28.50	12.94	3.00	0.085
KPUT3654	32.77	14.88	3.38	0.096
KPUT3660	36.77	16.69	3.75	0.106
KPUT4224	16.39	7.44	1.75	0.050
KPUT4230	20.48	9.30	2.19	0.062
KPUT4236	24.58	11.16	2.63	0.074
KPUT4242	28.68	13.02	3.06	0.087
KPUT4248	32.77	14.88	3.50	0.099
KPUT4254	36.80	16.71	3.94	0.111
KPUT4260	40.90	18.57	4.38	0.124
KPUT5124	17.59	7.99	2.13	0.060
KPUT5130	19.50	8.85	2.66	0.075
KPUT5136	23.70	10.76	3.19	0.090
KPUT5142	27.70	12.58	3.72	0.105
KPUT5148	31.70	14.39	4.25	0.120
KPUT5154	35.97	16.33	4.78	0.135
KPUT5160	39.97	18.15	5.31	0.150
KPUT6624	23.79	10.80	2.75	0.078
KPUT6630	25.70	11.67	3.44	0.097
KPUT6636	29.90	13.58	4.13	0.117
KPUT6642	33.90	15.39	4.81	0.136
KPUT6648	37.90	17.21	5.50	0.156
KPUT6654	42.17	19.15	6.19	0.175
KPUT6660	46.17	20.96	6.88	0.195

## Panels

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KPET3624	23.80	10.80	1.87	0.053
KPET3630	26.50	12.10	2.32	0.066
KPET3636	29.40	13.40	2.77	0.079
KPET3642	32.50	14.80	3.22	0.091
KPET3648	35.80	16.30	3.67	0.104
KPET4224	26.00	11.80	2.18	0.062
KPET4230	28.90	13.20	2.70	0.076
KPET4236	32.20	14.70	3.22	0.091
KPET4242	36.00	16.40	3.75	0.106
KPET4248	40.40	18.40	4.27	0.121
KPET5124	29.30	13.30	2.63	0.075
KPET5130	33.50	15.20	3.27	0.092
KPET5136	37.90	17.20	3.90	0.110
KPET5142	42.70	19.40	4.53	0.128
KPET5148	47.80	21.70	5.16	0.146
KPET6624	36.50	16.60	3.39	0.096
KPET6630	40.70	18.50	4.21	0.119
KPET6636	45.10	20.50	5.02	0.142
KPET6642	49.90	22.70	5.84	0.165
KPET6648	55.90	25.40	6.65	0.188
KPHT3624	14.39	6.53	1.50	0.043
KPHT3630	16.30	7.40	1.88	0.053
KPHT3636	20.50	9.31	2.25	0.064
KPHT3642	24.50	11.12	2.63	0.074
KPHT3648	28.50	12.94	3.00	0.085
KPHT4224	16.39	7.44	1.75	0.050
KPHT4230	20.48	9.30	2.19	0.062
KPHT4236	24.58	11.16	2.63	0.074
KPHT4242	28.68	13.02	3.06	0.087
KPHT4248	32.77	14.88	3.50	0.099
KPHT5124	17.59	7.99	2.13	0.060
KPHT5130	19.50	8.85	2.66	0.075
KPHT5136	23.70	10.76	3.19	0.090
KPHT5142	27.70	12.58	3.72	0.105
KPHT5148	31.70	14.39	4.25	0.120
KPHT6624	23.79	10.80	2.75	0.078
KPHT6630	25.70	11.67	3.44	0.097
KPHT6636	29.90	13.57	4.13	0.117
KPHT6642	33.90	15.39	4.81	0.136
KPHT6648	37.90	17.21	5.50	0.156
KPXT3624	14.39	6.53	1.50	0.043
KPXT3630	16.30	7.40	1.88	0.053
KPXT3636	20.50	9.31	2.25	0.064
KPXT3642	24.50	11.12	2.63	0.074
KPXT3648	28.50	12.94	3.00	0.085
KPXT3654	32.77	14.88	3.38	0.096
KPXT3660	36.77	16.69	3.75	0.106
KPXT4224	16.39	7.44	1.75	0.050
KPXT4230	20.48	9.30	2.19	0.062
KPXT4236	24.58	11.16	2.63	0.074
KPXT4242	28.68	13.02	3.06	0.087
KPXT4248	32.77	14.88	3.50	0.099
KPXT4254	36.80	16.71	3.94	0.112
KPXT4260	40.90	18.57	4.38	0.124
KPXT5124	17.59	7.99	2.13	0.060
KPXT5130	19.50	8.85	2.66	0.075

# leverage weights & volumes

## Panels

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KPXT5136	23.70	10.76	3.19	0.090
KPXT5142	27.70	12.58	3.72	0.105
KPXT5148	31.70	14.39	4.25	0.120
KPXT5154	35.97	16.33	4.78	0.135
KPXT5160	39.97	18.15	5.31	0.150
KPXT6624	23.79	10.80	2.75	0.078
KPXT6630	25.70	11.67	3.44	0.097
KPXT6636	29.90	13.57	4.13	0.117
KPXT6642	33.90	15.39	4.81	0.136
KPXT6648	37.90	17.21	5.50	0.156
KPXT6654	42.17	19.15	6.19	0.175
KPXT6660	46.17	20.96	6.88	0.195
KPYT3624	14.39	6.53	1.50	0.042
KPYT3630	16.30	7.40	1.88	0.053
KPYT3636	20.50	9.31	2.25	0.064
KPYT3642	24.50	11.12	2.63	0.074
KPYT3648	28.50	12.94	3.00	0.085
KPYT3654	32.77	14.88	3.38	0.096
KPYT3660	36.77	16.69	3.75	0.106
KPYT4224	16.39	7.44	1.75	0.050
KPYT4230	20.48	9.30	2.19	0.062
KPYT4236	24.58	11.16	2.63	0.074
KPYT4242	28.68	13.02	3.06	0.087
KPYT4248	32.77	14.88	3.50	0.099
KPYT4254	36.80	16.71	3.94	0.111
KPYT4260	40.90	18.57	4.38	0.124
KPYT5124	17.59	7.99	2.13	0.060
KPYT5130	19.50	8.85	2.66	0.075
KPYT5136	23.70	10.76	3.19	0.090
KPYT5142	27.70	12.58	3.72	0.105
KPYT5148	31.70	14.39	4.25	0.120
KPYT5154	35.97	16.33	4.78	0.135
KPYT5160	39.97	18.15	5.31	0.150
KPYT6624	23.79	10.80	2.75	0.078
KPYT6630	25.70	11.67	3.44	0.097
KPYT6636	29.90	13.58	4.13	0.117
KPYT6642	33.90	15.39	4.81	0.136
KPYT6648	37.90	17.21	5.50	0.156
KPYT6654	42.17	19.15	6.19	0.175
KPYT6660	46.17	20.96	6.88	0.195

# leverage weights & volumes

## Panels

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Semi-Segmented Panel (KP_S)</b>				
KPWS6624	25.79	11.71	2.75	0.078
KPWS6630	27.70	12.58	3.44	0.097
KPWS6636	31.90	14.48	4.13	0.117
KPWS6642	35.90	16.30	4.81	0.136
KPWS6648	39.90	18.11	5.50	0.156
KPWS6654	44.17	20.05	6.19	0.175
KPWS6660	48.17	21.87	6.88	0.195
<hr/>				
KPUS6624	25.79	11.71	2.75	0.078
KPUS6630	27.70	12.58	3.44	0.097
KPUS6636	31.90	14.48	4.13	0.117
KPUS6642	35.90	16.30	4.81	0.136
KPUS6648	39.90	18.12	5.50	0.156
KPUS6654	44.17	20.05	6.19	0.175
KPUS6660	48.17	21.87	6.88	0.195
<hr/>				
KPES6624	37.60	17.10	3.39	0.096
KPES6630	42.10	19.10	4.21	0.119
KPES6636	46.80	21.30	5.02	0.142
KPES6642	51.90	23.60	5.84	0.165
KPES6648	58.20	26.50	6.65	0.188
<hr/>				
KPHS6624	25.79	11.71	2.75	0.078
KPHS6630	27.70	12.58	3.44	0.097
KPHS6636	31.90	14.48	4.13	0.117
KPHS6642	35.90	16.30	4.81	0.136
KPHS6648	39.90	18.11	5.50	0.156
<hr/>				
KPXS6624	25.79	11.71	2.75	0.078
KPXS6630	27.70	12.58	3.44	0.097
KPXS6636	31.90	14.48	4.13	0.117
KPXS6642	35.90	16.30	4.81	0.136
KPXS6648	39.90	18.11	5.50	0.156
KPXS6654	44.17	20.05	6.19	0.175
KPXS6660	48.17	21.87	6.88	0.195
<hr/>				
KPYS6624	25.79	11.71	2.75	0.078
KPYS6630	27.70	12.58	3.44	0.097
KPYS6636	31.90	14.48	4.13	0.117
KPYS6642	35.90	16.30	4.81	0.136
KPYS6648	39.90	18.12	5.50	0.156
KPYS6654	44.17	20.05	6.19	0.175
KPYS6660	48.17	21.87	6.88	0.195

# leverage weights & volumes

## Panels

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Segmented Panel (KP_C)</b>				
KPWC3624	17.39	7.90	1.50	0.042
KPWC3630	19.30	8.76	1.88	0.053
KPWC3636	23.50	10.67	2.25	0.064
KPWC3642	27.50	12.49	2.63	0.074
KPWC3648	31.50	14.30	3.00	0.085
KPWC3654	35.77	16.24	3.38	0.096
KPWC3660	39.77	18.06	3.75	0.106
KPWC4224	19.39	8.80	1.75	0.050
KPWC4230	23.48	10.66	2.19	0.062
KPWC4236	27.58	12.52	2.63	0.074
KPWC4242	31.68	14.38	3.06	0.087
KPWC4248	35.77	16.24	3.50	0.099
KPWC4254	39.80	18.07	3.94	0.111
KPWC4260	43.90	19.93	4.38	0.124
KPWC5124	20.59	9.35	2.13	0.060
KPWC5130	22.50	10.22	2.66	0.075
KPWC5136	26.70	12.12	3.19	0.090
KPWC5142	30.70	13.94	3.72	0.105
KPWC5148	34.70	15.75	4.25	0.120
KPWC5154	38.97	17.69	4.78	0.135
KPWC5160	42.97	19.51	5.31	0.150
KPWC6624	26.79	12.16	2.75	0.078
KPWC6630	28.70	13.03	3.44	0.097
KPWC6636	32.90	14.94	4.13	0.117
KPWC6642	36.90	16.75	4.81	0.136
KPWC6648	40.90	18.57	5.50	0.156
KPWC6654	45.17	20.51	6.19	0.175
KPWC6660	49.17	22.32	6.88	0.195
KPUC3624	17.39	7.90	1.50	0.042
KPUC3630	19.30	8.76	1.88	0.053
KPUC3636	23.50	10.67	2.25	0.064
KPUC3642	27.50	12.49	2.63	0.074
KPUC3648	31.50	14.30	3.00	0.085
KPUC3654	35.77	16.24	3.38	0.096
KPUC3660	39.77	18.06	3.75	0.106
KPUC4224	19.39	8.80	1.75	0.050
KPUC4230	23.48	10.66	2.19	0.062
KPUC4236	27.58	12.52	2.63	0.074
KPUC4242	31.68	14.38	3.06	0.087
KPUC4248	35.77	16.24	3.50	0.099
KPUC4254	39.80	18.07	3.94	0.111
KPUC4260	43.90	19.93	4.38	0.124
KPUC5124	20.59	9.35	2.13	0.060
KPUC5130	22.50	10.22	2.66	0.075
KPUC5136	26.70	12.12	3.19	0.090
KPUC5142	30.70	13.94	3.72	0.105
KPUC5148	34.70	15.75	4.25	0.120
KPUC5154	38.97	17.69	4.78	0.135
KPUC5160	42.97	19.51	5.31	0.150
KPUC6624	26.79	12.16	2.75	0.078
KPUC6630	28.70	13.03	3.44	0.097
KPUC6636	32.90	14.94	4.13	0.117
KPUC6642	36.90	16.75	4.81	0.136
KPUC6648	40.90	18.57	5.50	0.156
KPUC6654	45.17	20.51	6.19	0.175
KPUC6660	49.17	22.32	6.88	0.195

## Panels

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KPEC3624	24.90	11.30	1.87	0.053
KPEC3630	28.00	12.70	2.32	0.066
KPEC3636	31.10	14.10	2.77	0.079
KPEC3642	34.50	15.70	3.22	0.091
KPEC3648	38.00	17.30	3.67	0.104
KPEC4224	27.10	12.30	2.18	0.062
KPEC4230	30.40	13.80	2.70	0.076
KPEC4236	33.90	15.40	3.22	0.091
KPEC4242	38.00	17.30	3.75	0.106
KPEC4248	42.60	19.40	4.27	0.121
KPEC5124	30.50	13.80	2.63	0.075
KPEC5130	34.90	15.90	3.27	0.092
KPEC5136	39.60	18.00	3.90	0.110
KPEC5142	44.70	20.30	4.53	0.128
KPEC5148	50.10	22.80	5.16	0.146
KPEC6624	38.80	17.60	3.39	0.096
KPEC6630	43.50	19.80	4.21	0.119
KPEC6636	48.50	22.00	5.02	0.142
KPEC6642	53.90	24.50	5.84	0.165
KPEC6648	60.50	27.50	6.65	0.188
KPHC3624	24.90	11.30	1.87	0.053
KPHC3630	28.00	12.70	2.32	0.066
KPHC3636	31.10	14.10	2.77	0.079
KPHC3642	34.50	15.70	3.22	0.091
KPHC3648	38.00	17.30	3.67	0.104
KPHC4224	27.10	12.30	2.18	0.062
KPHC4230	30.40	13.80	2.70	0.076
KPHC4236	33.90	15.40	3.22	0.091
KPHC4242	38.00	17.30	3.75	0.106
KPHC4248	42.60	19.40	4.27	0.121
KPHC5124	30.50	13.80	2.63	0.075
KPHC5130	34.90	15.90	3.27	0.092
KPHC5136	39.60	18.00	3.90	0.110
KPHC5142	44.70	20.30	4.53	0.128
KPHC5148	50.10	22.80	5.16	0.146
KPHC6624	38.80	17.60	3.39	0.096
KPHC6630	43.50	19.80	4.21	0.119
KPHC6636	48.50	22.00	5.02	0.142
KPHC6642	53.90	24.50	5.84	0.165
KPHC6648	60.50	27.50	6.65	0.188
KPXC3624	17.39	7.90	1.50	0.042
KPXC3630	19.30	8.76	1.88	0.053
KPXC3636	23.50	10.67	2.25	0.064
KPXC3642	27.50	12.49	2.63	0.074
KPXC3648	31.50	14.30	3.00	0.085
KPXC3654	35.77	16.24	3.38	0.096
KPXC3660	39.77	18.06	3.75	0.106
KPXC4224	19.39	8.80	1.75	0.050
KPXC4230	23.48	10.66	2.19	0.062
KPXC4236	27.58	12.52	2.63	0.074
KPXC4242	31.68	14.38	3.06	0.087
KPXC4248	35.77	16.24	3.50	0.099
KPXC4254	39.80	18.07	3.94	0.111
KPXC4260	43.90	19.93	4.38	0.124
KPXC5124	20.59	9.35	2.13	0.060
KPXC5130	22.50	10.22	2.66	0.075

# leverage weights & volumes

## Panels

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KPXC5136	26.70	12.12	3.19	0.090
KPXC5142	30.70	13.94	3.72	0.105
KPXC5148	34.70	15.75	4.25	0.120
KPXC5154	38.97	17.69	4.78	0.135
KPXC5160	42.97	19.51	5.31	0.150
KPXC6624	26.79	12.16	2.75	0.078
KPXC6630	28.70	13.03	3.44	0.097
KPXC6636	32.90	14.94	4.13	0.117
KPXC6642	36.90	16.75	4.81	0.136
KPXC6648	40.90	18.57	5.50	0.156
KPXC6654	45.17	20.51	6.19	0.175
KPXC6660	49.17	22.32	6.88	0.195
KPYC3624	17.39	7.90	1.50	0.042
KPYC3630	19.30	8.76	1.88	0.053
KPYC3636	23.50	10.67	2.25	0.064
KPYC3642	27.50	12.49	2.63	0.074
KPYC3648	31.50	14.30	3.00	0.085
KPYC3654	35.77	16.24	3.38	0.096
KPYC3660	39.77	18.06	3.75	0.106
KPYC4224	19.39	8.80	1.75	0.050
KPYC4230	23.48	10.66	2.19	0.062
KPYC4236	27.58	12.52	2.63	0.074
KPYC4242	31.68	14.38	3.06	0.087
KPYC4248	35.77	16.24	3.50	0.099
KPYC4254	39.80	18.07	3.94	0.111
KPYC4260	43.90	19.93	4.38	0.124
KPYC5124	20.59	9.35	2.13	0.060
KPYC5130	22.50	10.22	2.66	0.075
KPYC5136	26.70	12.12	3.19	0.090
KPYC5142	30.70	13.94	3.72	0.105
KPYC5148	34.70	15.75	4.25	0.120
KPYC5154	38.97	17.69	4.78	0.135
KPYC5160	42.97	19.51	5.31	0.150
KPYC6624	26.79	12.16	2.75	0.078
KPYC6630	28.70	13.03	3.44	0.097
KPYC6636	32.90	14.94	4.13	0.117
KPYC6642	36.90	16.75	4.81	0.136
KPYC6648	40.90	18.57	5.50	0.156
KPYC6654	45.17	20.51	6.19	0.175
KPYC6660	49.17	22.32	6.88	0.195

# leverage weights & volumes

## Panels

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Segmented Panel (KP_L)</b>				
KPWL3624	17.39	7.90	1.50	0.043
KPWL3630	19.30	8.76	1.88	0.053
KPWL3636	23.50	10.67	2.25	0.064
KPWL3642	27.50	12.48	2.63	0.074
KPWL3648	31.50	14.30	3.00	0.085
KPWL3654	35.77	16.24	3.38	0.096
KPWL3660	39.77	18.06	3.75	0.106
KPWL4224	19.39	8.80	1.75	0.050
KPWL4230	23.48	10.66	2.19	0.062
KPWL4236	27.58	12.52	2.63	0.074
KPWL4242	31.68	14.38	3.06	0.087
KPWL4248	35.77	16.24	3.50	0.099
KPWL4254	39.80	18.07	3.94	0.112
KPWL4260	43.90	19.93	4.38	0.124
KPWL5124	20.59	9.35	2.13	0.060
KPWL5130	22.50	10.21	2.66	0.075
KPWL5136	26.70	12.12	3.19	0.090
KPWL5142	30.70	13.94	3.72	0.105
KPWL5148	34.70	15.75	4.25	0.120
KPWL5154	38.97	17.69	4.78	0.135
KPWL5160	42.97	19.51	5.31	0.150
KPWL6624	26.79	12.16	2.75	0.078
KPWL6630	28.70	13.03	3.44	0.097
KPWL6636	32.90	14.94	4.13	0.117
KPWL6642	36.90	16.75	4.81	0.136
KPWL6648	40.90	18.57	5.50	0.156
KPWL6654	45.17	20.51	6.19	0.175
KPWL6660	49.17	22.32	6.88	0.195
KPUL3624	17.39	7.90	1.50	0.043
KPUL3630	19.30	8.76	1.88	0.053
KPUL3636	23.50	10.67	2.25	0.064
KPUL3642	27.50	12.48	2.63	0.074
KPUL3648	31.50	14.30	3.00	0.085
KPUL3654	35.77	16.24	3.38	0.096
KPUL3660	39.77	18.06	3.75	0.106
KPUL4224	19.39	8.80	1.75	0.050
KPUL4230	23.48	10.66	2.19	0.062
KPUL4236	27.58	12.52	2.63	0.074
KPUL4242	31.68	14.38	3.06	0.087
KPUL4248	35.77	16.24	3.50	0.099
KPUL4254	39.80	18.07	3.94	0.112
KPUL4260	43.90	19.93	4.38	0.124
KPUL5124	20.59	9.35	2.13	0.060
KPUL5130	22.50	10.21	2.66	0.075
KPUL5136	26.70	12.12	3.19	0.090
KPUL5142	30.70	13.94	3.72	0.105
KPUL5148	34.70	15.75	4.25	0.120
KPUL5154	38.97	17.69	4.78	0.135
KPUL5160	42.97	19.51	5.31	0.150
KPUL6624	26.79	12.16	2.75	0.078
KPUL6630	28.70	13.03	3.44	0.097
KPUL6636	32.90	14.94	4.13	0.117
KPUL6642	36.90	16.75	4.81	0.136
KPUL6648	40.90	18.57	5.50	0.156
KPUL6654	45.17	20.51	6.19	0.175
KPUL6660	49.17	22.32	6.88	0.195

## Panels

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KPEL3624	17.39	7.90	1.50	0.043
KPEL3630	19.30	8.76	1.88	0.053
KPEL3636	23.50	10.67	2.25	0.064
KPEL3642	27.50	12.48	2.63	0.074
KPEL3648	31.50	14.30	3.00	0.085
KPEL4224	19.39	8.80	1.75	0.050
KPEL4230	23.48	10.66	2.19	0.062
KPEL4236	27.58	12.52	2.63	0.074
KPEL4242	31.68	14.38	3.06	0.087
KPEL4248	35.77	16.24	3.50	0.099
KPEL5124	20.59	9.35	2.13	0.060
KPEL5130	22.50	10.21	2.66	0.075
KPEL5136	26.70	12.12	3.19	0.090
KPEL5142	30.70	13.94	3.72	0.105
KPEL5148	34.70	15.75	4.25	0.120
KPEL6624	26.79	12.16	2.75	0.078
KPEL6630	28.70	13.03	3.44	0.097
KPEL6636	32.90	14.94	4.13	0.117
KPEL6642	36.90	16.75	4.81	0.136
KPEL6648	40.90	18.57	5.50	0.156
KPHL3624	17.39	7.90	1.50	0.043
KPHL3630	19.30	8.76	1.88	0.053
KPHL3636	23.50	10.67	2.25	0.064
KPHL3642	27.50	12.48	2.63	0.074
KPHL3648	31.50	14.30	3.00	0.085
KPHL4224	19.39	8.80	1.75	0.050
KPHL4230	23.48	10.66	2.19	0.062
KPHL4236	27.58	12.52	2.63	0.074
KPHL4242	31.68	14.38	3.06	0.087
KPHL4248	35.77	16.24	3.50	0.099
KPHL5124	20.59	9.35	2.13	0.060
KPHL5130	22.50	10.21	2.66	0.075
KPHL5136	26.70	12.12	3.19	0.090
KPHL5142	30.70	13.94	3.72	0.105
KPHL5148	34.70	15.75	4.25	0.120
KPHL6624	26.79	12.16	2.75	0.078
KPHL6630	28.70	13.03	3.44	0.097
KPHL6636	32.90	14.94	4.13	0.117
KPHL6642	36.90	16.75	4.81	0.136
KPHL6648	40.90	18.57	5.50	0.156
KPXL3624	17.39	7.90	1.50	0.043
KPXL3630	19.30	8.76	1.88	0.053
KPXL3636	23.50	10.67	2.25	0.064
KPXL3642	27.50	12.48	2.63	0.074
KPXL3648	31.50	14.30	3.00	0.085
KPXL4224	19.39	8.80	1.75	0.050
KPXL4230	23.48	10.66	2.19	0.062
KPXL4236	27.58	12.52	2.63	0.074
KPXL4242	31.68	14.38	3.06	0.087
KPXL4248	35.77	16.24	3.50	0.099
KPXL5124	20.59	9.35	2.13	0.060
KPXL5130	22.50	10.21	2.66	0.075
KPXL5136	26.70	12.12	3.19	0.090
KPXL5142	30.70	13.94	3.72	0.105
KPXL5148	34.70	15.75	4.25	0.120
KPXL6624	26.79	12.16	2.75	0.078

# leverage weights & volumes

## Panels

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KPXL6630	28.70	13.03	3.44	0.097
KPXL6636	32.90	14.94	4.13	0.117
KPXL6642	36.90	16.75	4.81	0.136
KPXL6648	40.90	18.57	5.50	0.156
KPYL3624	19.39	8.80	1.50	0.043
KPYL3630	21.80	9.89	1.88	0.053
KPYL3636	26.50	12.02	2.25	0.064
KPYL3642	31.00	14.06	2.63	0.074
KPYL3648	35.50	16.10	3.00	0.085
KPYL4224	21.39	9.70	1.75	0.050
KPYL4230	25.98	11.78	2.19	0.062
KPYL4236	30.58	13.87	2.63	0.074
KPYL4242	35.18	15.96	3.06	0.087
KPYL4248	39.77	18.04	3.50	0.099
KPYL5124	22.59	10.25	2.13	0.060
KPYL5130	25.00	11.34	2.66	0.075
KPYL5136	29.70	13.47	3.19	0.090
KPYL5142	34.20	15.51	3.72	0.105
KPYL5148	38.70	17.55	4.25	0.120
KPYL6624	28.79	13.06	2.75	0.078
KPYL6630	31.20	14.15	3.44	0.097
KPYL6636	35.90	16.28	4.13	0.117
KPYL6642	40.40	18.33	4.81	0.136
KPYL6648	44.90	20.37	5.50	0.156



# leverage weights & volumes

## Panels

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Panel Rail (KPL)</b>				
KPL24	1.20	0.55	25.42	0.720
KPL30	1.70	0.77	39.69	1.124
KPL36	2.20	1.00	57.13	1.618
KPL42	2.70	1.23	77.80	2.203
KPL48	3.20	1.45	101.58	2.877
KPL54	3.70	1.68	128.63	3.642
KPL60	4.20	1.91	158.75	4.495

# leverage weights & volumes

## Panels

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Panel Add-On (KPO)</b>				
KPOF1524	16.39	7.44	0.63	0.018
KPOF1530	20.48	9.30	0.78	0.022
KPOF1536	24.58	11.16	0.94	0.027
KPOF1542	28.68	13.02	1.09	0.031
KPOF1548	32.77	14.88	1.25	0.035
KPOF1554	36.66	16.64	1.41	0.040
KPOF1560	40.25	18.27	1.56	0.044
KPOF2424	19.98	9.07	1.00	0.028
KPOF2430	24.98	11.34	1.25	0.035
KPOF2436	29.98	13.61	1.50	0.042
KPOF2442	34.97	15.88	1.75	0.050
KPOF2448	40.00	18.16	2.00	0.057
KPOF2454	45.00	20.43	2.25	0.064
KPOF2460	50.10	22.75	2.50	0.071
KPOF3024	26.38	11.98	1.00	0.028
KPOF3030	32.97	14.97	1.25	0.035
KPOF3036	39.57	17.97	1.50	0.042
KPOF3042	46.16	20.96	1.75	0.050
KPOF3048	52.76	23.95	2.00	0.057
KPOF3054	58.80	26.70	2.25	0.064
KPOF3060	66.12	30.02	2.50	0.071
<b>KPOW</b>				
KPOW1524	16.39	7.44	0.63	0.018
KPOW1530	20.48	9.30	0.78	0.022
KPOW1536	24.58	11.16	0.94	0.027
KPOW1542	28.68	13.02	1.09	0.031
KPOW1548	32.77	14.88	1.25	0.035
KPOW1554	36.66	16.64	1.41	0.040
KPOW1560	40.25	18.27	1.56	0.044
KPOW2424	19.98	9.07	1.00	0.028
KPOW2430	24.98	11.34	1.25	0.035
KPOW2436	29.98	13.61	1.50	0.043
KPOW2442	34.97	15.88	1.75	0.050
KPOW2448	40.00	18.16	2.00	0.057
KPOW2454	45.00	20.43	2.25	0.064
KPOW2460	50.10	22.75	2.50	0.071
KPOW3024	26.38	11.98	1.00	0.028
KPOW3030	32.97	14.97	1.25	0.035
KPOW3036	39.57	17.96	1.50	0.043
KPOW3042	46.16	20.96	1.75	0.050
KPOW3048	52.76	23.95	2.00	0.057
KPOW3054	58.80	26.70	2.25	0.064
KPOW3060	66.12	30.02	2.50	0.071

# leverage weights & volumes

## Panels

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Panel Add-On to KP_30 (KPOB)</b>				
KPOBF1224	16.00	7.26	0.50	0.014
KPOBF1230	18.00	8.16	0.63	0.018
KPOBF1236	20.00	9.07	0.75	0.021
KPOBF1242	22.00	9.98	0.88	0.025
KPOBF1248	24.00	10.89	1.00	0.028
KPOBF1254	26.00	11.79	1.13	0.032
KPOBF1260	28.00	12.70	1.25	0.035
<hr/>				
KPOBF2124	20.50	9.30	0.88	0.025
KPOBF2130	22.50	10.21	1.09	0.031
KPOBF2136	24.50	11.11	1.31	0.037
KPOBF2142	26.50	12.02	1.53	0.043
KPOBF2148	28.50	12.93	1.75	0.050
KPOBF2154	30.50	13.83	1.97	0.056
KPOBF2160	32.50	14.74	2.19	0.062

# leverage weights & volumes

## Panels

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Panel Add-On – Single Glass (KPOGS)</b>				
KPOGS1548	20.57	9.33	1.25	0.035
KPOGS1554	22.69	10.29	1.41	0.040
KPOGS1560	24.80	11.25	1.56	0.044
KPOGS1566	26.91	12.21	1.72	0.049
KPOGS1572	29.03	13.17	1.88	0.053
KPOGS1578	31.14	14.13	2.03	0.058
KPOGS1584	33.26	15.09	2.19	0.062
KPOGS1590	35.37	16.04	2.34	0.066
KPOGS1596	37.49	17.00	2.50	0.071
KPOGS2448	28.10	12.75	2.00	0.057
KPOGS2454	30.96	14.04	2.25	0.064
KPOGS2460	33.82	15.34	2.50	0.071
KPOGS2466	36.68	16.64	2.75	0.078
KPOGS2472	39.53	17.93	3.00	0.085
KPOGS2478	42.39	19.23	3.25	0.092
KPOGS2484	45.25	20.52	3.50	0.099
KPOGS2490	48.10	21.82	3.75	0.106
KPOGS2496	50.96	23.12	4.00	0.113
KPOGS3048	33.13	15.03	2.50	0.071
KPOGS3054	36.48	16.55	2.81	0.080
KPOGS3060	39.83	18.07	3.13	0.089
KPOGS3066	43.18	19.59	3.44	0.097
KPOGS3072	46.53	21.11	3.75	0.106
KPOGS3078	49.89	22.63	4.06	0.115
KPOGS3084	53.24	24.15	4.38	0.124
KPOGS3090	56.59	25.67	4.69	0.133
KPOGS3096	59.94	27.19	5.00	0.142

# leverage weights & volumes

## Panels

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Panel Add-On – Double Glass (KPOGD)</b>				
KPOGD1548	30.92	14.02	1.25	0.035
KPOGD1554	34.20	15.51	1.41	0.040
KPOGD1560	37.49	17.00	1.56	0.044
KPOGD1566	40.77	18.49	1.72	0.049
KPOGD1572	44.05	19.98	1.88	0.053
KPOGD1578	47.34	21.47	2.03	0.058
KPOGD1584	50.62	22.96	2.19	0.062
KPOGD1590	53.90	24.45	2.34	0.066
KPOGD1596	57.19	25.94	2.50	0.071
KPOGD2448	44.99	20.41	2.00	0.057
KPOGD2454	49.76	22.57	2.25	0.064
KPOGD2460	54.53	24.73	2.50	0.071
KPOGD2466	59.29	26.90	2.75	0.078
KPOGD2472	64.06	29.06	3.00	0.085
KPOGD2478	68.83	31.22	3.25	0.092
KPOGD2484	73.60	33.38	3.50	0.099
KPOGD2490	78.37	35.55	3.75	0.106
KPOGD2496	83.14	37.71	4.00	0.113
KPOGD3048	54.37	24.66	2.50	0.071
KPOGD3054	60.13	27.27	2.81	0.080
KPOGD3060	65.89	29.88	3.13	0.089
KPOGD3066	71.64	32.50	3.44	0.097
KPOGD3072	77.40	35.11	3.75	0.106
KPOGD3078	83.16	37.72	4.06	0.115
KPOGD3084	88.92	40.33	4.38	0.124
KPOGD3090	94.68	42.95	4.69	0.133
KPOGD3096	100.44	45.56	5.00	0.142

# leverage weights & volumes

## Panels

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Panel Add-On to KP_30 – Single Glass (KPOGBS)</b>				
KPOGBS1248	18.06	8.19	1.00	0.028
KPOGBS1254	19.93	9.04	1.13	0.032
KPOGBS1260	21.79	9.89	1.25	0.035
KPOGBS1266	23.66	10.73	1.38	0.039
KPOGBS1272	25.53	11.58	1.50	0.042
KPOGBS1278	27.40	12.43	1.63	0.046
KPOGBS1284	29.26	13.27	1.75	0.050
KPOGBS1290	31.13	14.12	1.88	0.053
KPOGBS1296	33.00	14.97	2.00	0.057
<hr/>				
KPOGBS2148	25.59	11.61	1.75	0.050
KPOGBS2154	28.20	12.79	1.97	0.056
KPOGBS2160	30.81	13.98	2.19	0.062
KPOGBS2166	33.42	15.16	2.41	0.068
KPOGBS2172	36.03	16.34	2.63	0.074
KPOGBS2178	38.64	17.53	2.84	0.081
KPOGBS2184	41.25	18.71	3.06	0.087
KPOGBS2190	43.86	19.89	3.28	0.093
KPOGBS2196	46.47	21.08	3.50	0.099
<hr/>				
KPOGBS3648	38.15	17.30	3.00	0.085
KPOGBS3654	42.00	19.05	3.38	0.096
KPOGBS3660	45.84	20.79	3.75	0.106
KPOGBS3666	49.69	22.54	4.13	0.117
KPOGBS3672	53.54	24.28	4.50	0.127
KPOGBS3678	57.38	26.03	4.88	0.138
KPOGBS3684	61.23	27.77	5.25	0.149
KPOGBS3690	65.08	29.52	5.63	0.159
KPOGBS3696	68.92	31.26	6.00	0.170

# leverage weights & volumes

## Panels

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Panel Add-On to KP_30 – Double Glass (KPOGBD)</b>				
KPOGBD1248	26.23	11.90	1.00	0.028
KPOGBD1254	29.02	13.16	1.13	0.032
KPOGBD1260	31.81	14.43	1.25	0.035
KPOGBD1266	34.59	15.69	1.38	0.039
KPOGBD1272	37.38	16.96	1.50	0.042
KPOGBD1278	40.17	18.22	1.63	0.046
KPOGBD1284	42.96	19.49	1.75	0.050
KPOGBD1290	45.75	20.75	1.88	0.053
KPOGBD1296	48.54	22.02	2.00	0.057
KPOGBD2148	40.30	18.28	1.75	0.050
KPOGBD2154	44.57	20.22	1.97	0.056
KPOGBD2160	48.85	22.16	2.19	0.062
KPOGBD2166	53.12	24.09	2.41	0.068
KPOGBD2172	57.39	26.03	2.63	0.074
KPOGBD2178	61.67	27.97	2.84	0.081
KPOGBD2184	65.94	29.91	3.06	0.087
KPOGBD2190	70.21	31.85	3.28	0.093
KPOGBD2196	74.49	33.79	3.50	0.099
KPOGBD3648	63.75	28.92	3.00	0.085
KPOGBD3654	70.50	31.98	3.38	0.096
KPOGBD3660	77.25	35.04	3.75	0.106
KPOGBD3666	83.99	38.10	4.13	0.117
KPOGBD3672	90.74	41.16	4.50	0.127
KPOGBD3678	97.49	44.22	4.88	0.138
KPOGBD3684	104.24	47.28	5.25	0.149
KPOGBD3690	110.99	50.34	5.63	0.159
KPOGBD3696	117.74	53.40	6.00	0.170

# leverage weights & volumes

## Panels

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Panel Add-On Screen – Glass (KPGAN)</b>				
KPGAN0924	7.55	3.43	0.63	0.018
KPGAN0930	9.24	4.19	0.78	0.022
KPGAN0936	10.93	4.96	0.94	0.027
KPGAN0942	12.61	5.72	1.09	0.031
KPGAN0948	14.30	6.49	1.25	0.035
KPGAN0954	16.09	7.30	1.41	0.040
KPGAN0960	17.78	8.06	1.56	0.044
KPGAN0966	19.47	8.83	1.72	0.049
KPGAN0972	21.15	9.59	1.88	0.053
KPGAN0978	22.94	10.41	2.03	0.058
KPGAN0984	24.63	11.17	2.19	0.062
KPGAN0990	26.32	11.94	2.34	0.066
KPGAN0996	28.00	12.70	2.50	0.071
<hr/>				
KPGAN1224	9.00	4.08	0.75	0.021
KPGAN1230	11.05	5.01	0.94	0.027
KPGAN1236	13.09	5.94	1.13	0.032
KPGAN1242	15.14	6.87	1.31	0.037
KPGAN1248	17.19	7.80	1.50	0.042
KPGAN1254	19.34	8.77	1.69	0.048
KPGAN1260	21.39	9.70	1.88	0.053
KPGAN1266	23.44	10.63	2.06	0.058
KPGAN1272	25.49	11.56	2.25	0.064
KPGAN1278	27.64	12.54	2.44	0.069
KPGAN1284	29.69	13.47	2.63	0.074
KPGAN1290	31.74	14.39	2.81	0.080
KPGAN1296	33.78	15.32	3.00	0.085
<hr/>				
KPGAN1524	10.44	4.74	0.88	0.025
KPGAN1530	12.85	5.83	1.09	0.031
KPGAN1536	15.26	6.92	1.31	0.037
KPGAN1542	17.67	8.02	1.53	0.043
KPGAN1548	20.08	9.11	1.75	0.050
KPGAN1554	22.59	10.25	1.97	0.056
KPGAN1560	25.00	11.34	2.19	0.062
KPGAN1566	27.41	12.43	2.41	0.068
KPGAN1572	29.82	13.53	2.63	0.074
KPGAN1578	32.33	14.67	2.84	0.081
KPGAN1584	34.74	15.76	3.06	0.087
KPGAN1590	37.15	16.85	3.28	0.093
KPGAN1596	39.56	17.95	3.50	0.099



# leverage weights & volumes

## Panels

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Door Panel (KPND)</b>				
KPND28136	53.90	24.47	8.40	0.240
KPND38136	52.40	23.79	8.40	0.240
KPND98136	50.40	22.88	8.40	0.240

# leverage weights & volumes

## Panels

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Privacy Screen – Flat (KPF)</b>				
KPF5136	32.00	14.53	6.69	0.190
KPF5142	35.00	15.89	8.69	0.240
KPF6636	35.00	15.89	8.69	0.240
KPF6642	42.00	19.07	10.15	0.280
KPF8136	43.00	19.52	10.80	0.300
KPF8142	50.00	22.70	12.42	0.350

# leverage weights & volumes

## Panels

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Panel Rail Mounting Kit – 42" Datum Height (KPLD42)</b>				
KPLD42	1.00	0.45	1.00	0.028



# leverage weights & volumes

## Lyft

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Thin Panel – Standard (HPS)</b>				
HPS4224	14.70	6.69	0.70	0.020
HPS4230	17.50	7.96	0.88	0.025
HPS4236	20.30	9.23	1.05	0.030
HPS4242	23.30	10.60	1.23	0.035
HPS4248	26.30	11.96	1.40	0.040
HPS4260	32.50	14.78	1.75	0.050
<hr/>				
HPS5124	16.80	7.64	0.85	0.024
HPS5130	20.30	9.23	1.07	0.030
HPS5136	23.80	10.82	1.28	0.036
HPS5142	27.40	12.46	1.49	0.042
HPS5148	31.10	14.14	1.70	0.048
HPS5160	38.70	17.60	2.13	0.060
<hr/>				
HPS6624	20.00	9.10	1.11	0.031
HPS6630	26.70	12.14	1.38	0.039
HPS6636	31.70	14.41	1.66	0.047
HPS6642	34.80	15.82	1.93	0.055
HPS6648	39.80	18.10	2.21	0.062
HPS6660	49.70	22.60	2.76	0.078

# leverage weights & volumes

## Lyft

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Thin Panel – Monolithic (HPM)</b>				
HPM4224	10.10	4.59	0.70	0.020
HPM4230	11.50	5.23	0.88	0.025
HPM4236	12.90	5.86	1.05	0.030
HPM4242	14.30	6.50	1.23	0.035
HPM4248	15.70	7.14	1.40	0.040
<hr/>				
HPM5124	10.30	4.68	0.85	0.024
HPM5130	12.00	5.45	1.07	0.030
HPM5136	13.70	6.23	1.28	0.036
HPM5142	15.40	7.00	1.49	0.042
HPM5148	17.10	7.77	1.70	0.048
<hr/>				
HPM6624	12.30	5.59	1.11	0.031
HPM6630	14.50	6.59	1.38	0.039
HPM6636	15.70	7.14	1.66	0.047
HPM6642	17.90	8.14	1.93	0.055
HPM6648	20.10	9.14	2.21	0.062

# leverage weights & volumes

## Lyft

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Thin Panel Stabilizer Foot (HPF)</b>				
HPF	2.40	1.10	0.71	0.020

# leverage weights & volumes

## Lyft

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Add-On Screen – Translucent (KPC)</b>				
KPC1524	1.20	0.55	0.63	0.018
KPC1530	1.50	0.68	0.78	0.022
KPC1536	1.80	0.82	0.94	0.027
KPC1542	2.10	0.95	1.09	0.031
KPC1548	2.40	1.09	1.25	0.035
KPC1554	2.70	1.23	1.41	0.040
KPC1560	3.00	1.36	1.56	0.044



## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Two-Way Connector 90° (KCCN_90)</b>				
KCCN3690	3.00	1.36	0.19	0.005
KCCN4290	3.45	1.57	0.22	0.006
KCCN5190	3.90	1.77	0.27	0.008
KCCN5790	4.35	1.98	0.30	0.008
KCCN6690	4.80	2.18	0.34	0.010
KCCN7590	5.25	2.38	0.39	0.011
KCCN8190	5.70	2.59	0.42	0.012

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Two-Way Connector 120° (KCC2_60)</b>				
KCC23660	3.00	1.00	0.19	0.005
KCC24260	3.45	2.00	0.22	0.006
KCC25160	3.90	2.00	0.27	0.008
KCC25760	3.90	2.00	0.27	0.008
KCC26660	4.35	2.00	0.34	0.010
KCC28160	4.80	2.00	0.42	0.012

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Two-Way Connector 180° (KCC_00)</b>				
KCC3600	3.00	1.36	0.19	0.005
KCC4200	3.45	1.57	0.22	0.006
KCC5100	3.90	1.77	0.27	0.008
KCC5700	4.35	1.97	0.30	0.008
KCC6600	4.80	2.18	0.34	0.010
KCC7500	5.25	2.38	0.39	0.011
KCC8100	5.70	2.59	0.42	0.012

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Three-Way Connector 120° (KCC3_60)</b>				
KCC33660	3.00	1.00	0.19	0.005
KCC34260	3.45	2.00	0.22	0.006
KCC35160	3.90	2.00	0.27	0.008
KCC35760	3.90	2.00	0.27	0.008
KCC36660	4.35	2.00	0.34	0.010
KCC38160	4.80	2.00	0.42	0.012

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Three-Way Connector (KCC_3)</b>				
KCC363	3.00	1.36	0.19	0.005
KCC423	3.45	1.57	0.22	0.006
KCC513	3.90	1.77	0.27	0.008
KCC573	4.35	1.98	0.30	0.008
KCC663	4.80	2.18	0.34	0.010
KCC753	5.25	2.38	0.39	0.011
KCC813	5.70	2.59	0.42	0.012

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Four-Way Connector (KCC_4)</b>				
KCC364	3.00	1.36	0.27	0.008
KCC424	3.45	1.57	0.30	0.008
KCC514	3.90	1.77	0.27	0.008
KCC574	4.35	1.97	0.30	0.008
KCC664	4.80	2.18	0.34	0.010
KCC754	5.25	2.38	0.39	0.011
KCC814	5.70	2.59	0.42	0.012

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Two-Way Intermediate Connector 90° (KCIN_90)</b>				
KCIN690	1.20	0.55	0.03	0.001
KCIN990	1.65	0.75	0.05	0.001
KCIN1590	2.10	0.95	0.08	0.002
KCIN2190	2.55	1.16	0.11	0.003
KCIN2490	3.00	1.36	0.13	0.004
KCIN3090	3.45	1.57	0.16	0.004
KCIN3390	3.90	1.77	0.17	0.005
KCIN3990	4.35	1.98	0.20	0.006
KCIN4590	4.80	2.18	0.23	0.007

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Two-Way Intermediate Connector 120° (KCI2_60)</b>				
KCI20660	1.20	0.55	0.03	0.001
KCI20960	1.65	0.75	0.05	0.001
KCI21560	2.10	0.95	0.08	0.002
KCI22160	2.55	1.16	0.11	0.003
KCI22460	3.00	1.36	0.13	0.004
KCI23060	3.45	1.57	0.16	0.004
KCI23360	3.90	1.77	0.17	0.005
KCI23960	4.35	1.98	0.20	0.006
KCI24560	4.80	2.18	0.23	0.007



## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Two-Way Intermediate Connector 180° (KCI_00)</b>				
KCI600	1.20	0.55	0.03	0.001
KCI900	1.65	0.75	0.05	0.001
KCI1500	2.10	0.95	0.08	0.002
KCI2100	2.55	1.16	0.11	0.003
KCI2400	3.00	1.36	0.13	0.004
KCI3000	3.45	1.57	0.16	0.004
KCI3300	3.90	1.77	0.17	0.005
KCI3900	4.35	1.98	0.20	0.006
KCI4500	4.80	2.18	0.23	0.007

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Three-Way Intermediate Connector 120° (KCI3_60)</b>				
KCI30660	1.20	0.55	0.03	0.001
KCI30960	1.65	0.75	0.05	0.001
KCI31560	2.10	0.95	0.08	0.002
KCI32160	2.55	1.16	0.11	0.003
KCI32460	3.00	1.36	0.13	0.004
KCI33060	3.45	1.57	0.16	0.004
KCI33360	3.90	1.77	0.17	0.005
KCI33960	4.35	1.98	0.20	0.006
KCI34560	4.80	2.18	0.23	0.007

Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Three-Way Intermediate Connector (KCI_3)</b>				
KCI63	1.20	0.55	0.03	0.001
KCI93	1.65	0.75	0.05	0.001
KCI153	2.10	0.95	0.08	0.002
KCI213	2.55	1.16	0.11	0.003
KCI243	3.00	1.36	0.13	0.004
KCI303	3.45	1.57	0.16	0.004
KCI333	3.90	1.77	0.17	0.005
KCI393	4.35	1.98	0.20	0.006
KCI453	4.80	2.18	0.23	0.007

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Four-Way Intermediate Connector (KCI_4)</b>				
KCI154	2.10	0.95	0.08	0.002
KCI244	2.55	1.16	0.13	0.004

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Panel End Trim (KTE)</b>				
KTE36	1.90	0.86	0.19	0.005
KTE42	2.20	1.00	0.22	0.006
KTE51	2.50	1.14	0.27	0.008
KTE57	2.80	1.27	0.30	0.008
KTE60	3.10	1.41	0.31	0.009
KTE66	3.40	1.54	0.34	0.010
KTE75	3.70	1.68	0.39	0.011
KTE81	4.00	1.82	0.42	0.012

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Intermediate Panel End Trim (KTI)</b>				
KTI6	1.20	0.55	0.03	0.001
KTI9	1.65	0.75	0.05	0.001
KTI15	2.10	0.95	0.08	0.002
KTI18	2.55	1.16	0.09	0.003
KTI21	3.00	1.36	0.11	0.003
KTI24	3.45	1.57	0.13	0.004
KTI30	3.90	1.77	0.16	0.004
KTI33	4.35	1.98	0.17	0.005
KTI39	4.80	2.18	0.20	0.006
KTI45	5.25	2.38	0.23	0.007

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Top Trim (KTR)</b>				
KTR24	2.00	0.91	0.03	0.001
KTR30	2.20	1.00	0.04	0.001
KTR36	2.40	1.09	0.04	0.001
KTR42	2.60	1.18	0.05	0.001
KTR48	2.80	1.27	0.06	0.002
KTR54	3.00	1.36	0.07	0.002
KTR60	3.20	1.45	0.07	0.002

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Continuous Top Trim (KTRC)</b>				
KTRC24	2.00	0.91	0.03	0.001
KTRC30	2.20	1.00	0.04	0.001
KTRC36	2.40	1.09	0.04	0.001
KTRC42	2.60	1.18	0.05	0.001
KTRC48	2.80	1.27	0.06	0.002
KTRC54	3.00	1.36	0.07	0.002
KTRC60	3.20	1.45	0.07	0.002



## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Panel Wall Adapter (KCW)</b>				
KCW36	2.35	1.07	0.30	0.008
KCW42	2.60	1.18	0.36	0.010
KCW51	3.00	1.36	0.44	0.012
KCW57	3.11	1.41	0.42	0.110
KCW66	3.60	1.63	0.49	0.014
KCW75	4.09	1.85	0.56	0.016
KCW81	4.42	2.00	0.60	0.017

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Panel-To-Panel Adapter (KPP)</b>				
KPP0036	13.20	6.00	1.28	0.036
KPP0042	13.20	6.00	1.28	0.036
KPP0051	13.20	6.00	1.28	0.036
KPP0066	13.20	6.00	1.28	0.036
KPP1536	13.20	6.00	1.28	0.036
KPP1551	13.20	6.00	1.28	0.036
KPP1566	13.20	6.00	1.28	0.036

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Two-Way Connector 90° – Wood (KCCD_90)</b>				
KCCD3690	3.00	1.36	0.19	0.005
KCCD4290	3.45	1.57	0.22	0.006
KCCD5190	3.90	1.77	0.27	0.008
KCCD5790	4.35	1.98	0.30	0.008
KCCD6690	4.80	2.18	0.34	0.010
KCCD7590	5.25	2.38	0.39	0.011
KCCD8190	5.70	2.59	0.42	0.012

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Two-Way Connector 180° – Wood (KCCD_00)</b>				
KCCD3600	3.00	1.36	0.19	0.005
KCCD4200	3.45	1.57	0.22	0.006
KCCD5100	3.90	1.77	0.27	0.008
KCCD5700	4.35	1.97	0.30	0.008
KCCD6600	4.80	2.18	0.34	0.010
KCCD7500	5.25	2.38	0.39	0.011
KCCD8100	5.70	2.59	0.42	0.012

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Three-Way Connector – Wood (KCCD_3)</b>				
KCCD363	3.00	1.36	0.19	0.005
KCCD423	3.45	1.57	0.22	0.006
KCCD513	3.90	1.77	0.27	0.008
KCCD573	4.35	1.98	0.30	0.008
KCCD663	4.80	2.18	0.34	0.010
KCCD753	5.25	2.38	0.39	0.011
KCCD813	5.70	2.59	0.42	0.012

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Four-Way Connector – Wood (KCCD_4)</b>				
KCCD364	3.00	1.36	0.27	0.008
KCCD424	3.45	1.57	0.30	0.008
KCCD514	3.90	1.77	0.27	0.008
KCCD574	4.35	1.97	0.30	0.008
KCCD664	4.80	2.18	0.34	0.010
KCCD754	5.25	2.38	0.39	0.011
KCCD814	5.70	2.59	0.42	0.012

## Panel Connection &amp; Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Two-Way Intermediate Connector 90° – Wood (KCID_90)</b>				
KCID0690	1.20	0.55	0.03	0.001
KCID0990	1.65	0.75	0.05	0.001
KCID1590	2.10	0.95	0.08	0.002
KCID2190	2.55	1.16	0.11	0.003
KCID2490	3.00	1.36	0.13	0.004
KCID3090	3.45	1.57	0.16	0.004
KCID3390	3.90	1.77	0.17	0.005
KCID3990	4.35	1.98	0.20	0.006
KCID4590	4.80	2.18	0.23	0.007

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Two-Way Intermediate Connector 180° – Wood (KCID_00)</b>				
KCID0600	1.20	0.55	0.03	0.001
KCID0900	1.65	0.75	0.05	0.001
KCID1500	2.10	0.95	0.08	0.002
KCID2100	2.55	1.16	0.11	0.003
KCID2400	3.00	1.36	0.13	0.004
KCID3000	3.45	1.57	0.16	0.004
KCID3300	3.90	1.77	0.17	0.005
KCID3900	4.35	1.98	0.20	0.006
KCID4500	4.80	2.18	0.23	0.007



# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Three-Way Intermediate Connector – Wood (KCID_3)</b>				
KCID063	1.20	0.55	0.03	0.001
KCID093	1.65	0.75	0.05	0.001
KCID153	2.10	0.95	0.08	0.002
KCID213	2.55	1.16	0.11	0.003
KCID243	3.00	1.36	0.13	0.004
KCID303	3.45	1.57	0.16	0.004
KCID333	3.90	1.77	0.17	0.005
KCID393	4.35	1.98	0.20	0.006
KCID453	4.80	2.18	0.23	0.007

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Panel End Trim – Wood (KTED)</b>				
KTED36	1.90	0.86	0.19	0.005
KTED42	2.20	1.00	0.22	0.006
KTED51	2.50	1.14	0.27	0.008
KTED57	2.80	1.27	0.30	0.008
KTED60	3.10	1.41	0.31	0.009
KTED66	3.40	1.54	0.34	0.010
KTED75	3.70	1.68	0.39	0.011
KTED81	4.00	1.82	0.42	0.012

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Intermediate Panel End Trim – Wood (KTID)</b>				
KTID06	1.20	0.55	0.03	0.001
KTID09	1.65	0.75	0.05	0.001
KTID15	2.10	0.95	0.08	0.002
KTID18	2.55	1.16	0.09	0.003
KTID21	3.00	1.36	0.11	0.003
KTID24	3.45	1.57	0.13	0.004
KTID30	3.90	1.77	0.16	0.004
KTID33	4.35	1.98	0.17	0.005
KTID39	4.80	2.18	0.20	0.006
KTID45	5.25	2.38	0.23	0.007

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Top Trim – Wood (KTRD)</b>				
KTRD24	2.00	0.91	0.03	0.001
KTRD30	2.20	1.00	0.04	0.001
KTRD36	2.40	1.09	0.04	0.001
KTRD42	2.60	1.18	0.05	0.001
KTRD48	2.80	1.27	0.06	0.002
KTRD54	3.00	1.36	0.07	0.002
KTRD60	3.20	1.45	0.07	0.002

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Continuous Top Trim – Wood (KTRDC)</b>				
KTRDC60	3.20	1.50	0.07	0.002
KTRDC66	4.60	2.10	0.08	0.002
KTRDC72	4.80	2.20	0.09	0.002
KTRDC78	5.00	2.30	0.10	0.003
KTRDC84	5.20	2.40	0.10	0.003
KTRDC90	5.40	2.45	0.11	0.003
KTRDC96	5.60	2.55	0.12	0.003

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Two-Way Bracket for 30" High Panels 90° (KPJ90)</b>				
KPJ90	3.00	1.36	1.00	0.028

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Two-Way Bracket for 30" High Panels 120° (KPJ602)				
KPJ602	4.00	1.81	1.00	0.028

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Two-Way Bracket for 30" High Panels 180° (KPJ00)</b>				
KPJ00	3.00	1.36	1.00	0.028



## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Three-Way Bracket for 30" High Panels 90° (KPJ3)				
KPJ3	3.00	1.36	1.00	0.028

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Three-Way Bracket for 30" High Panels 120° (KPJ603)</b>				
<b>KPJ603</b>	4.00	1.81	1.00	0.028

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Four-Way Bracket for 30" High Panels 90° (KPJ4)				
KPJ4	3.00	1.36	1.00	0.028

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Bracket to Align Glass Panel Add-Ons, Same Height (KPOGJ1)</b>				
KPOGJ1	1.00	0.45	1.00	0.028

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Bracket to Align Glass Panel Add-Ons, Change of Height (KPOGJ2)</b>				
KPOGJ2	1.00	0.45	1.00	0.028

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Mid Run 90° On-Module Connector/Spacer (Lyft) (HCML)</b>				
HCML 36	9.50	4.32	2.08	0.059
HCML 42	9.75	4.44	2.43	0.069
HCML 51	10.13	4.61	2.95	0.084
HCML 66	13.25	6.03	3.82	0.108

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>End of Run 90° Connector/Spacer (Lyft) (HCEL)</b>				
HCEL 36	5.85	2.66	2.08	0.059
HCEL 42	6.33	2.88	2.43	0.069
HCEL 51	7.04	3.20	2.95	0.084
HCEL 66	8.23	3.74	3.82	0.108

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Off-Module 90° Connector (Lyft) (HCUL)</b>				
HCUL	4.50	2.05	1.45	0.041



## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Thin Panel Connector 90° (Lyft) (HCH9)</b>				
HCH92	1.24	0.57	0.12	0.003
HCH93	1.24	0.57	0.12	0.003
HCH94	1.24	0.57	0.12	0.003

# leverage weights & volumes

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Thin Panel End Trim (Lyft) (HET)</b>				
HET42	1.24	0.57	1.22	0.034
HET51	1.24	0.57	1.48	0.042
HET66	1.24	0.57	1.91	0.054

## Panel Connection & Trims

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Thin Panel Intermediate Trim (Lyft) (HIT)</b>				
HIT09	1.24	0.57	0.26	0.007
HIT15	1.24	0.57	0.43	0.012
HIT24	1.24	0.57	0.69	0.020



# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Acoustic Element (KES)</b>				
KES624	0.22	0.10	0.25	0.007
KES630	0.28	0.13	0.31	0.009
KES636	0.34	0.15	0.38	0.011
KES642	0.40	0.18	0.44	0.012
KES648	0.46	0.21	0.50	0.014
KES654	0.52	0.24	0.56	0.016
KES660	0.58	0.26	0.63	0.018
<hr/>				
KES1524	0.55	0.25	0.63	0.018
KES1530	0.68	0.31	0.78	0.022
KES1536	0.81	0.37	0.94	0.027
KES1542	0.94	0.43	1.09	0.031
KES1548	1.07	0.49	1.25	0.035
KES1554	1.20	0.55	1.41	0.040
KES1560	1.33	0.60	1.56	0.044
<hr/>				
KES2424	0.87	0.40	1.00	0.028
KES2430	1.10	0.50	1.25	0.035
KES2436	1.33	0.60	1.50	0.042
KES2442	1.56	0.71	1.75	0.050
KES2448	1.79	0.81	2.00	0.057
KES2454	2.02	0.92	2.25	0.064
KES2460	2.25	1.02	2.50	0.071
<hr/>				
KES3024	1.09	0.50	1.25	0.035
KES3030	1.39	0.63	1.56	0.044
KES3036	1.69	0.77	1.88	0.053
KES3042	1.99	0.90	2.19	0.062
KES3048	2.29	1.04	2.50	0.071
KES3054	2.59	1.18	2.81	0.080
KES3060	2.89	1.31	3.13	0.088

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Acoustic Element – Corridor Width (KESC)</b>				
KESC624	0.22	0.10	0.25	0.007
KESC630	0.28	0.13	0.31	0.009
KESC636	0.34	0.15	0.38	0.011
KESC642	0.40	0.18	0.44	0.012
KESC648	0.46	0.21	0.50	0.014
KESC654	0.52	0.24	0.56	0.016
KESC660	0.58	0.26	0.63	0.018
<hr/>				
KESC1524	0.55	0.25	0.63	0.018
KESC1530	0.68	0.31	0.78	0.022
KESC1536	0.81	0.37	0.94	0.027
KESC1542	0.94	0.43	1.09	0.031
KESC1548	1.07	0.49	1.25	0.035
KESC1554	1.20	0.55	1.41	0.040
KESC1560	1.33	0.60	1.56	0.044
<hr/>				
KESC2424	0.87	0.40	1.00	0.028
KESC2430	1.10	0.50	1.25	0.035
KESC2436	1.33	0.60	1.50	0.042
KESC2442	1.56	0.71	1.75	0.050
KESC2448	1.79	0.81	2.00	0.057
KESC2454	2.02	0.92	2.25	0.064
KESC2460	2.25	1.02	2.50	0.071
<hr/>				
KESC3024	1.09	0.50	1.25	0.035
KESC3030	1.39	0.63	1.56	0.044
KESC3036	1.69	0.77	1.88	0.053
KESC3042	1.99	0.90	2.19	0.062
KESC3048	2.29	1.04	2.50	0.071
KESC3054	2.59	1.18	2.81	0.080
KESC3060	2.89	1.31	3.13	0.088

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Acoustic Element – Floor-Flush (KESF)</b>				
KESFS2124	0.70	0.35	1.00	0.028
KESFS2130	0.90	0.45	1.25	0.035
KESFS2136	1.15	0.55	1.50	0.042
KESFS2142	1.40	0.65	1.75	0.050
KESFS2148	1.60	0.75	2.00	0.057
<hr/>				
KESFS3624	1.30	0.60	1.50	0.042
KESFS3630	1.60	0.75	1.80	0.051
KESFS3636	1.90	0.85	2.10	0.059
KESFS3642	2.20	1.00	2.40	0.068
KESFS3648	2.50	1.15	2.75	0.078
<hr/>				
KESFS4224	1.20	0.55	2.00	0.057
KESFS4230	2.00	0.95	2.50	0.071
KESFS4236	2.50	1.15	3.00	0.085
KESFS4242	3.00	1.40	3.50	0.099
KESFS4248	3.50	1.60	4.00	0.113
<hr/>				
KESFC2124	0.70	0.35	1.00	0.028
KESFC2130	0.90	0.45	1.25	0.035
KESFC2136	1.15	0.55	1.50	0.042
KESFC2142	1.40	0.65	1.75	0.050
KESFC2148	1.60	0.75	2.00	0.057
<hr/>				
KESFC3624	1.30	0.60	1.50	0.042
KESFC3630	1.60	0.75	1.80	0.051
KESFC3636	1.90	0.85	2.10	0.059
KESFC3642	2.20	1.00	2.40	0.068
KESFC3648	2.50	1.15	2.75	0.078
KESFC4224	1.20	0.55	2.00	0.057
<hr/>				
KESFC4230	2.00	0.95	2.50	0.071
KESFC4236	2.50	1.15	3.00	0.085
KESFC4242	3.00	1.40	3.50	0.099
KESFC4248	3.50	1.60	4.00	0.113

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Fabric Element (KEN)</b>				
KEN624	0.22	0.10	0.25	0.007
KEN630	0.28	0.13	0.31	0.009
KEN636	0.34	0.15	0.38	0.011
KEN642	0.40	0.18	0.44	0.012
KEN648	0.46	0.21	0.50	0.014
KEN654	0.52	0.24	0.56	0.016
KEN660	0.58	0.26	0.63	0.018
<hr/>				
KEN1524	0.55	0.25	0.63	0.018
KEN1530	0.68	0.31	0.78	0.022
KEN1536	0.81	0.37	0.94	0.027
KEN1542	0.94	0.43	1.09	0.031
KEN1548	1.07	0.49	1.25	0.035
KEN1554	1.20	0.55	1.41	0.040
KEN1560	1.33	0.60	1.56	0.044
<hr/>				
KEN2424	0.87	0.40	1.00	0.028
KEN2430	1.10	0.50	1.25	0.035
KEN2436	1.33	0.60	1.50	0.042
KEN2442	1.56	0.71	1.75	0.050
KEN2448	1.79	0.81	2.00	0.057
KEN2454	2.02	0.92	2.25	0.064
KEN2460	2.25	1.02	2.50	0.071
<hr/>				
KEN3024	1.09	0.50	1.25	0.035
KEN3030	1.39	0.63	1.56	0.044
KEN3036	1.69	0.77	1.88	0.053
KEN3042	1.99	0.90	2.19	0.062
KEN3048	2.29	1.04	2.50	0.071
KEN3054	2.59	1.18	2.81	0.080
KEN3060	2.89	1.31	3.13	0.088



# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Fabric Element – Corridor Width (KENC)</b>				
KENC624	0.22	0.10	0.25	0.007
KENC630	0.28	0.13	0.31	0.009
KENC636	0.34	0.15	0.38	0.011
KENC642	0.40	0.18	0.44	0.012
KENC648	0.46	0.21	0.50	0.014
KENC654	0.52	0.24	0.56	0.016
KENC660	0.58	0.26	0.63	0.018
<hr/>				
KENC1524	0.55	0.25	0.63	0.018
KENC1530	0.68	0.31	0.78	0.022
KENC1536	0.81	0.37	0.94	0.027
KENC1542	0.94	0.43	1.09	0.031
KENC1548	1.07	0.49	1.25	0.035
KENC1554	1.20	0.55	1.41	0.040
KENC1560	1.33	0.60	1.56	0.044
<hr/>				
KENC2424	0.87	0.40	1.00	0.028
KENC2430	1.10	0.50	1.25	0.035
KENC2436	1.33	0.60	1.50	0.042
KENC2442	1.56	0.71	1.75	0.050
KENC2448	1.79	0.81	2.00	0.057
KENC2454	2.02	0.92	2.25	0.064
KENC2460	2.25	1.02	2.50	0.071
<hr/>				
KENC3024	1.09	0.50	1.25	0.035
KENC3030	1.39	0.63	1.56	0.044
KENC3036	1.69	0.77	1.88	0.053
KENC3042	1.99	0.90	2.19	0.062
KENC3048	2.29	1.04	2.50	0.071
KENC3054	2.59	1.18	2.81	0.080
KENC3060	2.89	1.31	3.13	0.088

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Fabric Element – Floor-Flush (KENF)</b>				
KENFS2124	0.70	0.35	1.00	0.028
KENFS2130	0.90	0.45	1.25	0.035
KENFS2136	1.15	0.55	1.50	0.042
KENFS2142	1.40	0.65	1.75	0.050
KENFS2148	1.60	0.75	2.00	0.057
<hr/>				
KENFS3624	1.30	0.60	1.50	0.042
KENFS3630	1.60	0.75	1.80	0.051
KENFS3636	1.90	0.85	2.10	0.059
KENFS3642	2.20	1.00	2.40	0.068
KENFS3648	2.50	1.15	2.75	0.078
<hr/>				
KENFS4224	1.20	0.55	2.00	0.057
KENFS4230	2.00	0.95	2.50	0.071
KENFS4236	2.50	1.15	3.00	0.085
KENFS4242	3.00	1.40	3.50	0.099
KENFS4248	3.50	1.60	4.00	0.113
<hr/>				
KENFC2124	0.70	0.35	1.00	0.028
KENFC2130	0.90	0.45	1.25	0.035
KENFC2136	1.15	0.55	1.50	0.042
KENFC2142	1.40	0.65	1.75	0.050
KENFC2148	1.60	0.75	2.00	0.057
<hr/>				
KENFC3624	1.30	0.60	1.50	0.042
KENFC3630	1.60	0.75	1.80	0.051
KENFC3636	1.90	0.85	2.10	0.059
KENFC3642	2.20	1.00	2.40	0.068
KENFC3648	2.50	1.15	2.75	0.078
KENFC4224	1.20	0.55	2.00	0.057
<hr/>				
KENFC4230	2.00	0.95	2.50	0.071
KENFC4236	2.50	1.15	3.00	0.085
KENFC4242	3.00	1.40	3.50	0.099
KENFC4248	3.50	1.60	4.00	0.113

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Metal Element (KEM)</b>				
KEM0624	3.8	1.74	0.13	0.004
KEM0630	4.6	2.06	0.16	0.004
KEM0636	5.3	2.39	0.19	0.005
KEM0642	6.0	2.72	0.22	0.006
KEM0648	6.7	3.05	0.25	0.007
KEM0654	7.5	3.38	0.28	0.008
KEM0660	8.2	3.71	0.31	0.009
KEM0924	4.8	2.16	0.19	0.005
KEM0930	5.7	2.57	0.23	0.007
KEM0936	6.6	2.98	0.28	0.008
KEM0942	7.5	3.40	0.33	0.009
KEM0948	8.4	3.81	0.38	0.011
KEM0954	9.3	4.22	0.42	0.012
KEM0960	10.2	4.64	0.47	0.013
KEM1224	6.0	2.71	0.27	0.008
KEM1230	7.1	3.24	0.34	0.010
KEM1236	8.3	3.77	0.41	0.012
KEM1242	9.5	4.30	0.47	0.014
KEM1248	10.6	4.82	0.54	0.015
KEM1254	11.8	5.35	0.61	0.017
KEM1260	13.0	5.88	0.68	0.019
KEM1524	6.6	2.99	0.31	0.009
KEM1530	7.9	3.58	0.39	0.011
KEM1536	9.2	4.16	0.47	0.013
KEM1542	10.5	4.75	0.55	0.016
KEM1548	11.8	5.33	0.63	0.018
KEM1554	13.0	5.91	0.70	0.020
KEM1560	14.3	6.50	0.78	0.022
KEM2124	8.8	3.97	0.46	0.013
KEM2130	10.5	4.76	0.57	0.016
KEM2136	12.2	5.54	0.69	0.020
KEM2142	13.9	6.32	0.80	0.023
KEM2148	15.7	7.10	0.92	0.026
KEM2154	17.4	7.89	1.03	0.029
KEM2160	19.1	8.67	1.15	0.033
KEM2424	9.4	4.25	0.50	0.014
KEM2430	11.2	5.09	0.63	0.018
KEM2436	13.1	5.93	0.75	0.021
KEM2442	14.9	6.77	0.88	0.025
KEM2448	16.8	7.61	1.00	0.029
KEM2454	18.6	8.45	1.13	0.032
KEM2460	20.5	9.29	1.25	0.036
KEM3024	11.2	5.09	0.63	0.018
KEM3030	13.5	6.10	0.78	0.022
KEM3036	15.7	7.11	0.94	0.027
KEM3042	17.9	8.12	1.09	0.031
KEM3048	20.1	9.13	1.25	0.036
KEM3054	22.4	10.14	1.41	0.040
KEM3060	24.6	11.15	1.56	0.045
KEM3624	13.4	6.07	0.77	0.022
KEM3630	16.0	7.28	0.96	0.028
KEM3636	18.7	8.49	1.16	0.033
KEM3642	21.4	9.69	1.35	0.039
KEM3648	24.0	10.90	1.54	0.044
KEM3654	26.7	12.11	1.73	0.050
KEM3660	29.4	13.32	1.93	0.055

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KEM4524	17.8	8.09	0.94	0.027
KEM4530	21.3	9.68	1.17	0.033
KEM4536	24.9	11.27	1.41	0.040
KEM4542	28.4	12.87	1.64	0.047
KEM4548	31.9	14.46	1.88	0.054
KEM4554	35.4	16.05	2.11	0.060
KEM4560	38.9	17.65	2.34	0.067

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Metal Element – Corridor Width (KEMC)</b>				
KEMC0624	3.8	1.74	0.13	0.004
KEMC0630	4.6	2.06	0.16	0.004
KEMC0636	5.3	2.39	0.19	0.005
KEMC0642	6.0	2.72	0.22	0.006
KEMC0648	6.7	3.05	0.25	0.007
KEMC0654	7.5	3.38	0.28	0.008
KEMC0660	8.2	3.71	0.31	0.009
KEMC0924	4.8	2.16	0.19	0.005
KEMC0930	5.7	2.57	0.23	0.007
KEMC0936	6.6	2.98	0.28	0.008
KEMC0942	7.5	3.40	0.33	0.009
KEMC0948	8.4	3.81	0.38	0.011
KEMC0954	9.3	4.22	0.42	0.012
KEMC0960	10.2	4.64	0.47	0.013
KEMC1224	6.0	2.71	0.27	0.008
KEMC1230	7.1	3.24	0.34	0.010
KEMC1236	8.3	3.77	0.41	0.012
KEMC1242	9.5	4.30	0.47	0.014
KEMC1248	10.6	4.82	0.54	0.015
KEMC1254	11.8	5.35	0.61	0.017
KEMC1260	13.0	5.88	0.68	0.019
KEMC1524	6.6	2.99	0.31	0.009
KEMC1530	7.9	3.58	0.39	0.011
KEMC1536	9.2	4.16	0.47	0.013
KEMC1542	10.5	4.75	0.55	0.016
KEMC1548	11.8	5.33	0.63	0.018
KEMC1554	13.0	5.91	0.70	0.020
KEMC1560	14.3	6.50	0.78	0.022
KEMC2124	8.8	3.97	0.46	0.013
KEMC2130	10.5	4.76	0.57	0.016
KEMC2136	12.2	5.54	0.69	0.020
KEMC2142	13.9	6.32	0.80	0.023
KEMC2148	15.7	7.10	0.92	0.026
KEMC2154	17.4	7.89	1.03	0.029
KEMC2160	19.1	8.67	1.15	0.033
KEMC2424	9.4	4.25	0.50	0.014
KEMC2430	11.2	5.09	0.63	0.018
KEMC2436	13.1	5.93	0.75	0.021
KEMC2442	14.9	6.77	0.88	0.025
KEMC2448	16.8	7.61	1.00	0.029
KEMC2454	18.6	8.45	1.13	0.032
KEMC2460	20.5	9.29	1.25	0.036
KEMC3024	11.2	5.09	0.63	0.018
KEMC3030	13.5	6.10	0.78	0.022
KEMC3036	15.7	7.11	0.94	0.027
KEMC3042	17.9	8.12	1.09	0.031
KEMC3048	20.1	9.13	1.25	0.036
KEMC3054	22.4	10.14	1.41	0.040
KEMC3060	24.6	11.15	1.56	0.045
KEMC3624	13.4	6.07	0.77	0.022
KEMC3630	16.0	7.28	0.96	0.028
KEMC3636	18.7	8.49	1.16	0.033
KEMC3642	21.4	9.69	1.35	0.039
KEMC3648	24.0	10.90	1.54	0.044
KEMC3654	26.7	12.11	1.73	0.050
KEMC3660	29.4	13.32	1.93	0.055

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KEMC4524	17.8	8.09	0.94	0.027
KEMC4530	21.3	9.68	1.17	0.033
KEMC4536	24.9	11.27	1.41	0.040
KEMC4542	28.4	12.87	1.64	0.047
KEMC4548	31.9	14.46	1.88	0.054
KEMC4554	35.4	16.05	2.11	0.060
KEMC4560	38.9	17.65	2.34	0.067

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Metal Element – Floor-Flush (KEMF)</b>				
KEMFC2024	8.8	3.97	0.46	0.013
KEMFC2030	10.5	4.76	0.57	0.016
KEMFC2036	12.2	5.54	0.69	0.020
KEMFC2042	13.9	6.32	0.80	0.023
KEMFC2048	15.7	7.10	0.92	0.026
KEMFC2924	11.2	5.09	0.63	0.018
KEMFC2930	13.5	6.10	0.78	0.022
KEMFC2936	15.7	7.11	0.94	0.027
KEMFC2942	17.9	8.12	1.09	0.031
KEMFC2948	20.1	9.13	1.25	0.036
KEMFC3524	13.4	6.07	0.77	0.022
KEMFC3530	16.0	7.28	0.96	0.028
KEMFC3536	18.7	8.49	1.16	0.033
KEMFC3542	21.4	9.69	1.35	0.039
KEMFC3548	24.0	10.90	1.54	0.044
KEMFC4124	17.8	8.09	0.94	0.027
KEMFC4130	21.3	9.68	1.17	0.033
KEMFC4136	24.9	11.27	1.41	0.040
KEMFC4142	28.4	12.87	1.64	0.047
KEMFC4148	31.9	14.46	1.88	0.054
KEMFS2024	8.8	3.97	0.46	0.013
KEMFS2030	10.5	4.76	0.57	0.016
KEMFS2036	12.2	5.54	0.69	0.020
KEMFS2042	13.9	6.32	0.80	0.023
KEMFS2048	15.7	7.10	0.92	0.026
KEMFS2924	11.2	5.09	0.63	0.018
KEMFS2930	13.5	6.10	0.78	0.022
KEMFS2936	15.7	7.11	0.94	0.027
KEMFS2942	17.9	8.12	1.09	0.031
KEMFS2948	20.1	9.13	1.25	0.036
KEMFS3524	13.4	6.07	0.77	0.022
KEMFS3530	16.0	7.28	0.96	0.028
KEMFS3536	18.7	8.49	1.16	0.033
KEMFS3542	21.4	9.69	1.35	0.039
KEMFS3548	24.0	10.90	1.54	0.044
KEMFS4124	17.8	8.09	0.94	0.027
KEMFS4130	21.3	9.68	1.17	0.033
KEMFS4136	24.9	11.27	1.41	0.040
KEMFS4142	28.4	12.87	1.64	0.047
KEMFS4148	31.9	14.46	1.88	0.054

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Wood Element (KEWD)</b>				
KEWD0624	2.00	0.91	0.25	0.007
KEWD0630	2.40	1.09	0.31	0.009
KEWD0636	2.80	1.27	0.38	0.011
KEWD0642	3.20	1.45	0.44	0.012
KEWD0648	3.60	1.63	0.50	0.014
KEWD1524	4.56	2.07	0.63	0.018
KEWD1530	5.70	2.59	0.78	0.022
KEWD1536	6.85	3.11	0.94	0.027
KEWD1542	7.98	3.62	1.09	0.031
KEWD1548	9.18	4.16	1.25	0.035

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Wood Element – Corridor Width (KEWDC)</b>				
KEWDC1524	5.00	2.27	0.63	0.018
KEWDC1530	5.85	2.66	0.78	0.022
KEWDC1536	6.70	3.04	0.94	0.027
KEWDC1542	7.55	3.43	1.09	0.031
KEWDC1548	8.40	3.81	1.25	0.035
KEWDC1554	9.25	4.20	1.41	0.040
KEWDC1560	10.10	4.59	1.56	0.044

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Baseboard Element (KEB)</b>				
KEBMS624	0.25	0.10	0.10	0.003
KEBMS630	0.30	0.15	0.13	0.004
KEBMS636	0.35	0.20	0.15	0.004
KEBMS642	0.40	0.20	0.18	0.005
KEBMS648	0.50	0.25	0.21	0.006
<hr/>				
KEBMC624	0.25	0.10	0.10	0.003
KEBMC630	0.30	0.15	0.13	0.004
KEBMC636	0.35	0.20	0.15	0.004
KEBMC642	0.40	0.20	0.18	0.005
KEBMC648	0.50	0.25	0.21	0.006
<hr/>				
KEBFS624	0.25	0.10	0.10	0.003
KEBFS630	0.30	0.15	0.13	0.004
KEBFS636	0.35	0.20	0.15	0.004
KEBFS642	0.40	0.20	0.18	0.005
KEBFS648	0.50	0.25	0.21	0.006
<hr/>				
KEBFC624	0.25	0.10	0.10	0.003
KEBFC630	0.30	0.15	0.13	0.004
KEBFC636	0.35	0.20	0.15	0.004
KEBFC642	0.40	0.20	0.18	0.005
KEBFC648	0.50	0.25	0.21	0.006
<hr/>				
KEBWS624	2.00	0.95	2.50	0.071
KEBWS630	2.40	1.10	0.31	0.009
KEBWS636	2.80	1.30	0.38	0.011
KEBWS642	3.20	1.50	0.44	0.012
KEBWS648	3.60	1.65	0.50	0.014
<hr/>				
KEBWC624	2.00	0.95	2.50	0.071
KEBWC630	2.40	1.10	0.31	0.009
KEBWC636	2.80	1.30	0.38	0.011
KEBWC642	3.20	1.50	0.44	0.012
KEBWC648	3.60	1.65	0.50	0.014



# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Acoustic Power/Communication Element (KEC)</b>				
KEC1524	1.05	0.48	0.63	0.018
KEC1530	1.18	0.54	0.78	0.022
KEC1536	1.31	0.60	0.94	0.027
KEC1542	1.44	0.65	1.09	0.031
KEC1548	1.57	0.71	1.25	0.035
KEC1554	1.70	0.77	1.41	0.040
KEC1560	1.83	0.83	1.56	0.044
KEC3024	1.37	0.62	1.00	0.028
KEC3030	1.60	0.73	1.25	0.035
KEC3036	1.83	0.83	1.50	0.042
KEC3042	2.06	0.94	1.75	0.050
KEC3048	2.29	1.04	2.00	0.057
KEC3054	2.52	1.14	2.25	0.064
KEC3060	2.75	1.25	2.50	0.071

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Fabric Power/Communication Element (KEE)</b>				
KEE1524	1.05	0.48	0.63	0.018
KEE1530	1.18	0.54	0.78	0.022
KEE1536	1.31	0.60	0.94	0.027
KEE1542	1.44	0.65	1.09	0.031
KEE1548	1.57	0.71	1.25	0.035
KEE1554	1.70	0.77	1.41	0.040
KEE1560	1.83	0.83	1.56	0.044
KEE3024	1.37	0.62	1.00	0.028
KEE3030	1.60	0.73	1.25	0.035
KEE3036	1.83	0.83	1.50	0.042
KEE3042	2.06	0.94	1.75	0.050
KEE3048	2.29	1.04	2.00	0.057
KEE3054	2.52	1.14	2.25	0.064
KEE3060	2.75	1.25	2.50	0.071

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Metal Power/Communication Element (KEMD)</b>				
KEMD10924	4.88	2.16	0.19	0.005
KEMD10930	5.77	2.57	0.23	0.007
KEMD10936	6.66	2.98	0.28	0.008
KEMD10942	7.55	3.40	0.33	0.009
KEMD10948	8.44	3.81	0.38	0.011
KEMD10954	9.33	4.22	0.42	0.012
KEMD10960	10.22	4.64	0.47	0.013
KEMD11224	6.00	2.71	0.27	0.008
KEMD11230	7.11	3.24	0.34	0.010
KEMD11236	8.33	3.77	0.41	0.012
KEMD11242	9.55	4.30	0.47	0.014
KEMD11248	10.66	4.82	0.54	0.015
KEMD11254	11.88	5.35	0.61	0.017
KEMD11260	13.00	5.88	0.68	0.019
KEMD11524	6.66	2.99	0.31	0.009
KEMD11530	7.99	3.58	0.39	0.011
KEMD11536	9.22	4.16	0.47	0.013
KEMD11542	10.55	4.75	0.55	0.016
KEMD11548	11.88	5.33	0.63	0.018
KEMD11554	13.00	5.91	0.70	0.020
KEMD11560	14.33	6.50	0.78	0.022
KEMD12124	8.88	3.97	0.46	0.013
KEMD12130	10.55	4.76	0.57	0.016
KEMD12136	12.22	5.54	0.69	0.020
KEMD12142	13.99	6.32	0.80	0.023
KEMD12148	15.77	7.10	0.92	0.026
KEMD12154	17.44	7.89	1.03	0.029
KEMD12160	19.11	8.67	1.15	0.033
KEMD12424	9.44	4.25	0.50	0.014
KEMD12430	11.22	5.09	0.63	0.018
KEMD12436	13.11	5.93	0.75	0.021
KEMD12442	14.99	6.77	0.88	0.025
KEMD12448	16.88	7.61	1.00	0.029
KEMD12454	18.66	8.45	1.13	0.032
KEMD12460	20.55	9.29	1.25	0.036
KEMD13024	11.22	5.09	0.63	0.018
KEMD13030	13.55	6.10	0.78	0.022
KEMD13036	15.77	7.11	0.94	0.027
KEMD13042	17.99	8.12	1.09	0.031
KEMD13048	20.11	9.13	1.25	0.036
KEMD13054	22.44	10.14	1.41	0.040
KEMD13060	24.66	11.15	1.56	0.045
KEMD13624	13.44	6.07	0.77	0.022
KEMD13630	16.00	7.28	0.96	0.028
KEMD13636	18.77	8.49	1.16	0.033
KEMD13642	21.44	9.69	1.35	0.039
KEMD13648	24.00	10.90	1.54	0.044
KEMD13654	26.77	12.11	1.73	0.050
KEMD13660	29.44	13.32	1.93	0.055
KEMD20924	4.88	2.16	0.19	0.005
KEMD20930	5.77	2.57	0.23	0.007
KEMD20936	6.66	2.98	0.28	0.008
KEMD20942	7.55	3.40	0.33	0.009
KEMD20948	8.44	3.81	0.38	0.011
KEMD20954	9.33	4.22	0.42	0.012
KEMD20960	10.22	4.64	0.47	0.013

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KEMD21224	6.00	2.71	0.27	0.008
KEMD21230	7.11	3.24	0.34	0.010
KEMD21236	8.33	3.77	0.41	0.012
KEMD21242	9.55	4.30	0.47	0.014
KEMD21248	10.66	4.82	0.54	0.015
KEMD21254	11.88	5.35	0.61	0.017
KEMD21260	13.00	5.88	0.68	0.019
KEMD21524	6.66	2.99	0.31	0.009
KEMD21530	7.99	3.58	0.39	0.011
KEMD21536	9.22	4.16	0.47	0.013
KEMD21542	10.55	4.75	0.55	0.016
KEMD21548	11.88	5.33	0.63	0.018
KEMD21554	13.00	5.91	0.70	0.020
KEMD21560	14.33	6.50	0.78	0.022
KEMD22124	8.88	3.97	0.46	0.013
KEMD22130	10.55	4.76	0.57	0.016
KEMD22136	12.22	5.54	0.69	0.020
KEMD22142	13.99	6.32	0.80	0.023
KEMD22148	15.77	7.10	0.92	0.026
KEMD22154	17.44	7.89	1.03	0.029
KEMD22160	19.11	8.67	1.15	0.033
KEMD22424	9.44	4.25	0.50	0.014
KEMD22430	11.22	5.09	0.63	0.018
KEMD22436	13.11	5.93	0.75	0.021
KEMD22442	14.99	6.77	0.88	0.025
KEMD22448	16.88	7.61	1.00	0.029
KEMD22454	18.66	8.45	1.13	0.032
KEMD22460	20.55	9.29	1.25	0.036
KEMD23024	11.22	5.09	0.63	0.018
KEMD23030	13.55	6.10	0.78	0.022
KEMD23036	15.77	7.11	0.94	0.027
KEMD23042	17.99	8.12	1.09	0.031
KEMD23048	20.11	9.13	1.25	0.036
KEMD23054	22.44	10.14	1.41	0.040
KEMD23060	24.66	11.15	1.56	0.045
KEMD23624	13.44	6.07	0.77	0.022
KEMD23630	16.00	7.28	0.96	0.028
KEMD23636	18.77	8.49	1.16	0.033
KEMD23642	21.44	9.69	1.35	0.039
KEMD23648	24.00	10.90	1.54	0.044
KEMD23654	26.77	12.11	1.73	0.050
KEMD23660	29.44	13.32	1.93	0.055
KEMD30924	4.88	2.16	0.19	0.005
KEMD30930	5.77	2.57	0.23	0.007
KEMD30936	6.66	2.98	0.28	0.008
KEMD30942	7.55	3.40	0.33	0.009
KEMD30948	8.44	3.81	0.38	0.011
KEMD30954	9.33	4.22	0.42	0.012
KEMD30960	10.22	4.64	0.47	0.013
KEMD31224	6.00	2.71	0.27	0.008
KEMD31230	7.11	3.24	0.34	0.010
KEMD31236	8.33	3.77	0.41	0.012
KEMD31242	9.55	4.30	0.47	0.014
KEMD31248	10.66	4.82	0.54	0.015
KEMD31254	11.88	5.35	0.61	0.017
KEMD31260	13.00	5.88	0.68	0.019
KEMD31524	6.66	2.99	0.31	0.009

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KEMD31530	7.99	3.58	0.39	0.011
KEMD31536	9.22	4.16	0.47	0.013
KEMD31542	10.55	4.75	0.55	0.016
KEMD31548	11.88	5.33	0.63	0.018
KEMD31554	13.00	5.91	0.70	0.020
KEMD31560	14.33	6.50	0.78	0.022
KEMD32124	8.88	3.97	0.46	0.013
KEMD32130	10.55	4.76	0.57	0.016
KEMD32136	12.22	5.54	0.69	0.020
KEMD32142	13.99	6.32	0.80	0.023
KEMD32148	15.77	7.10	0.92	0.026
KEMD32154	17.44	7.89	1.03	0.029
KEMD32160	19.11	8.67	1.15	0.033
KEMD32424	9.44	4.25	0.50	0.014
KEMD32430	11.22	5.09	0.63	0.018
KEMD32436	13.11	5.93	0.75	0.021
KEMD32442	14.99	6.77	0.88	0.025
KEMD32448	16.88	7.61	1.00	0.029
KEMD32454	18.66	8.45	1.13	0.032
KEMD32460	20.55	9.29	1.25	0.036
KEMD33024	11.22	5.09	0.63	0.018
KEMD33030	13.55	6.10	0.78	0.022
KEMD33036	15.77	7.11	0.94	0.027
KEMD33042	17.99	8.12	1.09	0.031
KEMD33048	20.11	9.13	1.25	0.036
KEMD33054	22.44	10.14	1.41	0.040
KEMD33060	24.66	11.15	1.56	0.045
KEMD33624	13.44	6.07	0.77	0.022
KEMD33630	16.00	7.28	0.96	0.028
KEMD33636	18.77	8.49	1.16	0.033
KEMD33642	21.44	9.69	1.35	0.039
KEMD33648	24.00	10.90	1.54	0.044
KEMD33654	26.77	12.11	1.73	0.050
KEMD33660	29.44	13.32	1.93	0.055

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Wood Power/Communication Element (KEED)</b>				
KEED1524	1.05	0.48	0.625	0.018
KEED1530	1.18	0.54	0.781	0.022
KEED1536	1.31	0.60	0.938	0.027
KEED1542	1.44	0.65	1.094	0.031
KEED1548	1.57	0.71	1.250	0.035

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>International Power/Communication Element (VKEC)</b>				
VKEC1524	1.05	0.48	0.63	0.018
VKEC1530	1.18	0.54	0.78	0.022
VKEC1536	1.31	0.60	0.94	0.027
VKEC1542	1.44	0.65	1.09	0.031
VKEC1548	1.57	0.71	1.25	0.035
VKEC1554	1.70	0.77	1.41	0.040
VKEC1560	1.83	0.83	1.56	0.044
VKEC3024	1.37	0.62	1.00	0.028
VKEC3030	1.60	0.73	1.25	0.035
VKEC3036	1.83	0.83	1.50	0.042
VKEC3042	2.06	0.94	1.75	0.050
VKEC3048	2.29	1.04	2.00	0.057
VKEC3054	2.52	1.14	2.25	0.064
VKEC3060	2.75	1.25	2.50	0.071

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Accessory Element (KEL)</b>				
KEL1524	6.50	2.95	0.63	0.018
KEL1530	7.50	3.41	0.78	0.022
KEL1536	8.50	3.86	0.94	0.027
KEL1542	9.50	4.31	1.09	0.031
KEL1548	10.50	4.77	1.25	0.035
KEL1554	11.50	5.22	1.41	0.040
KEL1560	12.50	5.68	1.56	0.044

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Whiteboard Element (KEWN)</b>				
KEWN1524	3.50	1.59	0.63	0.018
KEWN1530	4.10	1.86	0.78	0.022
KEWN1536	4.69	2.13	0.94	0.027
KEWN1542	5.29	2.40	1.09	0.031
KEWN1548	5.88	2.67	1.25	0.035
KEWN1554	6.48	2.94	1.41	0.040
KEWN1560	7.07	3.21	1.56	0.044



# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Glass Element (KET)</b>				
KET_1524	7.30	3.31	0.63	0.018
KET_1530	8.80	4.00	0.78	0.022
KET_1536	10.40	4.72	0.94	0.027
KET_1542	12.00	5.45	1.09	0.031
KET_1548	13.50	6.13	1.25	0.035
KET_1554	15.10	6.86	1.41	0.040
KET_1560	16.70	7.58	1.56	0.044
KET_2424	10.20	4.63	1.00	0.028
KET_2430	12.60	5.72	1.25	0.035
KET_2436	14.90	6.77	1.50	0.042
KET_2442	17.30	7.85	1.75	0.050
KET_2448	19.60	8.90	2.00	0.057
KET_2454	21.90	9.94	2.25	0.064
KET_2460	24.30	11.03	2.50	0.071
KET_3024	13.20	5.99	1.25	0.035
KET_3030	15.60	7.08	1.56	0.044
KET_3036	17.90	8.13	1.88	0.053
KET_3042	20.30	9.22	2.19	0.062
KET_3048	22.60	10.26	2.50	0.071
KET_3054	24.90	11.31	2.81	0.080
KET_3060	27.30	12.39	3.13	0.088

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Glass Element – Corridor Width (KETCW)</b>				
KETCW1524	7.30	3.31	0.63	0.018
KETCW1530	8.80	4.00	0.78	0.022
KETCW1536	10.40	4.72	0.94	0.027
KETCW1542	12.00	5.45	1.09	0.031
KETCW1548	13.50	6.13	1.25	0.035
KETCW1554	15.10	6.86	1.41	0.040
KETCW1560	16.70	7.58	1.56	0.044
<hr/>				
KETCW2424	10.20	4.63	1.00	0.028
KETCW2430	12.60	5.72	1.25	0.035
KETCW2436	14.90	6.77	1.50	0.042
KETCW2442	17.30	7.85	1.75	0.050
KETCW2448	19.60	8.90	2.00	0.057
KETCW2454	21.90	9.94	2.25	0.064
KETCW2460	24.30	11.03	2.50	0.071
<hr/>				
KETCW3024	13.20	5.99	1.25	0.035
KETCW3030	15.60	7.08	1.56	0.044
KETCW3036	17.90	8.13	1.88	0.053
KETCW3042	20.30	9.22	2.19	0.062
KETCW3048	22.60	10.26	2.50	0.071
KETCW3054	24.90	11.31	2.81	0.080
KETCW3060	27.30	12.39	3.13	0.088

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Double Glass Element (KETD)</b>				
KETDS51524	10.25	4.65	0.63	0.018
KETDS51530	12.35	5.60	0.78	0.022
KETDS51536	14.60	6.65	0.94	0.027
KETDS51542	16.80	7.65	1.08	0.031
KETDS51548	18.90	8.60	1.25	0.035
KETDS51554	21.15	9.60	1.41	0.040
KETDS51560	23.40	10.65	1.54	0.043
KETDS52424	14.30	6.50	1.00	0.028
KETDS52430	19.05	8.65	1.25	0.035
KETDS52436	20.90	9.50	1.50	0.042
KETDS52442	24.25	11.00	1.75	0.050
KETDS52448	27.45	12.45	2.00	0.057
KETDS52454	30.70	13.95	2.25	0.064
KETDS52460	34.05	15.45	2.50	0.071
KETDS53024	18.50	8.40	1.25	0.035
KETDS53030	21.85	9.95	1.56	0.044
KETDS53036	25.10	11.40	1.88	0.053
KETDS53042	28.45	12.90	2.19	0.062
KETDS53048	31.65	14.40	2.50	0.071
KETDS53054	34.90	15.85	2.81	0.080
KETDS53060	38.25	17.35	3.13	0.088
KETDW51524	10.25	4.65	0.63	0.018
KETDW51530	12.35	5.60	0.78	0.022
KETDW51536	14.60	6.65	0.94	0.027
KETDW51542	16.80	7.65	1.08	0.031
KETDW51548	18.90	8.60	1.25	0.035
KETDW51554	21.15	9.60	1.41	0.040
KETDW51560	23.40	10.65	1.54	0.043
KETDW52424	14.30	6.50	1.00	0.028
KETDW52430	19.05	8.65	1.25	0.035
KETDW52436	20.90	9.50	1.50	0.042
KETDW52442	24.25	11.00	1.75	0.050
KETDW52448	27.45	12.45	2.00	0.057
KETDW52454	30.70	13.95	2.25	0.064
KETDW52460	34.05	15.45	2.50	0.071
KETDW53024	18.50	8.40	1.25	0.035
KETDW53030	21.85	9.95	1.56	0.044
KETDW53036	25.10	11.40	1.88	0.053
KETDW53042	28.45	12.90	2.19	0.062
KETDW53048	31.65	14.40	2.50	0.071
KETDW53054	34.90	15.85	2.81	0.080
KETDW53060	38.25	17.35	3.13	0.088

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KETDS61524	10.25	4.65	0.63	0.018
KETDS61530	12.35	5.60	0.78	0.022
KETDS61536	14.60	6.65	0.94	0.027
KETDS61542	16.80	7.65	1.08	0.031
KETDS61548	18.90	8.60	1.25	0.035
KETDS61554	21.15	9.60	1.41	0.040
KETDS61560	23.40	10.65	1.54	0.043
KETDS62424	14.30	6.50	1.00	0.028
KETDS62430	19.05	8.65	1.25	0.035
KETDS62436	20.90	9.50	1.50	0.042
KETDS62442	24.25	11.00	1.75	0.050
KETDS62448	27.45	12.45	2.00	0.057
KETDS62454	30.70	13.95	2.25	0.064
KETDS62460	34.05	15.45	2.50	0.071
KETDS63024	18.50	8.40	1.25	0.035
KETDS63030	21.85	9.95	1.56	0.044
KETDS63036	25.10	11.40	1.88	0.053
KETDS63042	28.45	12.90	2.19	0.062
KETDS63048	31.65	14.40	2.50	0.071
KETDS63054	34.90	15.85	2.81	0.080
KETDS63060	38.25	17.35	3.13	0.088
KETDW61524	10.25	4.65	0.63	0.018
KETDW61530	12.35	5.60	0.78	0.022
KETDW61536	14.60	6.65	0.94	0.027
KETDW61542	16.80	7.65	1.08	0.031
KETDW61548	18.90	8.60	1.25	0.035
KETDW61554	21.15	9.60	1.41	0.040
KETDW61560	23.40	10.65	1.54	0.043
KETDW62424	14.30	6.50	1.00	0.028
KETDW62430	19.05	8.65	1.25	0.035
KETDW62436	20.90	9.50	1.50	0.042
KETDW62442	24.25	11.00	1.75	0.050
KETDW62448	27.45	12.45	2.00	0.057
KETDW62454	30.70	13.95	2.25	0.064
KETDW62460	34.05	15.45	2.50	0.071
KETDW63024	18.50	8.40	1.25	0.035
KETDW63030	21.85	9.95	1.56	0.044
KETDW63036	25.10	11.40	1.88	0.053
KETDW63042	28.45	12.90	2.19	0.062
KETDW63048	31.65	14.40	2.50	0.071
KETDW63054	34.90	15.85	2.81	0.080
KETDW63060	38.25	17.35	3.13	0.088

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Double Glass Element – Corridor Width (KETDCW)</b>				
KETDCW1524	7.30	3.31	0.63	0.018
KETDCW1530	8.80	4.00	0.78	0.022
KETDCW1536	10.40	4.72	0.94	0.027
KETDCW1542	12.00	5.45	1.09	0.031
KETDCW1548	13.50	6.13	1.25	0.035
KETDCW1554	15.10	6.86	1.41	0.040
KETDCW1560	16.70	7.58	1.56	0.044
<hr/>				
KETDCW2424	10.20	4.63	1.00	0.028
KETDCW2430	12.60	5.72	1.25	0.035
KETDCW2436	14.90	6.77	1.50	0.042
KETDCW2442	17.30	7.85	1.75	0.050
KETDCW2448	19.60	8.90	2.00	0.057
KETDCW2454	21.90	9.94	2.25	0.064
KETDCW2460	24.30	11.03	2.50	0.071
<hr/>				
KETDCW3024	13.20	5.99	1.25	0.035
KETDCW3030	15.60	7.08	1.56	0.044
KETDCW3036	17.90	8.13	1.88	0.053
KETDCW3042	20.30	9.22	2.19	0.062
KETDCW3048	22.60	10.26	2.50	0.071
KETDCW3054	24.90	11.31	2.81	0.080
KETDCW3060	27.30	12.39	3.13	0.088

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Architectural Glass Elements (KEG)</b>				
KEG_1524	7.30	3.31	0.63	0.018
KEG_1530	8.80	4.00	0.78	0.022
KEG_1536	10.40	4.72	0.94	0.027
KEG_1542	12.00	5.45	1.09	0.031
KEG_1548	13.50	6.13	1.25	0.035
KEG_1554	15.10	6.86	1.41	0.040
KEG_1560	16.70	7.58	1.56	0.044
<hr/>				
KEG_2424	10.20	4.63	1.00	0.028
KEG_2430	12.60	5.72	1.25	0.035
KEG_2436	14.90	6.77	1.50	0.042
KEG_2442	17.30	7.85	1.75	0.050
KEG_2448	19.60	8.90	2.00	0.057
KEG_2454	21.90	9.94	2.25	0.064
KEG_2460	24.30	11.03	2.50	0.071
<hr/>				
KEG_3024	13.20	5.99	1.25	0.035
KEG_3030	15.60	7.08	1.56	0.044
KEG_3036	17.90	8.13	1.88	0.053
KEG_3042	20.30	9.22	2.19	0.062
KEG_3048	22.60	10.26	2.50	0.071
KEG_3054	24.90	11.31	2.81	0.080
KEG_3060	27.30	12.39	3.13	0.088

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Architectural Glass Elements – Corridor Width (KEGCW)</b>				
KEGCW1524	7.30	3.31	0.63	0.018
KEGCW1530	8.80	4.00	0.78	0.022
KEGCW1536	10.40	4.72	0.94	0.027
KEGCW1542	12.00	5.45	1.09	0.031
KEGCW1548	13.50	6.13	1.25	0.035
KEGCW1554	15.10	6.86	1.41	0.040
KEGCW1560	16.70	7.58	1.56	0.044
KEGCW2424	10.20	4.63	1.00	0.028
KEGCW2430	12.60	5.72	1.25	0.035
KEGCW2436	14.90	6.77	1.50	0.042
KEGCW2442	17.30	7.85	1.75	0.050
KEGCW2448	19.60	8.90	2.00	0.057
KEGCW2454	21.90	9.94	2.25	0.064
KEGCW2460	24.30	11.03	2.50	0.071
KEGCW3024	13.20	5.99	1.25	0.035
KEGCW3030	15.60	7.08	1.56	0.044
KEGCW3036	17.90	8.13	1.88	0.053
KEGCW3042	20.30	9.22	2.19	0.062
KEGCW3048	22.60	10.26	2.50	0.071
KEGCW3054	24.90	11.31	2.81	0.080
KEGCW3060	27.30	12.39	3.13	0.088

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Double Architectural Glass Elements (KEGD)</b>				
KEGDS51524	10.25	4.65	0.63	0.018
KEGDS51530	12.35	5.60	0.78	0.022
KEGDS51536	14.60	6.65	0.94	0.027
KEGDS51542	16.80	7.65	1.08	0.031
KEGDS51548	18.90	8.60	1.25	0.035
KEGDS51554	21.15	9.60	1.41	0.040
KEGDS51560	23.40	10.65	1.54	0.043
KEGDS52424	14.30	6.50	1.00	0.028
KEGDS52430	19.05	8.65	1.25	0.035
KEGDS52436	20.90	9.50	1.50	0.042
KEGDS52442	24.25	11.00	1.75	0.050
KEGDS52448	27.45	12.45	2.00	0.057
KEGDS52454	30.70	13.95	2.25	0.064
KEGDS52460	34.05	15.45	2.50	0.071
KEGDS53024	18.50	8.40	1.25	0.035
KEGDS53030	21.85	9.95	1.56	0.044
KEGDS53036	25.10	11.40	1.88	0.053
KEGDS53042	28.45	12.90	2.19	0.062
KEGDS53048	31.65	14.40	2.50	0.071
KEGDS53054	34.90	15.85	2.81	0.080
KEGDS53060	38.25	17.35	3.13	0.088
KEGDW51524	10.25	4.65	0.63	0.018
KEGDW51530	12.35	5.60	0.78	0.022
KEGDW51536	14.60	6.65	0.94	0.027
KEGDW51542	16.80	7.65	1.08	0.031
KEGDW51548	18.90	8.60	1.25	0.035
KEGDW51554	21.15	9.60	1.41	0.040
KEGDW51560	23.40	10.65	1.54	0.043
KEGDW52424	14.30	6.50	1.00	0.028
KEGDW52430	19.05	8.65	1.25	0.035
KEGDW52436	20.90	9.50	1.50	0.042
KEGDW52442	24.25	11.00	1.75	0.050
KEGDW52448	27.45	12.45	2.00	0.057
KEGDW52454	30.70	13.95	2.25	0.064
KEGDW52460	34.05	15.45	2.50	0.071
KEGDW53024	18.50	8.40	1.25	0.035
KEGDW53030	21.85	9.95	1.56	0.044
KEGDW53036	25.10	11.40	1.88	0.053
KEGDW53042	28.45	12.90	2.19	0.062
KEGDW53048	31.65	14.40	2.50	0.071
KEGDW53054	34.90	15.85	2.81	0.080
KEGDW53060	38.25	17.35	3.13	0.088

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3.00</sup>	M <sup>3</sup>
KEGDS61524	10.25	4.65	0.63	0.018
KEGDS61530	12.35	5.60	0.78	0.022
KEGDS61536	14.60	6.65	0.94	0.027
KEGDS61542	16.80	7.65	1.08	0.031
KEGDS61548	18.90	8.60	1.25	0.035
KEGDS61554	21.15	9.60	1.41	0.040
KEGDS61560	23.40	10.65	1.54	0.043
KEGDS62424	14.30	6.50	1.00	0.028
KEGDS62430	19.05	8.65	1.25	0.035
KEGDS62436	20.90	9.50	1.50	0.042
KEGDS62442	24.25	11.00	1.75	0.050
KEGDS62448	27.45	12.45	2.00	0.057
KEGDS62454	30.70	13.95	2.25	0.064
KEGDS62460	34.05	15.45	2.50	0.071
KEGDS63024	18.50	8.40	1.25	0.035
KEGDS63030	21.85	9.95	1.56	0.044
KEGDS63036	25.10	11.40	1.88	0.053
KEGDS63042	28.45	12.90	2.19	0.062
KEGDS63048	31.65	14.40	2.50	0.071
KEGDS63054	34.90	15.85	2.81	0.080
KEGDS63060	38.25	17.35	3.13	0.088
KEGDW61524	10.25	4.65	0.63	0.018
KEGDW61530	12.35	5.60	0.78	0.022
KEGDW61536	14.60	6.65	0.94	0.027
KEGDW61542	16.80	7.65	1.08	0.031
KEGDW61548	18.90	8.60	1.25	0.035
KEGDW61554	21.15	9.60	1.41	0.040
KEGDW61560	23.40	10.65	1.54	0.043
KEGDW62424	14.30	6.50	1.00	0.028
KEGDW62430	19.05	8.65	1.25	0.035
KEGDW62436	20.90	9.50	1.50	0.042
KEGDW62442	24.25	11.00	1.75	0.050
KEGDW62448	27.45	12.45	2.00	0.057
KEGDW62454	30.70	13.95	2.25	0.064
KEGDW62460	34.05	15.45	2.50	0.071
KEGDW63024	18.50	8.40	1.25	0.035
KEGDW63030	21.85	9.95	1.56	0.044
KEGDW63036	25.10	11.40	1.88	0.053
KEGDW63042	28.45	12.90	2.19	0.062
KEGDW63048	31.65	14.40	2.50	0.071
KEGDW63054	34.90	15.85	2.81	0.080
KEGDW63060	38.25	17.35	3.13	0.088

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Double Architectural Glass Elements – Corridor Width (KEGDCW)</b>				
KEGDCW1524	7.30	3.31	0.63	0.018
KEGDCW1530	8.80	4.00	0.78	0.022
KEGDCW1536	10.40	4.72	0.94	0.027
KEGDCW1542	12.00	5.45	1.09	0.031
KEGDCW1548	13.50	6.13	1.25	0.035
KEGDCW1554	15.10	6.86	1.41	0.040
KEGDCW1560	16.70	7.58	1.56	0.044
<hr/>				
KEGDCW2424	10.20	4.63	1.00	0.028
KEGDCW2430	12.60	5.72	1.25	0.035
KEGDCW2436	14.90	6.77	1.50	0.042
KEGDCW2442	17.30	7.85	1.75	0.050
KEGDCW2448	19.60	8.90	2.00	0.057
KEGDCW2454	21.90	9.94	2.25	0.064
KEGDCW2460	24.30	11.03	2.50	0.071
<hr/>				
KEGDCW3024	13.20	5.99	1.25	0.035
KEGDCW3030	15.60	7.08	1.56	0.044
KEGDCW3036	17.90	8.13	1.88	0.053
KEGDCW3042	20.30	9.22	2.19	0.062
KEGDCW3048	22.60	10.26	2.50	0.071
KEGDCW3054	24.90	11.31	2.81	0.080
KEGDCW3060	27.30	12.39	3.13	0.088



# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Architectural Elements (KER)</b>				
KER_0624	0.22	0.10	0.25	0.007
KER_0630	0.28	0.13	0.31	0.009
KER_0636	0.34	0.15	0.38	0.011
KER_0642	0.40	0.18	0.44	0.012
KER_0648	0.46	0.21	0.50	0.014
KER_0654	0.52	0.24	0.56	0.016
KER_0660	0.58	0.26	0.63	0.018
<hr/>				
KER_1524	0.55	0.25	0.63	0.018
KER_1530	0.68	0.31	0.78	0.022
KER_1536	0.81	0.37	0.94	0.027
KER_1542	0.94	0.43	1.09	0.031
KER_1548	1.07	0.49	1.25	0.035
KER_1554	1.20	0.55	1.41	0.040
KER_1560	1.33	0.60	1.56	0.044
<hr/>				
KER_2424	0.87	0.40	1.00	0.028
KER_2430	1.10	0.50	1.25	0.035
KER_2436	1.33	0.60	1.50	0.042
KER_2442	1.56	0.71	1.75	0.050
KER_2448	1.79	0.81	2.00	0.057
KER_2454	2.02	0.92	2.25	0.064
KER_2460	2.25	1.02	2.50	0.071
<hr/>				
KER_3024	1.09	0.50	1.25	0.035
KER_3030	1.39	0.63	1.56	0.044
KER_3036	1.69	0.77	1.88	0.053
KER_3042	1.99	0.90	2.19	0.062
KER_3048	2.29	1.04	2.50	0.071
KER_3054	2.59	1.18	2.81	0.080
KER_3060	2.89	1.31	3.13	0.088

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Architectural Elements – Corridor Width (KERC)</b>				
KERC0624	0.22	0.10	0.25	0.007
KERC0630	0.28	0.13	0.31	0.009
KERC0636	0.34	0.15	0.38	0.011
KERC0642	0.40	0.18	0.44	0.012
KERC0648	0.46	0.21	0.50	0.014
KERC0654	0.52	0.24	0.56	0.016
KERC0660	0.58	0.26	0.63	0.018
<hr/>				
KERC1524	0.55	0.25	0.63	0.018
KERC1530	0.68	0.31	0.78	0.022
KERC1536	0.81	0.37	0.94	0.027
KERC1542	0.94	0.43	1.09	0.031
KERC1548	1.07	0.49	1.25	0.035
KERC1554	1.20	0.55	1.41	0.040
KERC1560	1.33	0.60	1.56	0.044
<hr/>				
KERC2424	0.87	0.40	1.00	0.028
KERC2430	1.10	0.50	1.25	0.035
KERC2436	1.33	0.60	1.50	0.042
KERC2442	1.56	0.71	1.75	0.050
KERC2448	1.79	0.81	2.00	0.057
KERC2454	2.02	0.92	2.25	0.064
KERC2460	2.25	1.02	2.50	0.071
<hr/>				
KERC3024	1.09	0.50	1.25	0.035
KERC3030	1.39	0.63	1.56	0.044
KERC3036	1.69	0.77	1.88	0.053
KERC3042	1.99	0.90	2.19	0.062
KERC3048	2.29	1.04	2.50	0.071
KERC3054	2.59	1.18	2.81	0.080
KERC3060	2.89	1.31	3.13	0.088

# leverage weights & volumes

## Elements

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Architectural Elements – Floor-Flush (KERF)</b>				
KERFS_3624	1.35	0.60	1.50	0.042
KERFS_3630	1.70	0.80	1.88	0.053
KERFS_3636	2.05	0.95	2.25	0.064
KERFS_3642	2.40	1.10	2.63	0.074
KERFS_3648	2.75	1.25	3.00	0.085
KERFC_3624	1.35	0.60	1.50	0.042
KERFC_3630	1.70	0.80	1.88	0.053
KERFC_3636	2.05	0.95	2.25	0.064
KERFC_3642	2.40	1.10	2.63	0.074
KERFC_3648	2.75	1.25	3.00	0.085
KERFS_4224	1.60	0.75	1.80	0.051
KERFS_4230	2.00	0.95	2.26	0.064
KERFS_4236	2.45	1.10	2.73	0.077
KERFS_4242	2.85	1.30	3.36	0.095
KERFS_4248	3.30	1.50	3.83	0.108
KERFC_4224	1.60	0.75	1.80	0.051
KERFC_4230	2.00	0.95	2.26	0.064
KERFC_4236	2.45	1.10	2.73	0.077
KERFC_4242	2.85	1.30	3.36	0.095
KERFC_4248	3.30	1.50	3.83	0.108



## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Rectangular Worksurface (KWS)</b>				
KWS2424	18.43	8.37	0.50	0.014
KWS2430	23.04	10.46	0.63	0.018
KWS2436	39.17	17.78	1.06	0.030
KWS2442	45.70	20.75	1.24	0.035
KWS2448	36.86	16.74	1.00	0.028
KWS2454	40.50	18.37	1.13	0.020
KWS2460	46.08	20.92	1.25	0.035
KWS2472	55.30	25.10	1.50	0.042
KWS3024	23.04	10.46	0.63	0.018
KWS3030	28.80	13.08	0.78	0.022
KWS3036	39.17	17.78	1.06	0.030
KWS3042	45.70	20.75	1.24	0.035
KWS3048	46.08	20.92	1.25	0.035
KWS2454	50.63	22.96	1.37	0.030
KWS3060	57.60	26.15	1.56	0.044
KWS3072	69.12	31.38	1.88	0.053

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>EDP Worksurface (KWD)</b>				
KWD1193024	21.60	9.81	0.67	0.019
KWD1193624	21.89	9.94	0.59	0.017
KWD1194224	25.54	11.59	0.69	0.019
KWD1194824	29.18	13.25	0.79	0.022
KWD1195424	33.00	14.97	0.84	0.020
KWD1196024	36.48	16.56	0.99	0.028
KWD1196624	40.13	18.20	1.09	0.031
KWD1197224	43.78	19.87	1.19	0.033
KWD1243030	27.00	12.26	0.83	0.023
KWD1243630	27.65	12.55	0.75	0.021
KWD1244230	32.26	14.64	0.88	0.025
KWD1244830	36.84	16.71	1.00	0.028
KWD1245430	41.45	18.80	1.13	0.032
KWD1246030	46.06	20.89	1.25	0.035
KWD1246630	50.67	22.98	1.36	0.038
KWD1247230	55.20	25.04	1.50	0.042
KWD2193024	21.60	9.81	0.67	0.019
KWD2193624	21.89	9.94	0.59	0.017
KWD2194224	25.54	11.59	0.69	0.019
KWD2194824	29.18	13.25	0.79	0.022
KWD2195424	33.00	14.97	0.84	0.020
KWD2196024	36.48	16.56	0.99	0.028
KWD2196624	40.13	18.20	1.09	0.031
KWD2197224	43.78	19.87	1.19	0.033
KWD2243030	27.00	12.26	0.83	0.023
KWD2243630	27.65	12.55	0.75	0.021
KWD2244230	32.26	14.64	0.88	0.025
KWD2244830	36.86	16.74	1.00	0.028
KWD2245430	43.00	19.50	1.05	0.030
KWD2246030	46.08	20.92	1.25	0.035
KWD2246630	50.69	22.99	1.38	0.039
KWD2247230	55.30	25.10	1.50	0.042

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Transition Worksurface (KWST)</b>				
KWST244830	36.86	16.74	1.00	0.028
KWST245430	43.00	19.50	1.05	0.030
KWST246030	46.08	20.92	1.25	0.035
KWST247230	55.30	25.10	1.50	0.042

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Concave Worksurface (KWCC)</b>				
KWCC242430	17.50	7.95	0.42	0.012
KWCC243030	21.88	9.93	0.52	0.015
KWCC243630	26.25	11.92	0.63	0.018
KWCC244230	30.63	13.90	0.73	0.021
KWCC244830	35.00	15.89	0.83	0.024
KWCC245430	39.38	17.88	0.94	0.027
KWCC246030	43.75	19.86	1.04	0.029
KWCC246630	48.13	21.85	1.15	0.032
KWCC247230	52.50	23.84	1.25	0.035
KWCC302424	17.50	7.95	0.42	0.012
KWCC303024	21.88	9.93	0.52	0.015
KWCC303624	26.25	11.92	0.63	0.018
KWCC304224	30.63	13.90	0.73	0.021
KWCC304824	35.00	15.89	0.83	0.024
KWCC305424	39.38	17.88	0.94	0.027
KWCC306024	43.75	19.86	1.04	0.029
KWCC306624	48.13	21.85	1.15	0.032
KWCC307224	52.50	23.84	1.25	0.035



## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Concave Bridge Worksurface (KWBCC)</b>				
KWBCC242430	17.50	7.95	0.42	0.012
KWBCC243030	21.88	9.93	0.52	0.015
KWBCC243630	26.25	11.92	0.63	0.018
KWBCC244230	30.63	13.90	0.73	0.021
KWBCC244830	35.00	15.89	0.83	0.024
KWBCC245430	39.38	17.88	0.94	0.027
<hr/>				
KWBCC302424	17.50	7.95	0.42	0.012
KWBCC303024	21.88	9.93	0.52	0.015
KWBCC303624	26.25	11.92	0.63	0.018
KWBCC304224	30.63	13.90	0.73	0.021
KWBCC304824	35.00	15.89	0.83	0.024
KWBCC305424	39.38	17.88	0.94	0.027

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Convex Worksurface (KWCV)</b>				
KWCV242424	14.00	6.36	0.33	0.009
KWCV243024	17.50	7.95	0.42	0.012
KWCV243624	21.00	9.53	0.50	0.014
KWCV244224	24.50	11.12	0.58	0.017
KWCV244824	28.00	12.71	0.67	0.019
KWCV245424	31.50	14.30	0.75	0.021
KWCV246024	35.00	15.89	0.83	0.024
KWCV246624	38.50	17.48	0.92	0.026
KWCV247224	42.00	19.07	1.00	0.028
KWCV242430	17.50	7.95	0.42	0.012
KWCV243030	21.88	9.93	0.52	0.015
KWCV243630	26.25	11.92	0.63	0.018
KWCV244230	30.63	13.90	0.73	0.021
KWCV244830	35.00	15.89	0.83	0.024
KWCV245430	39.38	17.88	0.94	0.027
KWCV246030	43.75	19.86	1.04	0.029
KWCV246630	48.13	21.85	1.15	0.032
KWCV247230	52.50	23.84	1.25	0.035
KWCV302424	17.50	7.95	0.42	0.012
KWCV303024	21.88	9.93	0.52	0.015
KWCV303624	26.25	11.92	0.63	0.018
KWCV304224	30.63	13.90	0.73	0.021
KWCV304824	35.00	15.89	0.83	0.024
KWCV305424	39.38	17.88	0.94	0.027
KWCV306024	43.75	19.86	1.04	0.029
KWCV306624	48.13	21.85	1.15	0.032
KWCV307224	52.50	23.84	1.25	0.035
KWCV302430	17.50	7.95	0.42	0.012
KWCV303030	21.88	9.93	0.52	0.015
KWCV303630	26.25	11.92	0.63	0.018
KWCV304230	30.63	13.90	0.73	0.021
KWCV304830	35.00	15.89	0.83	0.024
KWCV305430	39.38	17.88	0.94	0.027
KWCV306030	43.75	19.86	1.04	0.029
KWCV306630	48.13	21.85	1.15	0.032
KWCV307230	52.50	23.84	1.25	0.035

## Worksurfaces &amp; Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Concave Transition Worksurface (KWCT)</b>				
KWCT24301630	21.88	9.93	0.52	0.015
KWCT24301636	26.25	11.92	0.63	0.018
KWCT24301642	30.63	13.90	0.73	0.021
KWCT24301648	35.00	15.89	0.83	0.024
KWCT24301654	39.38	17.88	0.94	0.027
KWCT24301660	43.75	19.86	1.04	0.029
KWCT24301666	48.13	21.85	1.15	0.032
KWCT24301672	52.50	23.84	1.25	0.035
KWCT24301684	61.25	27.81	1.46	0.041
KWCT24301696	70.00	31.78	1.67	0.047
KWCT24302436	26.25	11.92	0.63	0.018
KWCT24302442	30.63	13.90	0.73	0.021
KWCT24302448	35.00	15.89	0.83	0.024
KWCT24302454	39.38	17.88	0.94	0.027
KWCT24302460	43.75	19.86	1.04	0.029
KWCT24302466	48.13	21.85	1.15	0.032
KWCT24302472	52.50	23.84	1.25	0.035
KWCT24302484	61.25	27.81	1.46	0.041
KWCT24302496	70.00	31.78	1.67	0.047
KWCT24303036	26.25	11.92	0.63	0.018
KWCT24303042	30.63	13.90	0.73	0.021
KWCT24303048	35.00	15.89	0.83	0.024
KWCT24303054	39.38	17.88	0.94	0.027
KWCT24303060	43.75	19.86	1.04	0.029
KWCT24303066	48.13	21.85	1.15	0.032
KWCT24303072	52.50	23.84	1.25	0.035
KWCT24303084	61.25	27.81	1.46	0.041
KWCT24303096	70.00	31.78	1.67	0.047

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Convex Transition Worksurface (KWVT)</b>				
KWVT243030	21.88	9.93	0.52	0.015
KWVT243630	26.25	11.92	0.63	0.018
KWVT244230	30.63	13.90	0.73	0.021
KWVT244830	35.00	15.89	0.83	0.024
KWVT245430	39.38	17.88	0.94	0.027
KWVT246030	43.75	19.86	1.04	0.029
KWVT246630	48.13	21.85	1.15	0.032
KWVT247230	52.50	23.84	1.25	0.035

## Worksurfaces &amp; Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Standard Corner Worksurface (KWPS)</b>				
KWPS193619	21.89	9.94	0.59	0.017
KWPS193624	27.65	12.55	0.75	0.021
KWPS194219	25.54	11.59	0.69	0.019
KWPS194224	32.26	14.64	0.88	0.025
KWPS194824	36.86	16.74	1.00	0.028
KWPS243619	35.00	15.89	0.80	0.022
KWPS243624	36.40	16.53	0.80	0.022
KWPS243630	37.35	16.96	1.00	0.028
KWPS244219	45.65	20.73	0.93	0.026
KWPS244224	47.30	21.47	0.93	0.026
KWPS244230	48.85	22.18	1.16	0.033
KWPS244819	57.00	25.88	1.06	0.030
KWPS244824	59.30	26.92	1.06	0.030
KWPS244830	61.40	27.88	1.32	0.037
KWPS245424	40.50	18.37	0.84	0.020
KWPS246024	45.00	20.41	0.94	0.030
KWPS303624	37.35	16.96	1.00	0.028
KWPS303630	38.30	17.39	1.00	0.028
KWPS304224	48.85	22.18	1.16	0.033
KWPS304230	50.40	22.88	1.16	0.033
KWPS304824	61.40	27.88	1.32	0.037
KWPS304830	63.50	28.83	1.32	0.037
KWPS305430	50.63	22.96	1.05	0.030

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Standard Corner Worksurface – Wood (KWPSN)</b>				
KWPSN193619	21.89	9.94	0.59	0.017
KWPSN193624	27.65	12.55	0.75	0.021
KWPSN194219	25.54	11.59	0.69	0.019
KWPSN194224	32.26	14.64	0.88	0.025
KWPSN194824	36.86	16.74	1.00	0.028
<hr/>				
KWPSN243619	35.00	15.89	0.80	0.022
KWPSN243624	36.40	16.53	0.80	0.022
KWPSN243630	37.35	16.96	1.00	0.028
KWPSN244219	45.65	20.73	0.93	0.026
KWPSN244224	47.30	21.47	0.93	0.026
KWPSN244230	48.85	22.18	1.16	0.033
KWPSN244819	57.00	25.88	1.06	0.030
KWPSN244824	59.30	26.92	1.06	0.030
KWPSN244830	61.40	27.88	1.32	0.037
KWPSN245424	40.50	18.37	0.84	0.020
<hr/>				
KWPSN303624	37.35	16.96	1.00	0.028
KWPSN303630	38.30	17.39	1.00	0.028
KWPSN304224	48.85	22.18	1.16	0.033
KWPSN304230	50.40	22.88	1.16	0.033
KWPSN304824	61.40	27.88	1.32	0.037
KWPSN304830	63.50	28.83	1.32	0.037

## Worksurfaces &amp; Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Curved Corner Worksurface (KWSC)</b>				
KWSC193619	21.89	9.94	0.59	0.017
KWSC193624	27.65	12.55	0.75	0.021
KWSC194219	25.54	11.59	0.69	0.019
KWSC194224	32.26	14.64	0.88	0.025
KWSC194824	36.86	16.74	1.00	0.028
KWSC243619	35.00	15.89	0.80	0.022
KWSC243624	36.40	16.53	0.80	0.022
KWSC243630	37.35	16.96	1.00	0.028
KWSC244219	45.65	20.73	0.93	0.026
KWSC244224	47.30	21.47	0.93	0.026
KWSC244230	48.85	22.18	1.16	0.033
KWSC244819	57.00	25.88	1.06	0.030
KWSC244824	59.30	26.92	1.06	0.030
KWSC244830	61.40	27.88	0.32	0.037
KWSC245424	36.00	16.33	0.84	0.020
KWSC246024	36.00	16.33	0.94	0.030
KWSC303624	37.35	16.96	1.00	0.028
KWSC303630	38.30	17.39	1.00	0.028
KWSC304224	48.85	22.18	1.16	0.033
KWSC304230	50.40	22.88	1.16	0.033
KWSC304824	61.40	27.88	1.32	0.037
KWSC304830	63.50	28.83	1.32	0.037
KWSC305430	65.00	29.48	1.05	0.030

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Curved Corner Worksurface – Wood (KWSCN)</b>				
KWSCN193619	21.89	9.94	0.59	0.017
KWSCN193624	27.65	12.55	0.75	0.021
KWSCN194219	25.54	11.59	0.69	0.019
KWSCN194224	32.26	14.64	0.88	0.025
KWSCN194824	36.86	16.74	1.00	0.028
<hr/>				
KWSCN243619	35.00	15.89	0.80	0.022
KWSCN243624	36.40	16.53	0.80	0.022
KWSCN243630	37.35	16.96	1.00	0.028
KWSCN244219	45.65	20.73	0.93	0.026
KWSCN244224	47.30	21.47	0.93	0.026
KWSCN244230	48.85	22.18	1.16	0.033
KWSCN244819	57.00	25.88	1.06	0.030
KWSCN244824	59.30	26.92	1.06	0.030
KWSCN244830	61.40	27.88	0.32	0.037
KWSCN245424	36.00	16.33	0.84	0.020
<hr/>				
KWSCN303624	37.35	16.96	1.00	0.028
KWSCN303630	38.30	17.39	1.00	0.028
KWSCN304224	48.85	22.18	1.16	0.033
KWSCN304230	50.40	22.88	1.16	0.033
KWSCN304824	61.40	27.88	1.32	0.037
KWSCN304830	63.50	28.83	1.32	0.037
KWSCN305430	65.00	29.48	1.05	0.030



## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Split Radius Corner Worksurface (KWCX)</b>				
KWCX_2442	32.26	14.64	0.88	0.025
KWCX_2448	36.86	16.74	1.00	0.028
KWCX_3048	46.08	20.92	1.25	0.035

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Radius Corner Worksurface with Return (KWRR)</b>				
KWRR24243648	42.00	19.07	1.00	0.028
KWRR24243654	47.25	21.45	1.13	0.032
KWRR24243660	52.50	23.84	1.25	0.035
KWRR24243666	57.75	26.22	1.38	0.039
KWRR24243672	63.00	28.60	1.50	0.042
KWRR24243684	73.50	33.37	1.75	0.050
KWRR24243696	84.00	38.14	2.00	0.057
<hr/>				
KWRR24244248	49.00	22.25	1.17	0.033
KWRR24244254	55.13	25.03	1.31	0.037
KWRR24244260	61.25	27.81	1.46	0.041
KWRR24244266	67.38	30.59	1.60	0.045
KWRR24244272	73.50	33.37	1.75	0.050
KWRR24244284	85.75	38.93	2.04	0.058
KWRR24244296	98.00	44.49	2.33	0.066
KWRR24244854	63.00	28.60	1.50	0.042
KWRR24244860	70.00	31.78	1.67	0.047
KWRR24244866	77.00	34.96	1.83	0.052
KWRR24244872	84.00	38.14	2.00	0.057
KWRR24244884	98.00	44.49	2.33	0.066
KWRR24244896	112.00	50.85	2.67	0.076
<hr/>				
KWRR24304248	49.00	22.25	1.17	0.033
KWRR24304254	55.13	25.03	1.31	0.037
KWRR24304260	61.25	27.81	1.46	0.041
KWRR24304266	67.38	30.59	1.60	0.045
KWRR24304272	73.50	33.37	1.75	0.050
KWRR24304284	85.75	38.93	2.04	0.058
KWRR24304296	98.00	44.49	2.33	0.066
KWRR24304854	63.00	28.60	1.50	0.042
KWRR24304860	70.00	31.78	1.67	0.047
KWRR24304866	77.00	34.96	1.83	0.052
KWRR24304872	84.00	38.14	2.00	0.057
KWRR24304884	98.00	44.49	2.33	0.066
KWRR24304896	112.00	50.85	2.67	0.076
<hr/>				
KWRR30243648	42.00	19.07	1.00	0.028
KWRR30243654	47.25	21.45	1.13	0.032
KWRR30243660	52.50	23.84	1.25	0.035
KWRR30243666	57.75	26.22	1.38	0.039
KWRR30243672	63.00	28.60	1.50	0.042
KWRR30243684	73.50	33.37	1.75	0.050
KWRR30243696	84.00	38.14	2.00	0.057

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWRR30244248	49.00	22.25	1.17	0.033
KWRR30244254	55.13	25.03	1.31	0.037
KWRR30244260	61.25	27.81	1.46	0.041
KWRR30244266	67.38	30.59	1.60	0.045
KWRR30244272	73.50	33.37	1.75	0.050
KWRR30244284	85.75	38.93	2.04	0.058
KWRR30244296	98.00	44.49	2.33	0.066
KWRR30244854	63.00	28.60	1.50	0.042
KWRR30244860	70.00	31.78	1.67	0.047
KWRR30244866	77.00	34.96	1.83	0.052
KWRR30244872	84.00	38.14	2.00	0.057
KWRR30244884	98.00	44.49	2.33	0.066
KWRR30244896	112.00	50.85	2.67	0.076
<hr/>				
KWRR30304248	49.00	22.25	1.17	0.033
KWRR30304254	55.13	25.03	1.31	0.037
KWRR30304260	61.25	27.81	1.46	0.041
KWRR30304266	67.38	30.59	1.60	0.045
KWRR30304272	73.50	33.37	1.75	0.050
KWRR30304284	85.75	38.93	2.04	0.058
KWRR30304296	98.00	44.49	2.33	0.066
KWRR30304854	63.00	28.60	1.50	0.042
KWRR30304860	70.00	31.78	1.67	0.047
KWRR30304866	77.00	34.96	1.83	0.052
KWRR30304872	84.00	38.14	2.00	0.057
KWRR30304884	98.00	44.49	2.33	0.066
KWRR30304896	112.00	50.85	2.67	0.076

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Radius Corner Worksurface with Return and Keyboard Support Surface (KWRK)</b>				
KWRK24244854	63.00	28.60	1.50	0.042
KWRK24244860	70.00	31.78	1.67	0.047
KWRK24244866	77.00	34.96	1.83	0.052
KWRK24244872	84.00	38.14	2.00	0.057
KWRK24244884	98.00	44.49	2.33	0.066
KWRK24244896	112.00	50.85	2.67	0.076
<hr/>				
KWRK30244854	63.00	28.60	1.50	0.042
KWRK30244860	70.00	31.78	1.67	0.047
KWRK30244866	77.00	34.96	1.83	0.052
KWRK30244872	84.00	38.14	2.00	0.057
KWRK30244884	98.00	44.49	2.33	0.066
KWRK30244896	112.00	50.85	2.67	0.076

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Extended Corner with Transition Return (KWET)</b>				
KWET24304254	55.13	25.03	1.31	0.037
KWET24304260	61.25	27.81	1.46	0.041
KWET24304266	67.38	30.59	1.60	0.045
KWET24304272	73.50	33.37	1.75	0.050
KWET24304284	85.75	38.93	2.04	0.058
KWET24304860	70.00	31.78	1.67	0.047
KWET24304866	77.00	34.96	1.83	0.052
KWET24304872	84.00	38.14	2.00	0.057
KWET24304884	98.00	44.49	2.33	0.066
KWET24304896	112.00	50.85	2.67	0.076
KWET30304254	55.13	25.03	1.31	0.037
KWET30304260	61.25	27.81	1.46	0.041
KWET30304266	67.38	30.59	1.60	0.045
KWET30304272	73.50	33.37	1.75	0.050
KWET30304284	85.75	38.93	2.04	0.058
KWET30304860	70.00	31.78	1.67	0.047
KWET30304866	77.00	34.96	1.83	0.052
KWET30304872	84.00	38.14	2.00	0.057
KWET30304884	98.00	44.49	2.33	0.066
KWET30304896	112.00	50.85	2.67	0.076

## Worksurfaces &amp; Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Standard Pentagon Worksurface (KWPG)</b>				
KWPGS193619	16.63	7.55	0.40	0.011
KWPGS193624	21.00	9.53	0.50	0.014
KWPGS194219	19.40	8.81	0.46	0.013
KWPGS194224	24.50	11.12	0.58	0.017
KWPGS194824	28.00	12.71	0.67	0.019
KWPGS243619	16.63	7.55	0.40	0.011
KWPGS243624	21.00	9.53	0.50	0.014
KWPGS243630	26.25	11.92	0.63	0.018
KWPGS244219	19.40	8.81	0.46	0.013
KWPGS244224	24.50	11.12	0.58	0.017
KWPGS244230	30.63	13.90	0.73	0.021
KWPGS244819	22.17	10.06	0.53	0.015
KWPGS244824	28.00	12.71	0.67	0.019
KWPGS244830	35.00	15.89	0.83	0.024
KWPGS245424	31.50	14.30	0.75	0.021
KWPGS246024	31.50	14.30	0.75	0.021
KWPGS303624	21.00	9.53	0.50	0.014
KWPGS303630	26.25	11.92	0.63	0.018
KWPGS304224	24.50	11.12	0.58	0.017
KWPGS304230	30.63	13.90	0.73	0.021
KWPGS304824	28.00	12.71	0.67	0.019
KWPGS304830	35.00	15.89	0.83	0.024
KWPGC193619	16.63	7.55	0.40	0.011
KWPGC193624	21.00	9.53	0.50	0.014
KWPGC194219	19.40	8.81	0.46	0.013
KWPGC194224	24.50	11.12	0.58	0.017
KWPGC194824	28.00	12.71	0.67	0.019
KWPGC243619	16.63	7.55	0.40	0.011
KWPGC243624	21.00	9.53	0.50	0.014
KWPGC243630	26.25	11.92	0.63	0.018
KWPGC244219	19.40	8.81	0.46	0.013
KWPGC244224	24.50	11.12	0.58	0.017
KWPGC244230	30.63	13.90	0.73	0.021
KWPGC244819	22.17	10.06	0.53	0.015
KWPGC244824	28.00	12.71	0.67	0.019
KWPGC244830	35.00	15.89	0.83	0.024
KWPGC245424	31.50	14.30	0.75	0.021
KWPGC246024	31.50	14.30	0.75	0.021
KWPGC303624	21.00	9.53	0.50	0.014
KWPGC303630	26.25	11.92	0.63	0.018
KWPGC304224	24.50	11.12	0.58	0.017
KWPGC304230	30.63	13.90	0.73	0.021
KWPGC304824	28.00	12.71	0.67	0.019
KWPGC304830	35.00	15.89	0.83	0.024
KWPGC305430	39.38	17.88	0.94	0.027
KWPGC306030	43.75	19.86	1.04	0.029

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Extended Pentagon Worksurface (KWPE)</b>				
KWPE_24243648	42.00	19.07	1.00	0.028
KWPE_24243654	47.25	21.45	1.13	0.032
KWPE_24243660	52.50	23.84	1.25	0.035
KWPE_24243666	57.75	26.22	1.38	0.039
KWPE_24243672	63.00	28.60	1.50	0.042
KWPE_24244248	49.00	22.25	1.17	0.033
KWPE_24244254	55.13	25.03	1.31	0.037
KWPE_24244260	61.25	27.81	1.46	0.041
KWPE_24244266	67.38	30.59	1.60	0.045
KWPE_24244272	73.50	33.37	1.75	0.050
KWPE_24244854	63.00	28.60	1.50	0.042
KWPE_24244860	70.00	31.78	1.67	0.047
KWPE_24244866	77.00	34.96	1.83	0.052
KWPE_24244872	84.00	38.14	2.00	0.057
KWPE_24303648	42.00	19.07	1.00	0.028
KWPE_24303654	47.25	21.45	1.13	0.032
KWPE_24303660	52.50	23.84	1.25	0.035
KWPE_24303666	57.75	26.22	1.38	0.039
KWPE_24303672	63.00	28.60	1.50	0.042
KWPE_24304248	49.00	22.25	1.17	0.033
KWPE_24304254	55.13	25.03	1.31	0.037
KWPE_24304260	61.25	27.81	1.46	0.041
KWPE_24304266	67.38	30.59	1.60	0.045
KWPE_24304272	73.50	33.37	1.75	0.050
KWPE_24304854	63.00	28.60	1.50	0.042
KWPE_24304860	70.00	31.78	1.67	0.047
KWPE_24304866	77.00	34.96	1.83	0.052
KWPE_24304872	84.00	38.14	2.00	0.057
KWPE_30243648	42.00	19.07	1.00	0.028
KWPE_30243654	47.25	21.45	1.13	0.032
KWPE_30243660	52.50	23.84	1.25	0.035
KWPE_30243666	57.75	26.22	1.38	0.039
KWPE_30243672	63.00	28.60	1.50	0.042
KWPE_30244248	49.00	22.25	1.17	0.033
KWPE_30244254	55.13	25.03	1.31	0.037
KWPE_30244260	61.25	27.81	1.46	0.041
KWPE_30244266	67.38	30.59	1.60	0.045
KWPE_30244272	73.50	33.37	1.75	0.050
KWPE_30244854	63.00	28.60	1.50	0.042
KWPE_30244860	70.00	31.78	1.67	0.047
KWPE_30244866	77.00	34.96	1.83	0.052
KWPE_30244872	84.00	38.14	2.00	0.057

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWPE_30303648	42.00	19.07	1.00	0.028
KWPE_30303654	47.25	21.45	1.13	0.032
KWPE_30303660	52.50	23.84	1.25	0.035
KWPE_30303666	57.75	26.22	1.38	0.039
KWPE_30303672	63.00	28.60	1.50	0.042
KWPE_30304248	49.00	22.25	1.17	0.033
KWPE_30304254	55.13	25.03	1.31	0.037
KWPE_30304260	61.25	27.81	1.46	0.041
KWPE_30304266	67.38	30.59	1.60	0.045
KWPE_30304272	73.50	33.37	1.75	0.050
KWPE_30304854	63.00	28.60	1.50	0.042
KWPE_30304860	70.00	31.78	1.67	0.047
KWPE_30304866	77.00	34.96	1.83	0.052
KWPE_30244872	84.00	38.14	2.00	0.057

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>120° Outside Corner Worksurface (KWCO)</b>				
KWC024	14.00	6.36	0.33	0.009
KWC030	21.88	9.93	0.52	0.015

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Rectangular Countertop (KWCS)</b>				
KWCS1524	11.52	5.23	0.31	0.009
KWCS1530	14.40	6.54	0.39	0.011
KWCS1533	15.84	7.19	0.43	0.012
KWCS1536	17.28	7.85	0.47	0.013
KWCS1539	18.72	8.50	0.51	0.014
KWCS1542	20.16	9.15	0.55	0.015
KWCS1545	21.60	9.81	0.59	0.016
KWCS1548	23.04	10.46	0.63	0.018
KWCS1551	24.48	11.11	0.66	0.019
KWCS1557	27.36	12.42	0.74	0.021



## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Convex Countertop (KCNC)</b>				
KCNC1524	8.75	3.97	0.21	0.006
KCNC1530	10.94	4.97	0.26	0.007
KCNC1533	12.03	5.46	0.29	0.008
KCNC1536	13.13	5.96	0.31	0.009
KCNC1539	14.22	6.46	0.34	0.010
KCNC1542	15.31	6.95	0.37	0.010
KCNC1545	16.41	7.45	0.39	0.011
KCNC1548	17.50	7.95	0.42	0.012
KCNC1551	18.59	8.44	0.44	0.013
KCNC1557	20.78	9.43	0.50	0.014

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Radius Corner Worksurface with Return (with Flush End Gable) (KSRF)</b>				
KSRF24243660	52.50	23.84	1.25	0.035
KSRF24243666	57.75	26.22	1.38	0.039
KSRF24243672	63.00	28.60	1.50	0.042
KSRF24244260	61.25	27.81	1.46	0.041
KSRF24244266	67.38	30.59	1.60	0.045
KSRF24244272	73.50	33.37	1.75	0.050
KSRF24244860	70.00	31.78	1.67	0.047
KSRF24244866	77.00	34.96	1.83	0.052
KSRF24244872	84.00	38.14	2.00	0.057
KSRF24304260	61.25	27.81	1.46	0.041
KSRF24304266	67.38	30.59	1.60	0.045
KSRF24304272	73.50	33.37	1.75	0.050
KSRF24304860	70.00	31.78	1.67	0.047
KSRF24304866	77.00	34.96	1.83	0.052
KSRF24304872	84.00	38.14	2.00	0.057
KSRF30243660	52.50	23.84	1.25	0.035
KSRF30243666	57.75	26.22	1.38	0.039
KSRF30243672	63.00	28.60	1.50	0.042
KSRF30244260	61.25	27.81	1.46	0.041
KSRF30244266	67.38	30.59	1.60	0.045
KSRF30244272	73.50	33.37	1.75	0.050
KSRF30244860	70.00	31.78	1.67	0.047
KSRF30244866	77.00	34.96	1.83	0.052
KSRF30244872	84.00	38.14	2.00	0.057
KSRF30304260	61.25	27.81	1.46	0.041
KSRF30304266	67.38	30.59	1.60	0.045
KSRF30304272	73.50	33.37	1.75	0.050
KSRF30304860	70.00	31.78	1.67	0.047
KSRF30304866	77.00	34.96	1.83	0.052
KSRF30304872	84.00	38.14	2.00	0.057

## Worksurfaces &amp; Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Radius Corner Worksurface with Return (with Monoleg) (KSRM)</b>				
KSRM24243660	52.50	23.84	1.25	0.035
KSRM24243666	57.75	26.22	1.38	0.039
KSRM24243672	63.00	28.60	1.50	0.042
KSRM24244260	61.25	27.81	1.46	0.041
KSRM24244266	67.38	30.59	1.60	0.045
KSRM24244272	73.50	33.37	1.75	0.050
KSRM24244860	70.00	31.78	1.67	0.047
KSRM24244866	77.00	34.96	1.83	0.052
KSRM24244872	84.00	38.14	2.00	0.057
KSRM24304260	61.25	27.81	1.46	0.041
KSRM24304266	67.38	30.59	1.60	0.045
KSRM24304272	73.50	33.37	1.75	0.050
KSRM24304860	70.00	31.78	1.67	0.047
KSRM24304866	77.00	34.96	1.83	0.052
KSRM24304872	84.00	38.14	2.00	0.057
KSRM30243660	52.50	23.84	1.25	0.035
KSRM30243666	57.75	26.22	1.38	0.039
KSRM30243672	63.00	28.60	1.50	0.042
KSRM30244260	61.25	27.81	1.46	0.041
KSRM30244266	67.38	30.59	1.60	0.045
KSRM30244272	73.50	33.37	1.75	0.050
KSRM30244860	70.00	31.78	1.67	0.047
KSRM30244866	77.00	34.96	1.83	0.052
KSRM30244872	84.00	38.14	2.00	0.057
KSRM30304260	61.25	27.81	1.46	0.041
KSRM30304266	67.38	30.59	1.60	0.045
KSRM30304272	73.50	33.37	1.75	0.050
KSRM30304860	70.00	31.78	1.67	0.047
KSRM30304866	77.00	34.96	1.83	0.052
KSRM30304872	84.00	38.14	2.00	0.057

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Extended Corner with Transition Return (with Monoleg) (KSEM)</b>				
KSEM24304254	55.13	25.03	1.31	0.037
KSEM24304260	61.25	27.81	1.46	0.041
KSEM24304266	67.38	30.59	1.60	0.045
KSEM24304272	73.50	33.37	1.75	0.050
KSEM24304860	70.00	31.78	1.67	0.047
KSEM24304866	77.00	34.96	1.83	0.052
KSEM24304872	84.00	38.14	2.00	0.057
<hr/>				
KSEM30304254	55.13	25.03	1.31	0.037
KSEM30304260	61.25	27.81	1.46	0.041
KSEM30304266	67.38	30.59	1.60	0.045
KSEM30304272	73.50	33.37	1.75	0.050
KSEM30304860	70.00	31.78	1.67	0.047
KSEM30304866	77.00	34.96	1.83	0.052
KSEM30304872	84.00	38.14	2.00	0.057

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Bullet Worksurface (KWBT)</b>				
KWBT3048	46.08	20.92	1.25	0.035
KWBT3054	51.84	23.54	1.41	0.039
KWBT3060	57.60	26.15	1.56	0.044
KWBT3066	63.36	28.77	1.72	0.048
KWBT3072	69.12	31.38	1.88	0.053
KWBT3648	55.30	25.10	1.50	0.042
KWBT3654	62.21	28.24	1.69	0.047
KWBT3660	69.12	31.38	1.88	0.053
KWBT3666	76.03	34.52	2.06	0.058
KWBT3672	82.94	37.66	2.25	0.063

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Curvilinear Bullet Top (KSWB)</b>				
KSWB24302460	43.75	19.86	1.04	0.029
KSWB24302466	48.13	21.85	1.15	0.032
KSWB24302472	52.50	23.84	1.25	0.035
KSWB24303060	43.75	19.86	1.04	0.029
KSWB24303066	48.13	21.85	1.15	0.032
KSWB24303072	52.50	23.84	1.25	0.035
<hr/>				
KSWB30362460	52.50	23.84	1.25	0.035
KSWB30362466	57.75	26.22	1.38	0.039
KSWB30362472	63.00	28.60	1.50	0.042
KSWB30363060	52.50	23.84	1.25	0.035
KSWB30363066	57.75	26.22	1.38	0.039
KSWB30363072	63.00	28.60	1.50	0.042

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Transaction Worksurface (KSWT)</b>				
KSWT24272460	39.38	17.88	0.94	0.027
KSWT24272466	43.31	19.66	1.03	0.029
KSWT24272472	47.25	21.45	1.13	0.032
KSWT24273060	43.75	19.86	1.04	0.029
KSWT24273066	48.13	21.85	1.15	0.032
KSWT24273072	52.50	23.84	1.25	0.035
<hr/>				
KSWT30332460	48.13	21.85	1.15	0.032
KSWT30332466	52.94	24.03	1.26	0.036
KSWT30332472	57.75	26.22	1.38	0.039
KSWT30333060	48.13	21.85	1.15	0.032
KSWT30333066	52.94	24.03	1.26	0.036
KSWT30333072	57.75	26.22	1.38	0.039

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Rectangular Worksurface with Monoleg (KSWM)</b>				
KSWM2448	39.38	17.88	0.94	0.027
KSWM2448	28.00	12.71	0.67	0.019
KSWM2454	31.50	14.30	0.75	0.021
KSWM2460	35.00	15.89	0.83	0.024
KSWM2466	38.50	17.48	0.92	0.026
KSWM2472	42.00	19.07	1.00	0.028
KSWM3048	35.00	15.89	0.83	0.024
KSWM3054	39.38	17.88	0.94	0.027
KSWM3060	43.75	19.86	1.04	0.029
KSWM3066	48.13	21.85	1.15	0.032
KSWM3072	52.50	23.84	1.25	0.035
KSWM3648	42.00	19.07	1.00	0.028
KSWM3654	47.25	21.45	1.13	0.032
KSWM3660	52.50	23.84	1.25	0.035
KSWM3666	57.75	26.22	1.38	0.039
KSWM3672	63.00	28.60	1.50	0.042



## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>D-Top End Worksurface (KWDT)</b>				
<b>KWDT2451</b>	48.96	22.23	1.33	0.037
<b>KWDT3063</b>	60.48	27.46	1.64	0.046

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Outside Corner Worksurface (KWR)</b>				
<b>KWR24</b>	21.03	9.54	0.38	0.011
<b>KWR30</b>	31.78	14.42	0.58	0.016

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Outside Corner Worksurface – Wood (KWRN)</b>				
KWRN24	21.03	9.54	0.38	0.011
KWRN30	31.78	14.42	0.58	0.016

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Peninsula Corner Worksurface (KWSP)</b>				
KWSP2442	24.50	11.12	0.58	0.017
KWSP3054	39.38	17.88	0.94	0.027
KWSP2746	30.19	13.71	0.72	0.020
KWSP3358	46.52	21.12	1.11	0.031

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Peninsula Corner Worksurface – Wood (KWSPN)</b>				
KWSPN2442	24.50	11.12	0.58	0.017
KWSPN3054	39.38	17.88	0.94	0.027
KWSPN2746	30.19	13.71	0.72	0.020
KWSPN3358	46.52	21.12	1.11	0.031

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Rectangle Worksurface (D-Style) (KWSQ)</b>				
KWSQ1724	9.44	4.28	0.24	0.007
KWSQ1725	9.84	4.46	0.25	0.007
KWSQ1726	10.23	4.64	0.26	0.007
KWSQ1727	10.63	4.82	0.27	0.008
KWSQ1728	11.02	5.00	0.28	0.008
KWSQ1729	11.41	5.18	0.29	0.008
KWSQ1730	11.81	5.35	0.30	0.008
KWSQ1731	12.20	5.53	0.30	0.009
KWSQ1732	12.59	5.71	0.31	0.009
KWSQ1733	12.99	5.89	0.32	0.009
KWSQ1734	13.38	6.07	0.33	0.009
KWSQ1735	13.77	6.25	0.34	0.010
KWSQ1736	14.17	6.43	0.35	0.010
KWSQ1737	14.56	6.60	0.36	0.010
KWSQ1738	14.95	6.78	0.37	0.011
KWSQ1739	15.35	6.96	0.38	0.011
KWSQ1740	15.74	7.14	0.39	0.011
KWSQ1741	16.13	7.32	0.40	0.011
KWSQ1742	16.53	7.50	0.41	0.012
KWSQ1743	16.92	7.68	0.42	0.012
KWSQ1744	17.31	7.85	0.43	0.012
KWSQ1745	17.71	8.03	0.44	0.013
KWSQ1746	18.10	8.21	0.45	0.013
KWSQ1747	18.50	8.39	0.46	0.013
KWSQ1748	18.89	8.57	0.47	0.013
KWSQ1749	19.28	8.75	0.48	0.014
KWSQ1750	19.68	8.92	0.49	0.014
KWSQ1751	20.07	9.10	0.50	0.014
KWSQ1752	20.46	9.28	0.51	0.014
KWSQ1753	20.86	9.46	0.52	0.015
KWSQ1754	21.25	9.64	0.53	0.015
KWSQ1755	21.64	9.82	0.54	0.015
KWSQ1756	22.04	10.00	0.55	0.016
KWSQ1757	22.43	10.17	0.56	0.016
KWSQ1758	22.82	10.35	0.57	0.016
KWSQ1759	23.22	10.53	0.58	0.016
KWSQ1760	23.61	10.71	0.59	0.017
KWSQ1761	24.00	10.89	0.60	0.017
KWSQ1762	24.40	11.07	0.61	0.017
KWSQ1763	24.79	11.25	0.62	0.018
KWSQ1764	25.19	11.42	0.63	0.018
KWSQ1765	25.58	11.60	0.64	0.018
KWSQ1766	25.97	11.78	0.65	0.018
KWSQ1767	26.37	11.96	0.66	0.019
KWSQ1768	26.76	12.14	0.67	0.019
KWSQ1769	27.15	12.32	0.68	0.019
KWSQ1770	27.55	12.49	0.69	0.020
KWSQ1771	27.94	12.67	0.70	0.020
KWSQ1772	28.33	12.85	0.71	0.020
KWSQ1773	28.73	13.03	0.72	0.020
KWSQ1774	29.12	13.21	0.73	0.021
KWSQ1775	29.51	13.39	0.74	0.021
KWSQ1776	29.91	13.57	0.75	0.021
KWSQ1777	30.30	13.74	0.76	0.021
KWSQ1778	30.69	13.92	0.77	0.022
KWSQ1779	31.09	14.10	0.78	0.022
KWSQ1780	31.48	14.28	0.79	0.022

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWSQ1781	31.88	14.46	0.80	0.023
KWSQ1782	32.27	14.64	0.81	0.023
KWSQ1783	32.66	14.82	0.82	0.023
KWSQ1784	33.06	14.99	0.83	0.023
KWSQ1785	33.45	15.17	0.84	0.024
KWSQ1786	33.84	15.35	0.85	0.024
KWSQ1787	34.24	15.53	0.86	0.024
KWSQ1788	34.63	15.71	0.87	0.025
KWSQ1789	35.02	15.89	0.88	0.025
KWSQ1790	35.42	16.06	0.89	0.025
KWSQ1791	35.81	16.24	0.90	0.025
KWSQ1792	36.20	16.42	0.91	0.026
KWSQ1793	36.60	16.60	0.91	0.026
KWSQ1794	36.99	16.78	0.92	0.026
KWSQ1795	37.38	16.96	0.93	0.026
KWSQ1796	37.78	17.14	0.94	0.027
KWSQ2024	11.11	5.04	0.28	0.008
KWSQ2025	11.57	5.25	0.29	0.008
KWSQ2026	12.04	5.46	0.30	0.009
KWSQ2027	12.50	5.67	0.31	0.009
KWSQ2028	12.96	5.88	0.32	0.009
KWSQ2029	13.43	6.09	0.34	0.010
KWSQ2030	13.89	6.30	0.35	0.010
KWSQ2031	14.35	6.51	0.36	0.010
KWSQ2032	14.81	6.72	0.37	0.010
KWSQ2033	15.28	6.93	0.38	0.011
KWSQ2034	15.74	7.14	0.39	0.011
KWSQ2035	16.20	7.35	0.41	0.011
KWSQ2036	16.67	7.56	0.42	0.012
KWSQ2037	17.13	7.77	0.43	0.012
KWSQ2038	17.59	7.98	0.44	0.012
KWSQ2039	18.06	8.19	0.45	0.013
KWSQ2040	18.52	8.40	0.46	0.013
KWSQ2041	18.98	8.61	0.47	0.013
KWSQ2042	19.44	8.82	0.49	0.014
KWSQ2043	19.91	9.03	0.50	0.014
KWSQ2044	20.37	9.24	0.51	0.014
KWSQ2045	20.83	9.45	0.52	0.015
KWSQ2046	21.30	9.66	0.53	0.015
KWSQ2047	21.76	9.87	0.54	0.015
KWSQ2048	22.22	10.08	0.56	0.016
KWSQ2049	22.69	10.29	0.57	0.016
KWSQ2050	23.15	10.50	0.58	0.016
KWSQ2051	23.61	10.71	0.59	0.017
KWSQ2052	24.07	10.92	0.60	0.017
KWSQ2053	24.54	11.13	0.61	0.017
KWSQ2054	25.00	11.34	0.63	0.018
KWSQ2055	25.46	11.55	0.64	0.018
KWSQ2056	25.93	11.76	0.65	0.018
KWSQ2057	26.39	11.97	0.66	0.019
KWSQ2058	26.85	12.18	0.67	0.019
KWSQ2059	27.31	12.39	0.68	0.019
KWSQ2060	27.78	12.60	0.69	0.020
KWSQ2061	28.24	12.81	0.71	0.020
KWSQ2062	28.70	13.02	0.72	0.020
KWSQ2063	29.17	13.23	0.73	0.021
KWSQ2064	29.63	13.44	0.74	0.021

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWSQ2065	30.09	13.65	0.75	0.021
KWSQ2066	30.56	13.86	0.76	0.022
KWSQ2067	31.02	14.07	0.78	0.022
KWSQ2068	31.48	14.28	0.79	0.022
KWSQ2069	31.94	14.49	0.80	0.023
KWSQ2070	32.41	14.70	0.81	0.023
KWSQ2071	32.87	14.91	0.82	0.023
KWSQ2072	33.33	15.12	0.83	0.024
KWSQ2073	33.80	15.33	0.84	0.024
KWSQ2074	34.26	15.54	0.86	0.024
KWSQ2075	34.72	15.75	0.87	0.025
KWSQ2076	35.19	15.96	0.88	0.025
KWSQ2077	35.65	16.17	0.89	0.025
KWSQ2078	36.11	16.38	0.90	0.026
KWSQ2079	36.57	16.59	0.91	0.026
KWSQ2080	37.04	16.80	0.93	0.026
KWSQ2081	37.50	17.01	0.94	0.027
KWSQ2082	37.96	17.22	0.95	0.027
KWSQ2083	38.43	17.43	0.96	0.027
KWSQ2084	38.89	17.64	0.97	0.028
KWSQ2085	39.35	17.85	0.98	0.028
KWSQ2086	39.81	18.06	1.00	0.028
KWSQ2087	40.28	18.27	1.01	0.029
KWSQ2088	40.74	18.48	1.02	0.029
KWSQ2089	41.20	18.69	1.03	0.029
KWSQ2090	41.67	18.90	1.04	0.029
KWSQ2091	42.13	19.11	1.05	0.030
KWSQ2092	42.59	19.32	1.06	0.030
KWSQ2093	43.06	19.53	1.08	0.030
KWSQ2094	43.52	19.74	1.09	0.031
KWSQ2095	43.98	19.95	1.10	0.031
KWSQ2096	44.44	20.16	1.11	0.031
KWSQ2424	13.33	6.05	0.33	0.009
KWSQ2425	13.89	6.30	0.35	0.010
KWSQ2426	14.44	6.55	0.36	0.010
KWSQ2427	15.00	6.80	0.38	0.011
KWSQ2428	15.56	7.06	0.39	0.011
KWSQ2429	16.11	7.31	0.40	0.011
KWSQ2430	16.67	7.56	0.42	0.012
KWSQ2431	17.22	7.81	0.43	0.012
KWSQ2432	17.78	8.06	0.44	0.013
KWSQ2433	18.33	8.32	0.46	0.013
KWSQ2434	18.89	8.57	0.47	0.013
KWSQ2435	19.44	8.82	0.49	0.014
KWSQ2436	20.00	9.07	0.50	0.014
KWSQ2437	20.56	9.32	0.51	0.015
KWSQ2438	21.11	9.58	0.53	0.015
KWSQ2439	21.67	9.83	0.54	0.015
KWSQ2440	22.22	10.08	0.56	0.016
KWSQ2441	22.78	10.33	0.57	0.016
KWSQ2442	23.33	10.58	0.58	0.017
KWSQ2443	23.89	10.84	0.60	0.017
KWSQ2444	24.44	11.09	0.61	0.017
KWSQ2445	25.00	11.34	0.63	0.018
KWSQ2446	25.56	11.59	0.64	0.018
KWSQ2447	26.11	11.84	0.65	0.018
KWSQ2448	26.67	12.10	0.67	0.019

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWSQ2449	27.22	12.35	0.68	0.019
KWSQ2450	27.78	12.60	0.69	0.020
KWSQ2451	28.33	12.85	0.71	0.020
KWSQ2452	28.89	13.10	0.72	0.020
KWSQ2453	29.44	13.36	0.74	0.021
KWSQ2454	30.00	13.61	0.75	0.021
KWSQ2455	30.56	13.86	0.76	0.022
KWSQ2456	31.11	14.11	0.78	0.022
KWSQ2457	31.67	14.36	0.79	0.022
KWSQ2458	32.22	14.62	0.81	0.023
KWSQ2459	32.78	14.87	0.82	0.023
KWSQ2460	33.33	15.12	0.83	0.024
KWSQ2461	33.89	15.37	0.85	0.024
KWSQ2462	34.44	15.62	0.86	0.024
KWSQ2463	35.00	15.88	0.88	0.025
KWSQ2464	35.56	16.13	0.89	0.025
KWSQ2465	36.11	16.38	0.90	0.026
KWSQ2466	36.67	16.63	0.92	0.026
KWSQ2467	37.22	16.88	0.93	0.026
KWSQ2468	37.78	17.14	0.94	0.027
KWSQ2469	38.33	17.39	0.96	0.027
KWSQ2470	38.89	17.64	0.97	0.028
KWSQ2471	39.44	17.89	0.99	0.028
KWSQ2472	40.00	18.14	1.00	0.028
KWSQ2473	40.56	18.40	1.01	0.029
KWSQ2474	41.11	18.65	1.03	0.029
KWSQ2475	41.67	18.90	1.04	0.029
KWSQ2476	42.22	19.15	1.06	0.030
KWSQ2477	42.78	19.40	1.07	0.030
KWSQ2478	43.33	19.66	1.08	0.031
KWSQ2479	43.89	19.91	1.10	0.031
KWSQ2480	44.44	20.16	1.11	0.031
KWSQ2481	45.00	20.41	1.13	0.032
KWSQ2482	45.56	20.66	1.14	0.032
KWSQ2483	46.11	20.92	1.15	0.033
KWSQ2484	46.67	21.17	1.17	0.033
KWSQ2485	47.22	21.42	1.18	0.033
KWSQ2486	47.78	21.67	1.19	0.034
KWSQ2487	48.33	21.92	1.21	0.034
KWSQ2488	48.89	22.18	1.22	0.035
KWSQ2489	49.44	22.43	1.24	0.035
KWSQ2490	50.00	22.68	1.25	0.035
KWSQ2491	50.56	22.93	1.26	0.036
KWSQ2492	51.11	23.18	1.28	0.036
KWSQ2493	51.67	23.44	1.29	0.037
KWSQ2494	52.22	23.69	1.31	0.037
KWSQ2495	52.78	23.94	1.32	0.037
KWSQ2496	53.33	24.19	1.33	0.038
KWSQ3024	16.67	7.56	0.42	0.012
KWSQ3025	17.36	7.87	0.43	0.012
KWSQ3026	18.06	8.19	0.45	0.013
KWSQ3027	18.75	8.50	0.47	0.013
KWSQ3028	19.44	8.82	0.49	0.014
KWSQ3029	20.14	9.13	0.50	0.014
KWSQ3030	20.83	9.45	0.52	0.015
KWSQ3031	21.53	9.76	0.54	0.015
KWSQ3032	22.22	10.08	0.56	0.016

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
	KWSQ3033	22.92	10.39	0.57
KWSQ3034	23.61	10.71	0.59	0.017
KWSQ3035	24.31	11.02	0.61	0.017
KWSQ3036	25.00	11.34	0.63	0.018
KWSQ3037	25.69	11.65	0.64	0.018
KWSQ3038	26.39	11.97	0.66	0.019
KWSQ3039	27.08	12.28	0.68	0.019
KWSQ3040	27.78	12.60	0.69	0.020
KWSQ3041	28.47	12.91	0.71	0.020
KWSQ3042	29.17	13.23	0.73	0.021
KWSQ3043	29.86	13.54	0.75	0.021
KWSQ3044	30.56	13.86	0.76	0.022
KWSQ3045	31.25	14.17	0.78	0.022
KWSQ3046	31.94	14.49	0.80	0.023
KWSQ3047	32.64	14.80	0.82	0.023
KWSQ3048	33.33	15.12	0.83	0.024
KWSQ3049	34.03	15.43	0.85	0.024
KWSQ3050	34.72	15.75	0.87	0.025
KWSQ3051	35.42	16.06	0.89	0.025
KWSQ3052	36.11	16.38	0.90	0.026
KWSQ3053	36.81	16.69	0.92	0.026
KWSQ3054	37.50	17.01	0.94	0.027
KWSQ3055	38.19	17.32	0.95	0.027
KWSQ3056	38.89	17.64	0.97	0.028
KWSQ3057	39.58	17.95	0.99	0.028
KWSQ3058	40.28	18.27	1.01	0.029
KWSQ3059	40.97	18.58	1.02	0.029
KWSQ3060	41.67	18.90	1.04	0.029
KWSQ3061	42.36	19.21	1.06	0.030
KWSQ3062	43.06	19.53	1.08	0.030
KWSQ3063	43.75	19.84	1.09	0.031
KWSQ3064	44.44	20.16	1.11	0.031
KWSQ3065	45.14	20.47	1.13	0.032
KWSQ3066	45.83	20.79	1.15	0.032
KWSQ3067	46.53	21.10	1.16	0.033
KWSQ3068	47.22	21.42	1.18	0.033
KWSQ3069	47.92	21.73	1.20	0.034
KWSQ3070	48.61	22.05	1.22	0.034
KWSQ3071	49.31	22.36	1.23	0.035
KWSQ3072	50.00	22.68	1.25	0.035
KWSQ3073	50.69	22.99	1.27	0.036
KWSQ3074	51.39	23.31	1.28	0.036
KWSQ3075	52.08	23.62	1.30	0.037
KWSQ3076	52.78	23.94	1.32	0.037
KWSQ3077	53.47	24.25	1.34	0.038
KWSQ3078	54.17	24.57	1.35	0.038
KWSQ3079	54.86	24.88	1.37	0.039
KWSQ3080	55.56	25.20	1.39	0.039
KWSQ3081	56.25	25.51	1.41	0.040
KWSQ3082	56.94	25.83	1.42	0.040
KWSQ3083	57.64	26.14	1.44	0.041
KWSQ3084	58.33	26.46	1.46	0.041
KWSQ3085	59.03	26.77	1.48	0.042
KWSQ3086	59.72	27.09	1.49	0.042
KWSQ3087	60.42	27.40	1.51	0.043
KWSQ3088	61.11	27.72	1.53	0.043
KWSQ3089	61.81	28.03	1.55	0.044
KWSQ3090	62.50	28.35	1.56	0.044

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
	KWSQ3091	63.19	28.66	1.58
KWSQ3092	63.89	28.98	1.60	0.045
KWSQ3093	64.58	29.29	1.61	0.046
KWSQ3094	65.28	29.61	1.63	0.046
KWSQ3095	65.97	29.92	1.65	0.047
KWSQ3096	66.67	30.24	1.67	0.047



# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Wedge Worksurface (D-Style) (KWWQ)</b>				
KWWQ174224	23.33	10.58	0.58	0.017
KWWQ174324	23.89	10.84	0.60	0.017
KWWQ174424	24.44	11.09	0.61	0.017
KWWQ174524	25.00	11.34	0.63	0.018
KWWQ174624	25.56	11.59	0.64	0.018
KWWQ174724	26.11	11.84	0.65	0.018
KWWQ174824	26.67	12.10	0.67	0.019
KWWQ174924	27.22	12.35	0.68	0.019
KWWQ175024	27.78	12.60	0.69	0.020
KWWQ175124	28.33	12.85	0.71	0.020
KWWQ175224	28.89	13.10	0.72	0.020
KWWQ175324	29.44	13.36	0.74	0.021
KWWQ175424	30.00	13.61	0.75	0.021
KWWQ175524	30.56	13.86	0.76	0.022
KWWQ175624	31.11	14.11	0.78	0.022
KWWQ175724	31.67	14.36	0.79	0.022
KWWQ175824	32.22	14.62	0.81	0.023
KWWQ175924	32.78	14.87	0.82	0.023
KWWQ176024	33.33	15.12	0.83	0.024
KWWQ176124	33.89	15.37	0.85	0.024
KWWQ176224	34.44	15.62	0.86	0.024
KWWQ176324	35.00	15.88	0.88	0.025
KWWQ176424	35.56	16.13	0.89	0.025
KWWQ176524	36.11	16.38	0.90	0.026
KWWQ176624	36.67	16.63	0.92	0.026
KWWQ176724	37.22	16.88	0.93	0.026
KWWQ176824	37.78	17.14	0.94	0.027
KWWQ176924	38.33	17.39	0.96	0.027
KWWQ177024	38.89	17.64	0.97	0.028
KWWQ177124	39.44	17.89	0.99	0.028
KWWQ177224	40.00	18.14	1.00	0.028
KWWQ177324	40.56	18.40	1.01	0.029
KWWQ177424	41.11	18.65	1.03	0.029
KWWQ177524	41.67	18.90	1.04	0.029
KWWQ177624	42.22	19.15	1.06	0.030
KWWQ177724	42.78	19.40	1.07	0.030
KWWQ177824	43.33	19.66	1.08	0.031
KWWQ177924	43.89	19.91	1.10	0.031
KWWQ178024	44.44	20.16	1.11	0.031
KWWQ178124	45.00	20.41	1.13	0.032
KWWQ178224	45.56	20.66	1.14	0.032
KWWQ178324	46.11	20.92	1.15	0.033
KWWQ178424	46.67	21.17	1.17	0.033
KWWQ178524	47.22	21.42	1.18	0.033
KWWQ178624	47.78	21.67	1.19	0.034
KWWQ178724	48.33	21.92	1.21	0.034
KWWQ178824	48.89	22.18	1.22	0.035
KWWQ178924	49.44	22.43	1.24	0.035
KWWQ179024	50.00	22.68	1.25	0.035
KWWQ179124	50.56	22.93	1.26	0.036
KWWQ179224	51.11	23.18	1.28	0.036
KWWQ179324	51.67	23.44	1.29	0.037
KWWQ179424	52.22	23.69	1.31	0.037
KWWQ179524	52.78	23.94	1.32	0.037
KWWQ179624	53.33	24.19	1.33	0.038

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWWQ204230	29.17	13.23	0.73	0.021
KWWQ204330	29.86	13.54	0.75	0.021
KWWQ204430	30.56	13.86	0.76	0.022
KWWQ204530	31.25	14.17	0.78	0.022
KWWQ204630	31.94	14.49	0.80	0.023
KWWQ204730	32.64	14.80	0.82	0.023
KWWQ204830	33.33	15.12	0.83	0.024
KWWQ204930	34.03	15.43	0.85	0.024
KWWQ205030	34.72	15.75	0.87	0.025
KWWQ205130	35.42	16.06	0.89	0.025
KWWQ205230	36.11	16.38	0.90	0.026
KWWQ205330	36.81	16.69	0.92	0.026
KWWQ205430	37.50	17.01	0.94	0.027
KWWQ205530	38.19	17.32	0.95	0.027
KWWQ205630	38.89	17.64	0.97	0.028
KWWQ205730	39.58	17.95	0.99	0.028
KWWQ205830	40.28	18.27	1.01	0.029
KWWQ205930	40.97	18.58	1.02	0.029
KWWQ206030	41.67	18.90	1.04	0.029
KWWQ206130	42.36	19.21	1.06	0.030
KWWQ206230	43.06	19.53	1.08	0.030
KWWQ206330	43.75	19.84	1.09	0.031
KWWQ206430	44.44	20.16	1.11	0.031
KWWQ206530	45.14	20.47	1.13	0.032
KWWQ206630	45.83	20.79	1.15	0.032
KWWQ206730	46.53	21.10	1.16	0.033
KWWQ206830	47.22	21.42	1.18	0.033
KWWQ206930	47.92	21.73	1.20	0.034
KWWQ207030	48.61	22.05	1.22	0.034
KWWQ207130	49.31	22.36	1.23	0.035
KWWQ207230	50.00	22.68	1.25	0.035
KWWQ207330	50.69	22.99	1.27	0.036
KWWQ207430	51.39	23.31	1.28	0.036
KWWQ207530	52.08	23.62	1.30	0.037
KWWQ207630	52.78	23.94	1.32	0.037
KWWQ207730	53.47	24.25	1.34	0.038
KWWQ207830	54.17	24.57	1.35	0.038
KWWQ207930	54.86	24.88	1.37	0.039
KWWQ208030	55.56	25.20	1.39	0.039
KWWQ208130	56.25	25.51	1.41	0.040
KWWQ208230	56.94	25.83	1.42	0.040
KWWQ208330	57.64	26.14	1.44	0.041
KWWQ208430	58.33	26.46	1.46	0.041
KWWQ208530	59.03	26.77	1.48	0.042
KWWQ208630	59.72	27.09	1.49	0.042
KWWQ208730	60.42	27.40	1.51	0.043
KWWQ208830	61.11	27.72	1.53	0.043
KWWQ208930	61.81	28.03	1.55	0.044
KWWQ209030	62.50	28.35	1.56	0.044
KWWQ209130	63.19	28.66	1.58	0.045
KWWQ209230	63.89	28.98	1.60	0.045
KWWQ209330	64.58	29.29	1.61	0.046
KWWQ209430	65.28	29.61	1.63	0.046
KWWQ209530	65.97	29.92	1.65	0.047
KWWQ209630	66.67	30.24	1.67	0.047

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWWWQ244230	29.17	13.23	0.73	0.021
KWWWQ244330	29.86	13.54	0.75	0.021
KWWWQ244430	30.56	13.86	0.76	0.022
KWWWQ244530	31.25	14.17	0.78	0.022
KWWWQ244630	31.94	14.49	0.80	0.023
KWWWQ244730	32.64	14.80	0.82	0.023
KWWWQ244830	33.33	15.12	0.83	0.024
KWWWQ244930	34.03	15.43	0.85	0.024
KWWWQ245030	34.72	15.75	0.87	0.025
KWWWQ245130	35.42	16.06	0.89	0.025
KWWWQ245230	36.11	16.38	0.90	0.026
KWWWQ245330	36.81	16.69	0.92	0.026
KWWWQ245430	37.50	17.01	0.94	0.027
KWWWQ245530	38.19	17.32	0.95	0.027
KWWWQ245630	38.89	17.64	0.97	0.028
KWWWQ245730	39.58	17.95	0.99	0.028
KWWWQ245830	40.28	18.27	1.01	0.029
KWWWQ245930	40.97	18.58	1.02	0.029
KWWWQ246030	41.67	18.90	1.04	0.029
KWWWQ246130	42.36	19.21	1.06	0.030
KWWWQ246230	43.06	19.53	1.08	0.030
KWWWQ246330	43.75	19.84	1.09	0.031
KWWWQ246430	44.44	20.16	1.11	0.031
KWWWQ246530	45.14	20.47	1.13	0.032
KWWWQ246630	45.83	20.79	1.15	0.032
KWWWQ246730	46.53	21.10	1.16	0.033
KWWWQ246830	47.22	21.42	1.18	0.033
KWWWQ246930	47.92	21.73	1.20	0.034
KWWWQ247030	48.61	22.05	1.22	0.034
KWWWQ247130	49.31	22.36	1.23	0.035
KWWWQ247230	50.00	22.68	1.25	0.035
KWWWQ247330	50.69	22.99	1.27	0.036
KWWWQ247430	51.39	23.31	1.28	0.036
KWWWQ247530	52.08	23.62	1.30	0.037
KWWWQ247630	52.78	23.94	1.32	0.037
KWWWQ247730	53.47	24.25	1.34	0.038
KWWWQ247830	54.17	24.57	1.35	0.038
KWWWQ247930	54.86	24.88	1.37	0.039
KWWWQ248030	55.56	25.20	1.39	0.039
KWWWQ248130	56.25	25.51	1.41	0.040
KWWWQ248230	56.94	25.83	1.42	0.040
KWWWQ248330	57.64	26.14	1.44	0.041
KWWWQ248430	58.33	26.46	1.46	0.041
KWWWQ248530	59.03	26.77	1.48	0.042
KWWWQ248630	59.72	27.09	1.49	0.042
KWWWQ248730	60.42	27.40	1.51	0.043
KWWWQ248830	61.11	27.72	1.53	0.043
KWWWQ248930	61.81	28.03	1.55	0.044
KWWWQ249030	62.50	28.35	1.56	0.044
KWWWQ249130	63.19	28.66	1.58	0.045
KWWWQ249230	63.89	28.98	1.60	0.045
KWWWQ249330	64.58	29.29	1.61	0.046
KWWWQ249430	65.28	29.61	1.63	0.046
KWWWQ249530	65.97	29.92	1.65	0.047
KWWWQ249630	66.67	30.24	1.67	0.047

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWWWQ304236	35.00	15.88	0.88	0.025
KWWWQ304336	35.83	16.25	0.90	0.025
KWWWQ304436	36.67	16.63	0.92	0.026
KWWWQ304536	37.50	17.01	0.94	0.027
KWWWQ304636	38.33	17.39	0.96	0.027
KWWWQ304736	39.17	17.77	0.98	0.028
KWWWQ304836	40.00	18.14	1.00	0.028
KWWWQ304936	40.83	18.52	1.02	0.029
KWWWQ305036	41.67	18.90	1.04	0.029
KWWWQ305136	42.50	19.28	1.06	0.030
KWWWQ305236	43.33	19.66	1.08	0.031
KWWWQ305336	44.17	20.03	1.10	0.031
KWWWQ305436	45.00	20.41	1.13	0.032
KWWWQ305536	45.83	20.79	1.15	0.032
KWWWQ305636	46.67	21.17	1.17	0.033
KWWWQ305736	47.50	21.55	1.19	0.034
KWWWQ305836	48.33	21.92	1.21	0.034
KWWWQ305936	49.17	22.30	1.23	0.035
KWWWQ306036	50.00	22.68	1.25	0.035
KWWWQ306136	50.83	23.06	1.27	0.036
KWWWQ306236	51.67	23.44	1.29	0.037
KWWWQ306336	52.50	23.81	1.31	0.037
KWWWQ306436	53.33	24.19	1.33	0.038
KWWWQ306536	54.17	24.57	1.35	0.038
KWWWQ306636	55.00	24.95	1.38	0.039
KWWWQ306736	55.83	25.33	1.40	0.040
KWWWQ306836	56.67	25.70	1.42	0.040
KWWWQ306936	57.50	26.08	1.44	0.041
KWWWQ307036	58.33	26.46	1.46	0.041
KWWWQ307136	59.17	26.84	1.48	0.042
KWWWQ307236	60.00	27.22	1.50	0.042
KWWWQ307336	60.83	27.59	1.52	0.043
KWWWQ307436	61.67	27.97	1.54	0.044
KWWWQ307536	62.50	28.35	1.56	0.044
KWWWQ307636	63.33	28.73	1.58	0.045
KWWWQ307736	64.17	29.11	1.60	0.045
KWWWQ307836	65.00	29.48	1.63	0.046
KWWWQ307936	65.83	29.86	1.65	0.047
KWWWQ308036	66.67	30.24	1.67	0.047
KWWWQ308136	67.50	30.62	1.69	0.048
KWWWQ308236	68.33	31.00	1.71	0.048
KWWWQ308336	69.17	31.37	1.73	0.049
KWWWQ308436	70.00	31.75	1.75	0.050
KWWWQ308536	70.83	32.13	1.77	0.050
KWWWQ308636	71.67	32.51	1.79	0.051
KWWWQ308736	72.50	32.89	1.81	0.051
KWWWQ308836	73.33	33.26	1.83	0.052
KWWWQ308936	74.17	33.64	1.85	0.053
KWWWQ309036	75.00	34.02	1.88	0.053
KWWWQ309136	75.83	34.40	1.90	0.054
KWWWQ309236	76.67	34.78	1.92	0.054
KWWWQ309336	77.50	35.15	1.94	0.055
KWWWQ309436	78.33	35.53	1.96	0.055
KWWWQ309536	79.17	35.91	1.98	0.056
KWWWQ309636	80.00	36.29	2.00	0.057

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Extended Wedge Worksurface (D-Style) (KWEQ)</b>				
KWEQ17602417	29.85	13.54	0.75	0.021
KWEQ17602420	31.34	14.22	0.78	0.022
KWEQ17602424	33.33	15.12	0.83	0.024
KWEQ17612417	30.32	13.75	0.76	0.021
KWEQ17612420	31.85	14.45	0.80	0.023
KWEQ17612424	33.89	15.37	0.85	0.024
KWEQ17622417	30.80	13.97	0.77	0.022
KWEQ17622420	32.36	14.68	0.81	0.023
KWEQ17622424	34.44	15.62	0.86	0.024
KWEQ17632417	31.27	14.19	0.78	0.022
KWEQ17632420	32.87	14.91	0.82	0.023
KWEQ17632424	35.00	15.88	0.88	0.025
KWEQ17642417	31.75	14.40	0.79	0.022
KWEQ17642420	33.38	15.14	0.83	0.024
KWEQ17642424	35.56	16.13	0.89	0.025
KWEQ17652417	32.22	14.62	0.81	0.023
KWEQ17652420	33.89	15.37	0.85	0.024
KWEQ17652424	36.11	16.38	0.90	0.026
KWEQ17662417	32.70	14.83	0.82	0.023
KWEQ17662420	34.40	15.60	0.86	0.024
KWEQ17662424	36.67	16.63	0.92	0.026
KWEQ17672417	33.17	15.05	0.83	0.023
KWEQ17672420	34.91	15.83	0.87	0.025
KWEQ17672424	37.22	16.88	0.93	0.026
KWEQ17682417	33.65	15.26	0.84	0.024
KWEQ17682420	35.42	16.06	0.89	0.025
KWEQ17682424	37.78	17.14	0.94	0.027
KWEQ17692417	34.12	15.48	0.85	0.024
KWEQ17692420	35.93	16.30	0.90	0.025
KWEQ17692424	38.33	17.39	0.96	0.027
KWEQ17702417	34.59	15.69	0.86	0.024
KWEQ17702420	36.44	16.53	0.91	0.026
KWEQ17702424	38.89	17.64	0.97	0.028
KWEQ17712417	35.07	15.91	0.88	0.025
KWEQ17712420	36.94	16.76	0.92	0.026
KWEQ17712424	39.44	17.89	0.99	0.028
KWEQ17722417	35.54	16.12	0.89	0.025
KWEQ17722420	37.45	16.99	0.94	0.027
KWEQ17722424	40.00	18.14	1.00	0.028
KWEQ17732417	36.02	16.34	0.90	0.025
KWEQ17732420	37.96	17.22	0.95	0.027
KWEQ17732424	40.56	18.40	1.01	0.029
KWEQ17742417	36.49	16.55	0.91	0.026
KWEQ17742420	38.47	17.45	0.96	0.027
KWEQ17742424	41.11	18.65	1.03	0.029
KWEQ17752417	36.97	16.77	0.92	0.026
KWEQ17752420	38.98	17.68	0.97	0.028
KWEQ17752424	41.67	18.90	1.04	0.029
KWEQ17762417	37.44	16.98	0.94	0.027
KWEQ17762420	39.49	17.91	0.99	0.028
KWEQ17762424	42.22	19.15	1.06	0.030
KWEQ17772417	37.92	17.20	0.95	0.027
KWEQ17772420	40.00	18.14	1.00	0.028
KWEQ17772424	42.78	19.40	1.07	0.030
KWEQ17782417	38.39	17.41	0.96	0.027
KWEQ17782420	40.51	18.37	1.01	0.029
KWEQ17782424	43.33	19.66	1.08	0.031

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWEQ17792417	38.87	17.63	0.97	0.028
KWEQ17792420	41.02	18.61	1.03	0.029
KWEQ17792424	43.89	19.91	1.10	0.031
KWEQ17802417	39.34	17.84	0.98	0.028
KWEQ17802420	41.53	18.84	1.04	0.029
KWEQ17802424	44.44	20.16	1.11	0.031
KWEQ17812417	39.81	18.06	1.00	0.028
KWEQ17812420	42.04	19.07	1.05	0.030
KWEQ17812424	45.00	20.41	1.13	0.032
KWEQ17822417	40.29	18.27	1.01	0.029
KWEQ17822420	42.55	19.30	1.06	0.030
KWEQ17822424	45.56	20.66	1.14	0.032
KWEQ17832417	40.76	18.49	1.02	0.029
KWEQ17832420	43.06	19.53	1.08	0.030
KWEQ17832424	46.11	20.92	1.15	0.033
KWEQ17842417	41.24	18.71	1.03	0.029
KWEQ17842420	43.56	19.76	1.09	0.031
KWEQ17842424	46.67	21.17	1.17	0.033
KWEQ17852417	41.71	18.92	1.04	0.030
KWEQ17852420	44.07	19.99	1.10	0.031
KWEQ17852424	47.22	21.42	1.18	0.033
KWEQ17862417	42.19	19.14	1.05	0.030
KWEQ17862420	44.58	20.22	1.11	0.032
KWEQ17862424	47.78	21.67	1.19	0.034
KWEQ17872417	42.66	19.35	1.07	0.030
KWEQ17872420	45.09	20.45	1.13	0.032
KWEQ17872424	48.33	21.92	1.21	0.034
KWEQ17882417	43.14	19.57	1.08	0.031
KWEQ17882420	45.60	20.68	1.14	0.032
KWEQ17882424	48.89	22.18	1.22	0.035
KWEQ17892417	43.61	19.78	1.09	0.031
KWEQ17892420	46.11	20.92	1.15	0.033
KWEQ17892424	49.44	22.43	1.24	0.035
KWEQ17902417	44.09	20.00	1.10	0.031
KWEQ17902420	46.62	21.15	1.17	0.033
KWEQ17902424	50.00	22.68	1.25	0.035
KWEQ17912417	44.56	20.21	1.11	0.032
KWEQ17912420	47.13	21.38	1.18	0.033
KWEQ17912424	50.56	22.93	1.26	0.036
KWEQ17922417	45.03	20.43	1.13	0.032
KWEQ17922420	47.64	21.61	1.19	0.034
KWEQ17922424	51.11	23.18	1.28	0.036
KWEQ17932417	45.51	20.64	1.14	0.032
KWEQ17932420	48.15	21.84	1.20	0.034
KWEQ17932424	51.67	23.44	1.29	0.037
KWEQ17942417	45.98	20.86	1.15	0.033
KWEQ17942420	48.66	22.07	1.22	0.034
KWEQ17942424	52.22	23.69	1.31	0.037
KWEQ17952417	46.46	21.07	1.16	0.033
KWEQ17952420	49.17	22.30	1.23	0.035
KWEQ17952424	52.78	23.94	1.32	0.037
KWEQ17962417	46.93	21.29	1.17	0.033
KWEQ17962420	49.68	22.53	1.24	0.035
KWEQ17962424	53.33	24.19	1.33	0.038
KWEQ20603017	35.65	16.17	0.89	0.025
KWEQ20603020	37.04	16.80	0.93	0.026
KWEQ20603024	38.89	17.64	0.97	0.028

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWEQ20613017	36.19	16.42	0.90	0.026
KWEQ20613020	37.62	17.06	0.94	0.027
KWEQ20613024	39.51	17.92	0.99	0.028
KWEQ20623017	36.74	16.66	0.92	0.026
KWEQ20623020	38.19	17.32	0.95	0.027
KWEQ20623024	40.14	18.21	1.00	0.028
KWEQ20633017	37.28	16.91	0.93	0.026
KWEQ20633020	38.77	17.59	0.97	0.027
KWEQ20633024	40.76	18.49	1.02	0.029
KWEQ20643017	37.82	17.16	0.95	0.027
KWEQ20643020	39.35	17.85	0.98	0.028
KWEQ20643024	41.39	18.77	1.03	0.029
KWEQ20653017	38.37	17.40	0.96	0.027
KWEQ20653020	39.93	18.11	1.00	0.028
KWEQ20653024	42.01	19.06	1.05	0.030
KWEQ20663017	38.91	17.65	0.97	0.028
KWEQ20663020	40.51	18.37	1.01	0.029
KWEQ20663024	42.64	19.34	1.07	0.030
KWEQ20673017	39.46	17.90	0.99	0.028
KWEQ20673020	41.09	18.64	1.03	0.029
KWEQ20673024	43.26	19.62	1.08	0.031
KWEQ20683017	40.00	18.14	1.00	0.028
KWEQ20683020	41.67	18.90	1.04	0.029
KWEQ20683024	43.89	19.91	1.10	0.031
KWEQ20693017	40.54	18.39	1.01	0.029
KWEQ20693020	42.25	19.16	1.06	0.030
KWEQ20693024	44.51	20.19	1.11	0.032
KWEQ20703017	41.09	18.64	1.03	0.029
KWEQ20703020	42.82	19.42	1.07	0.030
KWEQ20703024	45.14	20.47	1.13	0.032
KWEQ20713017	41.63	18.88	1.04	0.029
KWEQ20713020	43.40	19.69	1.09	0.031
KWEQ20713024	45.76	20.76	1.14	0.032
KWEQ20723017	42.18	19.13	1.05	0.030
KWEQ20723020	43.98	19.95	1.10	0.031
KWEQ20723024	46.39	21.04	1.16	0.033
KWEQ20733017	42.72	19.38	1.07	0.030
KWEQ20733020	44.56	20.21	1.11	0.032
KWEQ20733024	47.01	21.33	1.18	0.033
KWEQ20743017	43.26	19.62	1.08	0.031
KWEQ20743020	45.14	20.47	1.13	0.032
KWEQ20743024	47.64	21.61	1.19	0.034
KWEQ20753017	43.81	19.87	1.10	0.031
KWEQ20753020	45.72	20.74	1.14	0.032
KWEQ20753024	48.26	21.89	1.21	0.034
KWEQ20763017	44.35	20.12	1.11	0.031
KWEQ20763020	46.30	21.00	1.16	0.033
KWEQ20763024	48.89	22.18	1.22	0.035
KWEQ20773017	44.90	20.36	1.12	0.032
KWEQ20773020	46.88	21.26	1.17	0.033
KWEQ20773024	49.51	22.46	1.24	0.035
KWEQ20783017	45.44	20.61	1.14	0.032
KWEQ20783020	47.45	21.52	1.19	0.034
KWEQ20783024	50.14	22.74	1.25	0.035
KWEQ20793017	45.98	20.86	1.15	0.033
KWEQ20793020	48.03	21.79	1.20	0.034
KWEQ20793024	50.76	23.03	1.27	0.036
KWEQ20803017	46.53	21.10	1.16	0.033

## Worksurfaces & Countertops

PRODUCT CODE

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWEQ20803020	48.61	22.05	1.22	0.034
KWEQ20803024	51.39	23.31	1.28	0.036
KWEQ20813017	47.07	21.35	1.18	0.033
KWEQ20813020	49.19	22.31	1.23	0.035
KWEQ20813024	52.01	23.59	1.30	0.037
KWEQ20823017	47.62	21.60	1.19	0.034
KWEQ20823020	49.77	22.57	1.24	0.035
KWEQ20823024	52.64	23.88	1.32	0.037
KWEQ20833017	48.16	21.84	1.20	0.034
KWEQ20833020	50.35	22.84	1.26	0.036
KWEQ20833024	53.26	24.16	1.33	0.038
KWEQ20843017	48.70	22.09	1.22	0.034
KWEQ20843020	50.93	23.10	1.27	0.036
KWEQ20843024	53.89	24.44	1.35	0.038
KWEQ20853017	49.25	22.34	1.23	0.035
KWEQ20853020	51.50	23.36	1.29	0.036
KWEQ20853024	54.51	24.73	1.36	0.039
KWEQ20863017	49.79	22.59	1.24	0.035
KWEQ20863020	52.08	23.62	1.30	0.037
KWEQ20863024	55.14	25.01	1.38	0.039
KWEQ20873017	50.34	22.83	1.26	0.036
KWEQ20873020	52.66	23.89	1.32	0.037
KWEQ20873024	55.76	25.29	1.39	0.039
KWEQ20883017	50.88	23.08	1.27	0.036
KWEQ20883020	53.24	24.15	1.33	0.038
KWEQ20883024	56.39	25.58	1.41	0.040
KWEQ20893017	51.42	23.33	1.29	0.036
KWEQ20893020	53.82	24.41	1.35	0.038
KWEQ20893024	57.01	25.86	1.43	0.040
KWEQ20903017	51.97	23.57	1.30	0.037
KWEQ20903020	54.40	24.67	1.36	0.039
KWEQ20903024	57.64	26.14	1.44	0.041
KWEQ20913017	52.51	23.82	1.31	0.037
KWEQ20913020	54.98	24.94	1.37	0.039
KWEQ20913024	58.26	26.43	1.46	0.041
KWEQ20923017	53.06	24.07	1.33	0.038
KWEQ20923020	55.56	25.20	1.39	0.039
KWEQ20923024	58.89	26.71	1.47	0.042
KWEQ20933017	53.60	24.31	1.34	0.038
KWEQ20933020	56.13	25.46	1.40	0.040
KWEQ20933024	59.51	27.00	1.49	0.042
KWEQ20943017	54.14	24.56	1.35	0.038
KWEQ20943020	56.71	25.72	1.42	0.040
KWEQ20943024	60.14	27.28	1.50	0.043
KWEQ20953017	54.69	24.81	1.37	0.039
KWEQ20953020	57.29	25.99	1.43	0.041
KWEQ20953024	60.76	27.56	1.52	0.043
KWEQ20963017	55.23	25.05	1.38	0.039
KWEQ20963020	57.87	26.25	1.45	0.041
KWEQ20963024	61.39	27.85	1.53	0.043
KWEQ24603017	36.25	16.44	0.91	0.026
KWEQ24603020	37.50	17.01	0.94	0.027
KWEQ24603024	39.17	17.77	0.98	0.028
KWEQ24613017	36.79	16.69	0.92	0.026
KWEQ24613020	38.08	17.27	0.95	0.027
KWEQ24613024	39.79	18.05	0.99	0.028
KWEQ24623017	37.34	16.94	0.93	0.026

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWEQ24623020	38.66	17.53	0.97	0.027
KWEQ24623024	40.42	18.33	1.01	0.029
KWEQ24633017	37.88	17.18	0.95	0.027
KWEQ24633020	39.24	17.80	0.98	0.028
KWEQ24633024	41.04	18.62	1.03	0.029
KWEQ24643017	38.43	17.43	0.96	0.027
KWEQ24643020	39.81	18.06	1.00	0.028
KWEQ24643024	41.67	18.90	1.04	0.029
KWEQ24653017	38.97	17.68	0.97	0.028
KWEQ24653020	40.39	18.32	1.01	0.029
KWEQ24653024	42.29	19.18	1.06	0.030
KWEQ24663017	39.51	17.92	0.99	0.028
KWEQ24663020	40.97	18.58	1.02	0.029
KWEQ24663024	42.92	19.47	1.07	0.030
KWEQ24673017	40.06	18.17	1.00	0.028
KWEQ24673020	41.55	18.85	1.04	0.029
KWEQ24673024	43.54	19.75	1.09	0.031
KWEQ24683017	40.60	18.42	1.02	0.029
KWEQ24683020	42.13	19.11	1.05	0.030
KWEQ24683024	44.17	20.03	1.10	0.031
KWEQ24693017	41.15	18.66	1.03	0.029
KWEQ24693020	42.71	19.37	1.07	0.030
KWEQ24693024	44.79	20.32	1.12	0.032
KWEQ24703017	41.69	18.91	1.04	0.030
KWEQ24703020	43.29	19.63	1.08	0.031
KWEQ24703024	45.42	20.60	1.14	0.032
KWEQ24713017	42.23	19.16	1.06	0.030
KWEQ24713020	43.87	19.90	1.10	0.031
KWEQ24713024	46.04	20.88	1.15	0.033
KWEQ24723017	42.78	19.40	1.07	0.030
KWEQ24723020	44.44	20.16	1.11	0.031
KWEQ24723024	46.67	21.17	1.17	0.033
KWEQ24733017	43.32	19.65	1.08	0.031
KWEQ24733020	45.02	20.42	1.13	0.032
KWEQ24733024	47.29	21.45	1.18	0.033
KWEQ24743017	43.87	19.90	1.10	0.031
KWEQ24743020	45.60	20.68	1.14	0.032
KWEQ24743024	47.92	21.73	1.20	0.034
KWEQ24753017	44.41	20.14	1.11	0.031
KWEQ24753020	46.18	20.95	1.15	0.033
KWEQ24753024	48.54	22.02	1.21	0.034
KWEQ24763017	44.95	20.39	1.12	0.032
KWEQ24763020	46.76	21.21	1.17	0.033
KWEQ24763024	49.17	22.30	1.23	0.035
KWEQ24773017	45.50	20.64	1.14	0.032
KWEQ24773020	47.34	21.47	1.18	0.034
KWEQ24773024	49.79	22.59	1.24	0.035
KWEQ24783017	46.04	20.88	1.15	0.033
KWEQ24783020	47.92	21.73	1.20	0.034
KWEQ24783024	50.42	22.87	1.26	0.036
KWEQ24793017	46.59	21.13	1.16	0.033
KWEQ24793020	48.50	22.00	1.21	0.034
KWEQ24793024	51.04	23.15	1.28	0.036
KWEQ24803017	47.13	21.38	1.18	0.033
KWEQ24803020	49.07	22.26	1.23	0.035
KWEQ24803024	51.67	23.44	1.29	0.037
KWEQ24813017	47.67	21.62	1.19	0.034
KWEQ24813020	49.65	22.52	1.24	0.035

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWEQ24813024	52.29	23.72	1.31	0.037
KWEQ24823017	48.22	21.87	1.21	0.034
KWEQ24823020	50.23	22.78	1.26	0.036
KWEQ24823024	52.92	24.00	1.32	0.037
KWEQ24833017	48.76	22.12	1.22	0.035
KWEQ24833020	50.81	23.05	1.27	0.036
KWEQ24833024	53.54	24.29	1.34	0.038
KWEQ24843017	49.31	22.36	1.23	0.035
KWEQ24843020	51.39	23.31	1.28	0.036
KWEQ24843024	54.17	24.57	1.35	0.038
KWEQ24853017	49.85	22.61	1.25	0.035
KWEQ24853020	51.97	23.57	1.30	0.037
KWEQ24853024	54.79	24.85	1.37	0.039
KWEQ24863017	50.39	22.86	1.26	0.036
KWEQ24863020	52.55	23.83	1.31	0.037
KWEQ24863024	55.42	25.14	1.39	0.039
KWEQ24873017	50.94	23.10	1.27	0.036
KWEQ24873020	53.13	24.10	1.33	0.038
KWEQ24873024	56.04	25.42	1.40	0.040
KWEQ24883017	51.48	23.35	1.29	0.036
KWEQ24883020	53.70	24.36	1.34	0.038
KWEQ24883024	56.67	25.70	1.42	0.040
KWEQ24893017	52.03	23.60	1.30	0.037
KWEQ24893020	54.28	24.62	1.36	0.038
KWEQ24893024	57.29	25.99	1.43	0.041
KWEQ24903017	52.57	23.85	1.31	0.037
KWEQ24903020	54.86	24.88	1.37	0.039
KWEQ24903024	57.92	26.27	1.45	0.041
KWEQ24913017	53.11	24.09	1.33	0.038
KWEQ24913020	55.44	25.15	1.39	0.039
KWEQ24913024	58.54	26.55	1.46	0.041
KWEQ24923017	53.66	24.34	1.34	0.038
KWEQ24923020	56.02	25.41	1.40	0.040
KWEQ24923024	59.17	26.84	1.48	0.042
KWEQ24933017	54.20	24.59	1.36	0.038
KWEQ24933020	56.60	25.67	1.41	0.040
KWEQ24933024	59.79	27.12	1.49	0.042
KWEQ24943017	54.75	24.83	1.37	0.039
KWEQ24943020	57.18	25.93	1.43	0.040
KWEQ24943024	60.42	27.40	1.51	0.043
KWEQ24953017	55.29	25.08	1.38	0.039
KWEQ24953020	57.75	26.20	1.44	0.041
KWEQ24953024	61.04	27.69	1.53	0.043
KWEQ24963017	55.83	25.33	1.40	0.040
KWEQ24963020	58.33	26.46	1.46	0.041
KWEQ24963024	61.67	27.97	1.54	0.044
KWEQ30603617	43.40	19.69	1.09	0.031
KWEQ30603620	44.44	20.16	1.11	0.031
KWEQ30603624	45.83	20.79	1.15	0.032
KWEQ30613617	44.02	19.97	1.10	0.031
KWEQ30613620	45.09	20.45	1.13	0.032
KWEQ30613624	46.53	21.10	1.16	0.033
KWEQ30623617	44.63	20.24	1.12	0.032
KWEQ30623620	45.74	20.75	1.14	0.032
KWEQ30623624	47.22	21.42	1.18	0.033
KWEQ30633617	45.24	20.52	1.13	0.032
KWEQ30633620	46.39	21.04	1.16	0.033

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWEQ30633624	47.92	21.73	1.20	0.034
KWEQ30643617	45.86	20.80	1.15	0.032
KWEQ30643620	47.04	21.34	1.18	0.033
KWEQ30643624	48.61	22.05	1.22	0.034
KWEQ30653617	46.47	21.08	1.16	0.033
KWEQ30653620	47.69	21.63	1.19	0.034
KWEQ30653624	49.31	22.36	1.23	0.035
KWEQ30663617	47.08	21.36	1.18	0.033
KWEQ30663620	48.33	21.92	1.21	0.034
KWEQ30663624	50.00	22.68	1.25	0.035
KWEQ30673617	47.70	21.63	1.19	0.034
KWEQ30673620	48.98	22.22	1.22	0.035
KWEQ30673624	50.69	22.99	1.27	0.036
KWEQ30683617	48.31	21.91	1.21	0.034
KWEQ30683620	49.63	22.51	1.24	0.035
KWEQ30683624	51.39	23.31	1.28	0.036
KWEQ30693617	48.92	22.19	1.22	0.035
KWEQ30693620	50.28	22.81	1.26	0.036
KWEQ30693624	52.08	23.62	1.30	0.037
KWEQ30703617	49.54	22.47	1.24	0.035
KWEQ30703620	50.93	23.10	1.27	0.036
KWEQ30703624	52.78	23.94	1.32	0.037
KWEQ30713617	50.15	22.75	1.25	0.036
KWEQ30713620	51.57	23.39	1.29	0.037
KWEQ30713624	53.47	24.25	1.34	0.038
KWEQ30723617	50.76	23.03	1.27	0.036
KWEQ30723620	52.22	23.69	1.31	0.037
KWEQ30723624	54.17	24.57	1.35	0.038
KWEQ30733617	51.38	23.30	1.28	0.036
KWEQ30733620	52.87	23.98	1.32	0.037
KWEQ30733624	54.86	24.88	1.37	0.039
KWEQ30743617	51.99	23.58	1.30	0.037
KWEQ30743620	53.52	24.28	1.34	0.038
KWEQ30743624	55.56	25.20	1.39	0.039
KWEQ30753024	48.96	22.21	1.22	0.035
KWEQ30753620	54.17	24.57	1.35	0.038
KWEQ30753624	56.25	25.51	1.41	0.040
KWEQ30763617	53.22	24.14	1.33	0.038
KWEQ30763620	54.81	24.86	1.37	0.039
KWEQ30763624	56.94	25.83	1.42	0.040
KWEQ30773617	53.83	24.42	1.35	0.038
KWEQ30773620	55.46	25.16	1.39	0.039
KWEQ30773624	57.64	26.14	1.44	0.041
KWEQ30783617	54.44	24.70	1.36	0.039
KWEQ30783620	56.11	25.45	1.40	0.040
KWEQ30783624	58.33	26.46	1.46	0.041
KWEQ30793617	55.06	24.97	1.38	0.039
KWEQ30793620	56.76	25.75	1.42	0.040
KWEQ30793624	59.03	26.77	1.48	0.042
KWEQ30803617	55.67	25.25	1.39	0.039
KWEQ30803620	57.41	26.04	1.44	0.041
KWEQ30803624	59.72	27.09	1.49	0.042
KWEQ30813617	56.28	25.53	1.41	0.040
KWEQ30813620	58.06	26.33	1.45	0.041
KWEQ30813624	60.42	27.40	1.51	0.043
KWEQ30823617	56.90	25.81	1.42	0.040
KWEQ30823620	58.70	26.63	1.47	0.042
KWEQ30823624	61.11	27.72	1.53	0.043

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWEQ30833617	57.51	26.09	1.44	0.041
KWEQ30833620	59.35	26.92	1.48	0.042
KWEQ30833624	61.81	28.03	1.55	0.044
KWEQ30843617	58.13	26.37	1.45	0.041
KWEQ30843620	60.00	27.22	1.50	0.042
KWEQ30843624	62.50	28.35	1.56	0.044
KWEQ30853617	58.74	26.64	1.47	0.042
KWEQ30853620	60.65	27.51	1.52	0.043
KWEQ30853624	63.19	28.66	1.58	0.045
KWEQ30863617	59.35	26.92	1.48	0.042
KWEQ30863620	61.30	27.80	1.53	0.043
KWEQ30863624	63.89	28.98	1.60	0.045
KWEQ30873617	59.97	27.20	1.50	0.042
KWEQ30873620	61.94	28.10	1.55	0.044
KWEQ30873624	64.58	29.29	1.61	0.046
KWEQ30883617	60.58	27.48	1.51	0.043
KWEQ30883620	62.59	28.39	1.56	0.044
KWEQ30883624	65.28	29.61	1.63	0.046
KWEQ30893617	61.19	27.76	1.53	0.043
KWEQ30893620	63.24	28.69	1.58	0.045
KWEQ30893624	65.97	29.92	1.65	0.047
KWEQ30903617	61.81	28.03	1.55	0.044
KWEQ30903620	63.89	28.98	1.60	0.045
KWEQ30903624	66.67	30.24	1.67	0.047
KWEQ30913617	62.42	28.31	1.56	0.044
KWEQ30913620	64.54	29.27	1.61	0.046
KWEQ30913624	67.36	30.55	1.68	0.048
KWEQ30923617	63.03	28.59	1.58	0.045
KWEQ30923620	65.19	29.57	1.63	0.046
KWEQ30923624	68.06	30.87	1.70	0.048
KWEQ30933617	63.65	28.87	1.59	0.045
KWEQ30933620	65.83	29.86	1.65	0.047
KWEQ30933624	68.75	31.18	1.72	0.049
KWEQ30943617	64.26	29.15	1.61	0.045
KWEQ30943620	66.48	30.16	1.66	0.047
KWEQ30943624	69.44	31.50	1.74	0.049
KWEQ30953617	64.87	29.43	1.62	0.046
KWEQ30953620	67.13	30.45	1.68	0.048
KWEQ30953624	70.14	31.81	1.75	0.050
KWEQ30963617	65.49	29.70	1.64	0.046
KWEQ30963620	67.78	30.74	1.69	0.048
KWEQ30963624	70.83	32.13	1.77	0.050

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME						
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>					
<b>Wing Worksurface (D-Style) (KWGQ)</b>									
KWGQ17602417	29.85	13.54	0.75	0.021	KWGQ17792417	38.87	17.63	0.97	0.028
KWGQ17602420	31.34	14.22	0.78	0.022	KWGQ17792420	41.02	18.61	1.03	0.029
KWGQ17602424	33.33	15.12	0.83	0.024	KWGQ17792424	43.89	19.91	1.10	0.031
KWGQ17612417	30.32	13.75	0.76	0.021	KWGQ17802417	39.34	17.84	0.98	0.028
KWGQ17612420	31.85	14.45	0.80	0.023	KWGQ17802420	41.53	18.84	1.04	0.029
KWGQ17612424	33.89	15.37	0.85	0.024	KWGQ17802424	44.44	20.16	1.11	0.031
KWGQ17622417	30.80	13.97	0.77	0.022	KWGQ17812417	39.81	18.06	1.00	0.028
KWGQ17622420	32.36	14.68	0.81	0.023	KWGQ17812420	42.04	19.07	1.05	0.030
KWGQ17622424	34.44	15.62	0.86	0.024	KWGQ17812424	45.00	20.41	1.13	0.032
KWGQ17632417	31.27	14.19	0.78	0.022	KWGQ17822417	40.29	18.27	1.01	0.029
KWGQ17632420	32.87	14.91	0.82	0.023	KWGQ17822420	42.55	19.30	1.06	0.030
KWGQ17632424	35.00	15.88	0.88	0.025	KWGQ17822424	45.56	20.66	1.14	0.032
KWGQ17642417	31.75	14.40	0.79	0.022	KWGQ17832417	40.76	18.49	1.02	0.029
KWGQ17642420	33.38	15.14	0.83	0.024	KWGQ17832420	43.06	19.53	1.08	0.030
KWGQ17642424	35.56	16.13	0.89	0.025	KWGQ17832424	46.11	20.92	1.15	0.033
KWGQ17652417	32.22	14.62	0.81	0.023	KWGQ17842417	41.24	18.71	1.03	0.029
KWGQ17652420	33.89	15.37	0.85	0.024	KWGQ17842420	43.56	19.76	1.09	0.031
KWGQ17652424	36.11	16.38	0.90	0.026	KWGQ17842424	46.67	21.17	1.17	0.033
KWGQ17662417	32.70	14.83	0.82	0.023	KWGQ17852417	41.71	18.92	1.04	0.030
KWGQ17662420	34.40	15.60	0.86	0.024	KWGQ17852420	44.07	19.99	1.10	0.031
KWGQ17662424	36.67	16.63	0.92	0.026	KWGQ17852424	47.22	21.42	1.18	0.033
KWGQ17672417	33.17	15.05	0.83	0.023	KWGQ17862417	42.19	19.14	1.05	0.030
KWGQ17672420	34.91	15.83	0.87	0.025	KWGQ17862420	44.58	20.22	1.11	0.032
KWGQ17672424	37.22	16.88	0.93	0.026	KWGQ17862424	47.78	21.67	1.19	0.034
KWGQ17682417	33.65	15.26	0.84	0.024	KWGQ17872417	42.66	19.35	1.07	0.030
KWGQ17682420	35.42	16.06	0.89	0.025	KWGQ17872420	45.09	20.45	1.13	0.032
KWGQ17682424	37.78	17.14	0.94	0.027	KWGQ17872424	48.33	21.92	1.21	0.034
KWGQ17692417	34.12	15.48	0.85	0.024	KWGQ17882417	43.14	19.57	1.08	0.031
KWGQ17692420	35.93	16.30	0.90	0.025	KWGQ17882420	45.60	20.68	1.14	0.032
KWGQ17692424	38.33	17.39	0.96	0.027	KWGQ17882424	48.89	22.18	1.22	0.035
KWGQ17702417	34.59	15.69	0.86	0.024	KWGQ17892417	43.61	19.78	1.09	0.031
KWGQ17702420	36.44	16.53	0.91	0.026	KWGQ17892420	46.11	20.92	1.15	0.033
KWGQ17702424	38.89	17.64	0.97	0.028	KWGQ17892424	49.44	22.43	1.24	0.035
KWGQ17712417	35.07	15.91	0.88	0.025	KWGQ17902417	44.09	20.00	1.10	0.031
KWGQ17712420	36.94	16.76	0.92	0.026	KWGQ17902420	46.62	21.15	1.17	0.033
KWGQ17712424	39.44	17.89	0.99	0.028	KWGQ17902424	50.00	22.68	1.25	0.035
KWGQ17722417	35.54	16.12	0.89	0.025	KWGQ17912417	44.56	20.21	1.11	0.032
KWGQ17722420	37.45	16.99	0.94	0.027	KWGQ17912420	47.13	21.38	1.18	0.033
KWGQ17722424	40.00	18.14	1.00	0.028	KWGQ17912424	50.56	22.93	1.26	0.036
KWGQ17732417	36.02	16.34	0.90	0.025	KWGQ17922417	45.03	20.43	1.13	0.032
KWGQ17732420	37.96	17.22	0.95	0.027	KWGQ17922420	47.64	21.61	1.19	0.034
KWGQ17732424	40.56	18.40	1.01	0.029	KWGQ17922424	51.11	23.18	1.28	0.036
KWGQ17742417	36.49	16.55	0.91	0.026	KWGQ17932417	45.51	20.64	1.14	0.032
KWGQ17742420	38.47	17.45	0.96	0.027	KWGQ17932420	48.15	21.84	1.20	0.034
KWGQ17742424	41.11	18.65	1.03	0.029	KWGQ17932424	51.67	23.44	1.29	0.037
KWGQ17752417	36.97	16.77	0.92	0.026	KWGQ17942417	45.98	20.86	1.15	0.033
KWGQ17752420	38.98	17.68	0.97	0.028	KWGQ17942420	48.66	22.07	1.22	0.034
KWGQ17752424	41.67	18.90	1.04	0.029	KWGQ17942424	52.22	23.69	1.31	0.037
KWGQ17762417	37.44	16.98	0.94	0.027	KWGQ17952417	46.46	21.07	1.16	0.033
KWGQ17762420	39.49	17.91	0.99	0.028	KWGQ17952420	49.17	22.30	1.23	0.035
KWGQ17762424	42.22	19.15	1.06	0.030	KWGQ17952424	52.78	23.94	1.32	0.037
KWGQ17772417	37.92	17.20	0.95	0.027	KWGQ17962417	46.93	21.29	1.17	0.033
KWGQ17772420	40.00	18.14	1.00	0.028	KWGQ17962420	49.68	22.53	1.24	0.035
KWGQ17772424	42.78	19.40	1.07	0.030	KWGQ17962424	53.33	24.19	1.33	0.038
KWGQ17782417	38.39	17.41	0.96	0.027					
KWGQ17782420	40.51	18.37	1.01	0.029	KWGQ20603017	35.65	16.17	0.89	0.025
KWGQ17782424	43.33	19.66	1.08	0.031	KWGQ20603020	37.04	16.80	0.93	0.026
					KWGQ20603024	38.89	17.64	0.97	0.028

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWGG20613017	36.19	16.42	0.90	0.026
KWGG20613020	37.62	17.06	0.94	0.027
KWGG20613024	39.51	17.92	0.99	0.028
KWGG20623017	36.74	16.66	0.92	0.026
KWGG20623020	38.19	17.32	0.95	0.027
KWGG20623024	40.14	18.21	1.00	0.028
KWGG20633017	37.28	16.91	0.93	0.026
KWGG20633020	38.77	17.59	0.97	0.027
KWGG20633024	40.76	18.49	1.02	0.029
KWGG20643017	37.82	17.16	0.95	0.027
KWGG20643020	39.35	17.85	0.98	0.028
KWGG20643024	41.39	18.77	1.03	0.029
KWGG20653017	38.37	17.40	0.96	0.027
KWGG20653020	39.93	18.11	1.00	0.028
KWGG20653024	42.01	19.06	1.05	0.030
KWGG20663017	38.91	17.65	0.97	0.028
KWGG20663020	40.51	18.37	1.01	0.029
KWGG20663024	42.64	19.34	1.07	0.030
KWGG20673017	39.46	17.90	0.99	0.028
KWGG20673020	41.09	18.64	1.03	0.029
KWGG20673024	43.26	19.62	1.08	0.031
KWGG20683017	40.00	18.14	1.00	0.028
KWGG20683020	41.67	18.90	1.04	0.029
KWGG20683024	43.89	19.91	1.10	0.031
KWGG20693017	40.54	18.39	1.01	0.029
KWGG20693020	42.25	19.16	1.06	0.030
KWGG20693024	44.51	20.19	1.11	0.032
KWGG20703017	41.09	18.64	1.03	0.029
KWGG20703020	42.82	19.42	1.07	0.030
KWGG20703024	45.14	20.47	1.13	0.032
KWGG20713017	41.63	18.88	1.04	0.029
KWGG20713020	43.40	19.69	1.09	0.031
KWGG20713024	45.76	20.76	1.14	0.032
KWGG20723017	42.18	19.13	1.05	0.030
KWGG20723020	43.98	19.95	1.10	0.031
KWGG20723024	46.39	21.04	1.16	0.033
KWGG20733017	42.72	19.38	1.07	0.030
KWGG20733020	44.56	20.21	1.11	0.032
KWGG20733024	47.01	21.33	1.18	0.033
KWGG20743017	43.26	19.62	1.08	0.031
KWGG20743020	45.14	20.47	1.13	0.032
KWGG20743024	47.64	21.61	1.19	0.034
KWGG20753017	43.81	19.87	1.10	0.031
KWGG20753020	45.72	20.74	1.14	0.032
KWGG20753024	48.26	21.89	1.21	0.034
KWGG20763017	44.35	20.12	1.11	0.031
KWGG20763020	46.30	21.00	1.16	0.033
KWGG20763024	48.89	22.18	1.22	0.035
KWGG20773017	44.90	20.36	1.12	0.032
KWGG20773020	46.88	21.26	1.17	0.033
KWGG20773024	49.51	22.46	1.24	0.035
KWGG20783017	45.44	20.61	1.14	0.032
KWGG20783020	47.45	21.52	1.19	0.034
KWGG20783024	50.14	22.74	1.25	0.035
KWGG20793017	45.98	20.86	1.15	0.033
KWGG20793020	48.03	21.79	1.20	0.034
KWGG20793024	50.76	23.03	1.27	0.036
KWGG20803017	46.53	21.10	1.16	0.033

## Worksurfaces & Countertops

PRODUCT CODE

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWGG20803020	48.61	22.05	1.22	0.034
KWGG20803024	51.39	23.31	1.28	0.036
KWGG20813017	47.07	21.35	1.18	0.033
KWGG20813020	49.19	22.31	1.23	0.035
KWGG20813024	52.01	23.59	1.30	0.037
KWGG20823017	47.62	21.60	1.19	0.034
KWGG20823020	49.77	22.57	1.24	0.035
KWGG20823024	52.64	23.88	1.32	0.037
KWGG20833017	48.16	21.84	1.20	0.034
KWGG20833020	50.35	22.84	1.26	0.036
KWGG20833024	53.26	24.16	1.33	0.038
KWGG20843017	48.70	22.09	1.22	0.034
KWGG20843020	50.93	23.10	1.27	0.036
KWGG20843024	53.89	24.44	1.35	0.038
KWGG20853017	49.25	22.34	1.23	0.035
KWGG20853020	51.50	23.36	1.29	0.036
KWGG20853024	54.51	24.73	1.36	0.039
KWGG20863017	49.79	22.59	1.24	0.035
KWGG20863020	52.08	23.62	1.30	0.037
KWGG20863024	55.14	25.01	1.38	0.039
KWGG20873017	50.34	22.83	1.26	0.036
KWGG20873020	52.66	23.89	1.32	0.037
KWGG20873024	55.76	25.29	1.39	0.039
KWGG20883017	50.88	23.08	1.27	0.036
KWGG20883020	53.24	24.15	1.33	0.038
KWGG20883024	56.39	25.58	1.41	0.040
KWGG20893017	51.42	23.33	1.29	0.036
KWGG20893020	53.82	24.41	1.35	0.038
KWGG20893024	57.01	25.86	1.43	0.040
KWGG20903017	51.97	23.57	1.30	0.037
KWGG20903020	54.40	24.67	1.36	0.039
KWGG20903024	57.64	26.14	1.44	0.041
KWGG20913017	52.51	23.82	1.31	0.037
KWGG20913020	54.98	24.94	1.37	0.039
KWGG20913024	58.26	26.43	1.46	0.041
KWGG20923017	53.06	24.07	1.33	0.038
KWGG20923020	55.56	25.20	1.39	0.039
KWGG20923024	58.89	26.71	1.47	0.042
KWGG20933017	53.60	24.31	1.34	0.038
KWGG20933020	56.13	25.46	1.40	0.040
KWGG20933024	59.51	27.00	1.49	0.042
KWGG20943017	54.14	24.56	1.35	0.038
KWGG20943020	56.71	25.72	1.42	0.040
KWGG20943024	60.14	27.28	1.50	0.043
KWGG20953017	54.69	24.81	1.37	0.039
KWGG20953020	57.29	25.99	1.43	0.041
KWGG20953024	60.76	27.56	1.52	0.043
KWGG20963017	55.23	25.05	1.38	0.039
KWGG20963020	57.87	26.25	1.45	0.041
KWGG20963024	61.39	27.85	1.53	0.043
KWGG24603017	36.25	16.44	0.91	0.026
KWGG24603020	37.50	17.01	0.94	0.027
KWGG24603024	39.17	17.77	0.98	0.028
KWGG24613017	36.79	16.69	0.92	0.026
KWGG24613020	38.08	17.27	0.95	0.027
KWGG24613024	39.79	18.05	0.99	0.028
KWGG24623017	37.34	16.94	0.93	0.026



# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWGG24623020	38.66	17.53	0.97	0.027
KWGG24623024	40.42	18.33	1.01	0.029
KWGG24633017	37.88	17.18	0.95	0.027
KWGG24633020	39.24	17.80	0.98	0.028
KWGG24633024	41.04	18.62	1.03	0.029
KWGG24643017	38.43	17.43	0.96	0.027
KWGG24643020	39.81	18.06	1.00	0.028
KWGG24643024	41.67	18.90	1.04	0.029
KWGG24653017	38.97	17.68	0.97	0.028
KWGG24653020	40.39	18.32	1.01	0.029
KWGG24653024	42.29	19.18	1.06	0.030
KWGG24663017	39.51	17.92	0.99	0.028
KWGG24663020	40.97	18.58	1.02	0.029
KWGG24663024	42.92	19.47	1.07	0.030
KWGG24673017	40.06	18.17	1.00	0.028
KWGG24673020	41.55	18.85	1.04	0.029
KWGG24673024	43.54	19.75	1.09	0.031
KWGG24683017	40.60	18.42	1.02	0.029
KWGG24683020	42.13	19.11	1.05	0.030
KWGG24683024	44.17	20.03	1.10	0.031
KWGG24693017	41.15	18.66	1.03	0.029
KWGG24693020	42.71	19.37	1.07	0.030
KWGG24693024	44.79	20.32	1.12	0.032
KWGG24703017	41.69	18.91	1.04	0.030
KWGG24703020	43.29	19.63	1.08	0.031
KWGG24703024	45.42	20.60	1.14	0.032
KWGG24713017	42.23	19.16	1.06	0.030
KWGG24713020	43.87	19.90	1.10	0.031
KWGG24713024	46.04	20.88	1.15	0.033
KWGG24723017	42.78	19.40	1.07	0.030
KWGG24723020	44.44	20.16	1.11	0.031
KWGG24723024	46.67	21.17	1.17	0.033
KWGG24733017	43.32	19.65	1.08	0.031
KWGG24733020	45.02	20.42	1.13	0.032
KWGG24733024	47.29	21.45	1.18	0.033
KWGG24743017	43.87	19.90	1.10	0.031
KWGG24743020	45.60	20.68	1.14	0.032
KWGG24743024	47.92	21.73	1.20	0.034
KWGG24753017	44.41	20.14	1.11	0.031
KWGG24753020	46.18	20.95	1.15	0.033
KWGG24753024	48.54	22.02	1.21	0.034
KWGG24763017	44.95	20.39	1.12	0.032
KWGG24763020	46.76	21.21	1.17	0.033
KWGG24763024	49.17	22.30	1.23	0.035
KWGG24773017	45.50	20.64	1.14	0.032
KWGG24773020	47.34	21.47	1.18	0.034
KWGG24773024	49.79	22.59	1.24	0.035
KWGG24783017	46.04	20.88	1.15	0.033
KWGG24783020	47.92	21.73	1.20	0.034
KWGG24783024	50.42	22.87	1.26	0.036
KWGG24793017	46.59	21.13	1.16	0.033
KWGG24793020	48.50	22.00	1.21	0.034
KWGG24793024	51.04	23.15	1.28	0.036
KWGG24803017	47.13	21.38	1.18	0.033
KWGG24803020	49.07	22.26	1.23	0.035
KWGG24803024	51.67	23.44	1.29	0.037
KWGG24813017	47.67	21.62	1.19	0.034
KWGG24813020	49.65	22.52	1.24	0.035

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWGG24813024	52.29	23.72	1.31	0.037
KWGG24823017	48.22	21.87	1.21	0.034
KWGG24823020	50.23	22.78	1.26	0.036
KWGG24823024	52.92	24.00	1.32	0.037
KWGG24833017	48.76	22.12	1.22	0.035
KWGG24833020	50.81	23.05	1.27	0.036
KWGG24833024	53.54	24.29	1.34	0.038
KWGG24843017	49.31	22.36	1.23	0.035
KWGG24843020	51.39	23.31	1.28	0.036
KWGG24843024	54.17	24.57	1.35	0.038
KWGG24853017	49.85	22.61	1.25	0.035
KWGG24853020	51.97	23.57	1.30	0.037
KWGG24853024	54.79	24.85	1.37	0.039
KWGG24863017	50.39	22.86	1.26	0.036
KWGG24863020	52.55	23.83	1.31	0.037
KWGG24863024	55.42	25.14	1.39	0.039
KWGG24873017	50.94	23.10	1.27	0.036
KWGG24873020	53.13	24.10	1.33	0.038
KWGG24873024	56.04	25.42	1.40	0.040
KWGG24883017	51.48	23.35	1.29	0.036
KWGG24883020	53.70	24.36	1.34	0.038
KWGG24883024	56.67	25.70	1.42	0.040
KWGG24893017	52.03	23.60	1.30	0.037
KWGG24893020	54.28	24.62	1.36	0.038
KWGG24893024	57.29	25.99	1.43	0.041
KWGG24903017	52.57	23.85	1.31	0.037
KWGG24903020	54.86	24.88	1.37	0.039
KWGG24903024	57.92	26.27	1.45	0.041
KWGG24913017	53.11	24.09	1.33	0.038
KWGG24913020	55.44	25.15	1.39	0.039
KWGG24913024	58.54	26.55	1.46	0.041
KWGG24923017	53.66	24.34	1.34	0.038
KWGG24923020	56.02	25.41	1.40	0.040
KWGG24923024	59.17	26.84	1.48	0.042
KWGG24933017	54.20	24.59	1.36	0.038
KWGG24933020	56.60	25.67	1.41	0.040
KWGG24933024	59.79	27.12	1.49	0.042
KWGG24943017	54.75	24.83	1.37	0.039
KWGG24943020	57.18	25.93	1.43	0.040
KWGG24943024	60.42	27.40	1.51	0.043
KWGG24953017	55.29	25.08	1.38	0.039
KWGG24953020	57.75	26.20	1.44	0.041
KWGG24953024	61.04	27.69	1.53	0.043
KWGG24963017	55.83	25.33	1.40	0.040
KWGG24963020	58.33	26.46	1.46	0.041
KWGG24963024	61.67	27.97	1.54	0.044
KWGG30603617	43.40	19.69	1.09	0.031
KWGG30603620	44.44	20.16	1.11	0.031
KWGG30603624	45.83	20.79	1.15	0.032
KWGG30613617	44.02	19.97	1.10	0.031
KWGG30613620	45.09	20.45	1.13	0.032
KWGG30613624	46.53	21.10	1.16	0.033
KWGG30623617	44.63	20.24	1.12	0.032
KWGG30623620	45.74	20.75	1.14	0.032
KWGG30623624	47.22	21.42	1.18	0.033
KWGG30633617	45.24	20.52	1.13	0.032
KWGG30633620	46.39	21.04	1.16	0.033

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
	KWGG30633624	47.92	21.73	1.20
KWGG30643617	45.86	20.80	1.15	0.032
KWGG30643620	47.04	21.34	1.18	0.033
KWGG30643624	48.61	22.05	1.22	0.034
KWGG30653617	46.47	21.08	1.16	0.033
KWGG30653620	47.69	21.63	1.19	0.034
KWGG30653624	49.31	22.36	1.23	0.035
KWGG30663617	47.08	21.36	1.18	0.033
KWGG30663620	48.33	21.92	1.21	0.034
KWGG30663624	50.00	22.68	1.25	0.035
KWGG30673617	47.70	21.63	1.19	0.034
KWGG30673620	48.98	22.22	1.22	0.035
KWGG30673624	50.69	22.99	1.27	0.036
KWGG30683617	48.31	21.91	1.21	0.034
KWGG30683620	49.63	22.51	1.24	0.035
KWGG30683624	51.39	23.31	1.28	0.036
KWGG30693617	48.92	22.19	1.22	0.035
KWGG30693620	50.28	22.81	1.26	0.036
KWGG30693624	52.08	23.62	1.30	0.037
KWGG30703617	49.54	22.47	1.24	0.035
KWGG30703620	50.93	23.10	1.27	0.036
KWGG30703624	52.78	23.94	1.32	0.037
KWGG30713617	50.15	22.75	1.25	0.036
KWGG30713620	51.57	23.39	1.29	0.037
KWGG30713624	53.47	24.25	1.34	0.038
KWGG30723617	50.76	23.03	1.27	0.036
KWGG30723620	52.22	23.69	1.31	0.037
KWGG30723624	54.17	24.57	1.35	0.038
KWGG30733617	51.38	23.30	1.28	0.036
KWGG30733620	52.87	23.98	1.32	0.037
KWGG30733624	54.86	24.88	1.37	0.039
KWGG30743617	51.99	23.58	1.30	0.037
KWGG30743620	53.52	24.28	1.34	0.038
KWGG30743624	55.56	25.20	1.39	0.039
KWGG30753617	52.60	23.86	1.32	0.037
KWGG30753620	54.17	24.57	1.35	0.038
KWGG30753624	56.25	25.51	1.41	0.040
KWGG30763617	53.22	24.14	1.33	0.038
KWGG30763620	54.81	24.86	1.37	0.039
KWGG30763624	56.94	25.83	1.42	0.040
KWGG30773617	53.83	24.42	1.35	0.038
KWGG30773620	55.46	25.16	1.39	0.039
KWGG30773624	57.64	26.14	1.44	0.041
KWGG30783617	54.44	24.70	1.36	0.039
KWGG30783620	56.11	25.45	1.40	0.040
KWGG30783624	58.33	26.46	1.46	0.041
KWGG30793617	55.06	24.97	1.38	0.039
KWGG30793620	56.76	25.75	1.42	0.040
KWGG30793624	59.03	26.77	1.48	0.042
KWGG30803617	55.67	25.25	1.39	0.039
KWGG30803620	57.41	26.04	1.44	0.041
KWGG30803624	59.72	27.09	1.49	0.042
KWGG30813617	56.28	25.53	1.41	0.040
KWGG30813620	58.06	26.33	1.45	0.041
KWGG30813624	60.42	27.40	1.51	0.043
KWGG30823617	56.90	25.81	1.42	0.040
KWGG30823620	58.70	26.63	1.47	0.042
KWGG30823624	61.11	27.72	1.53	0.043

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
	KWGG30833617	57.51	26.09	1.44
KWGG30833620	59.35	26.92	1.48	0.042
KWGG30833624	61.81	28.03	1.55	0.044
KWGG30843617	58.13	26.37	1.45	0.041
KWGG30843620	60.00	27.22	1.50	0.042
KWGG30843624	62.50	28.35	1.56	0.044
KWGG30853617	58.74	26.64	1.47	0.042
KWGG30853620	60.65	27.51	1.52	0.043
KWGG30853624	63.19	28.66	1.58	0.045
KWGG30863617	59.35	26.92	1.48	0.042
KWGG30863620	61.30	27.80	1.53	0.043
KWGG30863624	63.89	28.98	1.60	0.045
KWGG30873617	59.97	27.20	1.50	0.042
KWGG30873620	61.94	28.10	1.55	0.044
KWGG30873624	64.58	29.29	1.61	0.046
KWGG30883617	60.58	27.48	1.51	0.043
KWGG30883620	62.59	28.39	1.56	0.044
KWGG30883624	65.28	29.61	1.63	0.046
KWGG30893617	61.19	27.76	1.53	0.043
KWGG30893620	63.24	28.69	1.58	0.045
KWGG30893624	65.97	29.92	1.65	0.047
KWGG30903617	61.81	28.03	1.55	0.044
KWGG30903620	63.89	28.98	1.60	0.045
KWGG30903624	66.67	30.24	1.67	0.047
KWGG30913617	62.42	28.31	1.56	0.044
KWGG30913620	64.54	29.27	1.61	0.046
KWGG30913624	67.36	30.55	1.68	0.048
KWGG30923617	63.03	28.59	1.58	0.045
KWGG30923620	65.19	29.57	1.63	0.046
KWGG30923624	68.06	30.87	1.70	0.048
KWGG30933617	63.65	28.87	1.59	0.045
KWGG30933620	65.83	29.86	1.65	0.047
KWGG30933624	68.75	31.18	1.72	0.049
KWGG30943617	64.26	29.15	1.61	0.045
KWGG30943620	66.48	30.16	1.66	0.047
KWGG30943624	69.44	31.50	1.74	0.049
KWGG30953617	64.87	29.43	1.62	0.046
KWGG30953620	67.13	30.45	1.68	0.048
KWGG30953624	70.14	31.81	1.75	0.050
KWGG30963617	65.49	29.70	1.64	0.046
KWGG30963620	67.78	30.74	1.69	0.048
KWGG30963624	70.83	32.13	1.77	0.050

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Transition Worksurface (D-Style) (KWTQ)</b>				
KWTQ1717702417	33.22	15.07	0.83	0.024
KWTQ1717702420	35.65	16.17	0.89	0.025
KWTQ1717702424	38.89	17.64	0.97	0.028
KWTQ1717712417	33.69	15.28	0.84	0.024
KWTQ1717712420	36.16	16.40	0.90	0.026
KWTQ1717712424	39.44	17.89	0.99	0.028
KWTQ1717722417	34.17	15.50	0.85	0.024
KWTQ1717722420	36.67	16.63	0.92	0.026
KWTQ1717722424	40.00	18.14	1.00	0.028
KWTQ1717732417	34.64	15.71	0.87	0.025
KWTQ1717732420	37.18	16.86	0.93	0.026
KWTQ1717732424	40.56	18.40	1.01	0.029
KWTQ1717742417	35.12	15.93	0.88	0.025
KWTQ1717742420	37.69	17.09	0.94	0.027
KWTQ1717742424	41.11	18.65	1.03	0.029
KWTQ1717752417	35.59	16.14	0.89	0.025
KWTQ1717752420	38.19	17.32	0.95	0.027
KWTQ1717752424	41.67	18.90	1.04	0.029
KWTQ1717762417	36.06	16.36	0.90	0.026
KWTQ1717762420	38.70	17.56	0.97	0.027
KWTQ1717762424	42.22	19.15	1.06	0.030
KWTQ1717772417	36.54	16.57	0.91	0.026
KWTQ1717772420	39.21	17.79	0.98	0.028
KWTQ1717772424	42.78	19.40	1.07	0.030
KWTQ1717782417	37.01	16.79	0.93	0.026
KWTQ1717782420	39.72	18.02	0.99	0.028
KWTQ1717782424	43.33	19.66	1.08	0.031
KWTQ1717792417	37.49	17.00	0.94	0.027
KWTQ1717792420	40.23	18.25	1.01	0.028
KWTQ1717792424	43.89	19.91	1.10	0.031
KWTQ1717802417	37.96	17.22	0.95	0.027
KWTQ1717802420	40.74	18.48	1.02	0.029
KWTQ1717802424	44.44	20.16	1.11	0.031
KWTQ1717812417	38.44	17.43	0.96	0.027
KWTQ1717812420	41.25	18.71	1.03	0.029
KWTQ1717812424	45.00	20.41	1.13	0.032
KWTQ1717822417	38.91	17.65	0.97	0.028
KWTQ1717822420	41.76	18.94	1.04	0.030
KWTQ1717822424	45.56	20.66	1.14	0.032
KWTQ1717832417	39.39	17.87	0.98	0.028
KWTQ1717832420	42.27	19.17	1.06	0.030
KWTQ1717832424	46.11	20.92	1.15	0.033
KWTQ1717842417	39.86	18.08	1.00	0.028
KWTQ1717842420	42.78	19.40	1.07	0.030
KWTQ1717842424	46.67	21.17	1.17	0.033
KWTQ1717852417	40.34	18.30	1.01	0.029
KWTQ1717852420	43.29	19.63	1.08	0.031
KWTQ1717852424	47.22	21.42	1.18	0.033
KWTQ1717862417	40.81	18.51	1.02	0.029
KWTQ1717862420	43.80	19.87	1.09	0.031
KWTQ1717862424	47.78	21.67	1.19	0.034
KWTQ1717872417	41.28	18.73	1.03	0.029
KWTQ1717872420	44.31	20.10	1.11	0.031
KWTQ1717872424	48.33	21.92	1.21	0.034
KWTQ1717882417	41.76	18.94	1.04	0.030
KWTQ1717882420	44.81	20.33	1.12	0.032
KWTQ1717882424	48.89	22.18	1.22	0.035

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWTQ1717892417	42.23	19.16	1.06	0.030
KWTQ1717892420	45.32	20.56	1.13	0.032
KWTQ1717892424	49.44	22.43	1.24	0.035
KWTQ1717902417	42.71	19.37	1.07	0.030
KWTQ1717902420	45.83	20.79	1.15	0.032
KWTQ1717902424	50.00	22.68	1.25	0.035
KWTQ1717912417	43.18	19.59	1.08	0.031
KWTQ1717912420	46.34	21.02	1.16	0.033
KWTQ1717912424	50.56	22.93	1.26	0.036
KWTQ1717922417	43.66	19.80	1.09	0.031
KWTQ1717922420	46.85	21.25	1.17	0.033
KWTQ1717922424	51.11	23.18	1.28	0.036
KWTQ1717932417	44.13	20.02	1.10	0.031
KWTQ1717932420	47.36	21.48	1.18	0.034
KWTQ1717932424	51.67	23.44	1.29	0.037
KWTQ1717942417	44.61	20.23	1.12	0.032
KWTQ1717942420	47.87	21.71	1.20	0.034
KWTQ1717942424	52.22	23.69	1.31	0.037
KWTQ1717952417	45.08	20.45	1.13	0.032
KWTQ1717952420	48.38	21.94	1.21	0.034
KWTQ1717952424	52.78	23.94	1.32	0.037
KWTQ1717962417	45.56	20.66	1.14	0.032
KWTQ1717962420	48.89	22.18	1.22	0.035
KWTQ1717962424	53.33	24.19	1.33	0.038
KWTQ1720702417	32.97	14.96	0.82	0.023
KWTQ1720702420	35.51	16.11	0.89	0.025
KWTQ1720702424	38.89	17.64	0.97	0.028
KWTQ1720712417	33.45	15.17	0.84	0.024
KWTQ1720712420	36.02	16.34	0.90	0.025
KWTQ1720712424	39.44	17.89	0.99	0.028
KWTQ1720722417	33.92	15.39	0.85	0.024
KWTQ1720722420	36.53	16.57	0.91	0.026
KWTQ1720722424	40.00	18.14	1.00	0.028
KWTQ1720732417	34.40	15.60	0.86	0.024
KWTQ1720732420	37.04	16.80	0.93	0.026
KWTQ1720732424	40.56	18.40	1.01	0.029
KWTQ1720742417	34.87	15.82	0.87	0.025
KWTQ1720742420	37.55	17.03	0.94	0.027
KWTQ1720742424	41.11	18.65	1.03	0.029
KWTQ1720752417	35.35	16.03	0.88	0.025
KWTQ1720752420	38.06	17.26	0.95	0.027
KWTQ1720752424	41.67	18.90	1.04	0.029
KWTQ1720762417	35.82	16.25	0.90	0.025
KWTQ1720762420	38.56	17.49	0.96	0.027
KWTQ1720762424	42.22	19.15	1.06	0.030
KWTQ1720772417	36.30	16.46	0.91	0.026
KWTQ1720772420	39.07	17.72	0.98	0.028
KWTQ1720772424	42.78	19.40	1.07	0.030
KWTQ1720782417	36.77	16.68	0.92	0.026
KWTQ1720782420	39.58	17.95	0.99	0.028
KWTQ1720782424	43.33	19.66	1.08	0.031
KWTQ1720792417	37.25	16.89	0.93	0.026
KWTQ1720792420	40.09	18.19	1.00	0.028
KWTQ1720792424	43.89	19.91	1.10	0.031
KWTQ1720802417	37.72	17.11	0.94	0.027
KWTQ1720802420	40.60	18.42	1.02	0.029
KWTQ1720802424	44.44	20.16	1.11	0.031
KWTQ1720812417	38.19	17.32	0.95	0.027

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWTQ1720812420	41.11	18.65	1.03	0.029
KWTQ1720812424	45.00	20.41	1.13	0.032
KWTQ1720822417	38.67	17.54	0.97	0.027
KWTQ1720822420	41.62	18.88	1.04	0.029
KWTQ1720822424	45.56	20.66	1.14	0.032
KWTQ1720832417	39.14	17.76	0.98	0.028
KWTQ1720832420	42.13	19.11	1.05	0.030
KWTQ1720832424	46.11	20.92	1.15	0.033
KWTQ1720842417	39.62	17.97	0.99	0.028
KWTQ1720842420	42.64	19.34	1.07	0.030
KWTQ1720842424	46.67	21.17	1.17	0.033
KWTQ1720852417	40.09	18.19	1.00	0.028
KWTQ1720852420	43.15	19.57	1.08	0.031
KWTQ1720852424	47.22	21.42	1.18	0.033
KWTQ1720862417	40.57	18.40	1.01	0.029
KWTQ1720862420	43.66	19.80	1.09	0.031
KWTQ1720862424	47.78	21.67	1.19	0.034
KWTQ1720872417	41.04	18.62	1.03	0.029
KWTQ1720872420	44.17	20.03	1.10	0.031
KWTQ1720872424	48.33	21.92	1.21	0.034
KWTQ1720882417	41.52	18.83	1.04	0.029
KWTQ1720882420	44.68	20.26	1.12	0.032
KWTQ1720882424	48.89	22.18	1.22	0.035
KWTQ1720892417	41.99	19.05	1.05	0.030
KWTQ1720892420	45.19	20.50	1.13	0.032
KWTQ1720892424	49.44	22.43	1.24	0.035
KWTQ1720902417	42.47	19.26	1.06	0.030
KWTQ1720902420	45.69	20.73	1.14	0.032
KWTQ1720902424	50.00	22.68	1.25	0.035
KWTQ1720912417	42.94	19.48	1.07	0.030
KWTQ1720912420	46.20	20.96	1.16	0.033
KWTQ1720912424	50.56	22.93	1.26	0.036
KWTQ1720922417	43.41	19.69	1.09	0.031
KWTQ1720922420	46.71	21.19	1.17	0.033
KWTQ1720922424	51.11	23.18	1.28	0.036
KWTQ1720932417	43.89	19.91	1.10	0.031
KWTQ1720932420	47.22	21.42	1.18	0.033
KWTQ1720932424	51.67	23.44	1.29	0.037
KWTQ1720942417	44.36	20.12	1.11	0.031
KWTQ1720942420	47.73	21.65	1.19	0.034
KWTQ1720942424	52.22	23.69	1.31	0.037
KWTQ1720952417	44.84	20.34	1.12	0.032
KWTQ1720952420	48.24	21.88	1.21	0.034
KWTQ1720952424	52.78	23.94	1.32	0.037
KWTQ1720962417	45.31	20.55	1.13	0.032
KWTQ1720962420	48.75	22.11	1.22	0.035
KWTQ1720962424	53.33	24.19	1.33	0.038
KWTQ1724702417	32.65	14.81	0.82	0.023
KWTQ1724702420	35.32	16.02	0.88	0.025
KWTQ1724702424	38.89	17.64	0.97	0.028
KWTQ1724712417	33.13	15.03	0.83	0.023
KWTQ1724712420	35.83	16.25	0.90	0.025
KWTQ1724712424	39.44	17.89	0.99	0.028
KWTQ1724722417	33.60	15.24	0.84	0.024
KWTQ1724722420	36.34	16.48	0.91	0.026
KWTQ1724722424	40.00	18.14	1.00	0.028
KWTQ1724732417	34.07	15.46	0.85	0.024

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWTQ1724732420	36.85	16.72	0.92	0.026
KWTQ1724732424	40.56	18.40	1.01	0.029
KWTQ1724742417	34.55	15.67	0.86	0.024
KWTQ1724742420	37.36	16.95	0.93	0.026
KWTQ1724742424	41.11	18.65	1.03	0.029
KWTQ1724752417	35.02	15.89	0.88	0.025
KWTQ1724752420	37.87	17.18	0.95	0.027
KWTQ1724752424	41.67	18.90	1.04	0.029
KWTQ1724762417	35.50	16.10	0.89	0.025
KWTQ1724762420	38.38	17.41	0.96	0.027
KWTQ1724762424	42.22	19.15	1.06	0.030
KWTQ1724772417	35.97	16.32	0.90	0.025
KWTQ1724772420	38.89	17.64	0.97	0.028
KWTQ1724772424	42.78	19.40	1.07	0.030
KWTQ1724782417	36.45	16.53	0.91	0.026
KWTQ1724782420	39.40	17.87	0.98	0.028
KWTQ1724782424	43.33	19.66	1.08	0.031
KWTQ1724792417	36.92	16.75	0.92	0.026
KWTQ1724792420	39.91	18.10	1.00	0.028
KWTQ1724792424	43.89	19.91	1.10	0.031
KWTQ1724802417	37.40	16.96	0.93	0.026
KWTQ1724802420	40.42	18.33	1.01	0.029
KWTQ1724802424	44.44	20.16	1.11	0.031
KWTQ1724812417	37.87	17.18	0.95	0.027
KWTQ1724812420	40.93	18.56	1.02	0.029
KWTQ1724812424	45.00	20.41	1.13	0.032
KWTQ1724822417	38.34	17.39	0.96	0.027
KWTQ1724822420	41.44	18.79	1.04	0.029
KWTQ1724822424	45.56	20.66	1.14	0.032
KWTQ1724832417	38.82	17.61	0.97	0.027
KWTQ1724832420	41.94	19.03	1.05	0.030
KWTQ1724832424	46.11	20.92	1.15	0.033
KWTQ1724842417	39.29	17.82	0.98	0.028
KWTQ1724842420	42.45	19.26	1.06	0.030
KWTQ1724842424	46.67	21.17	1.17	0.033
KWTQ1724852417	39.77	18.04	0.99	0.028
KWTQ1724852420	42.96	19.49	1.07	0.030
KWTQ1724852424	47.22	21.42	1.18	0.033
KWTQ1724862417	40.24	18.25	1.01	0.028
KWTQ1724862420	43.47	19.72	1.09	0.031
KWTQ1724862424	47.78	21.67	1.19	0.034
KWTQ1724872417	40.72	18.47	1.02	0.029
KWTQ1724872420	43.98	19.95	1.10	0.031
KWTQ1724872424	48.33	21.92	1.21	0.034
KWTQ1724882417	41.19	18.68	1.03	0.029
KWTQ1724882420	44.49	20.18	1.11	0.031
KWTQ1724882424	48.89	22.18	1.22	0.035
KWTQ1724892417	41.67	18.90	1.04	0.029
KWTQ1724892420	45.00	20.41	1.13	0.032
KWTQ1724892424	49.44	22.43	1.24	0.035
KWTQ1724902417	42.14	19.11	1.05	0.030
KWTQ1724902420	45.51	20.64	1.14	0.032
KWTQ1724902424	50.00	22.68	1.25	0.035
KWTQ1724912417	42.62	19.33	1.07	0.030
KWTQ1724912420	46.02	20.87	1.15	0.033
KWTQ1724912424	50.56	22.93	1.26	0.036
KWTQ1724922417	43.09	19.55	1.08	0.031

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWTQ1724922420	46.53	21.10	1.16	0.033
KWTQ1724922424	51.11	23.18	1.28	0.036
KWTQ1724932417	43.56	19.76	1.09	0.031
KWTQ1724932420	47.04	21.34	1.18	0.033
KWTQ1724932424	51.67	23.44	1.29	0.037
KWTQ1724942417	44.04	19.98	1.10	0.031
KWTQ1724942420	47.55	21.57	1.19	0.034
KWTQ1724942424	52.22	23.69	1.31	0.037
KWTQ1724952417	44.51	20.19	1.11	0.032
KWTQ1724952420	48.06	21.80	1.20	0.034
KWTQ1724952424	52.78	23.94	1.32	0.037
KWTQ1724962417	44.99	20.41	1.12	0.032
KWTQ1724962420	48.56	22.03	1.21	0.034
KWTQ1724962424	53.33	24.19	1.33	0.038
KWTQ2017703017	38.53	17.48	0.96	0.027
KWTQ2017703020	40.86	18.53	1.02	0.029
KWTQ2017703024	43.96	19.94	1.10	0.031
KWTQ2017713017	39.07	17.72	0.98	0.028
KWTQ2017713020	41.44	18.79	1.04	0.029
KWTQ2017713024	44.58	20.22	1.11	0.032
KWTQ2017723017	39.62	17.97	0.99	0.028
KWTQ2017723020	42.01	19.06	1.05	0.030
KWTQ2017723024	45.21	20.51	1.13	0.032
KWTQ2017733017	40.16	18.22	1.00	0.028
KWTQ2017733020	42.59	19.32	1.06	0.030
KWTQ2017733024	45.83	20.79	1.15	0.032
KWTQ2017743017	40.71	18.46	1.02	0.029
KWTQ2017743020	43.17	19.58	1.08	0.031
KWTQ2017743024	46.46	21.07	1.16	0.033
KWTQ2017753017	41.25	18.71	1.03	0.029
KWTQ2017753020	43.75	19.84	1.09	0.031
KWTQ2017753024	47.08	21.36	1.18	0.033
KWTQ2017763017	41.79	18.96	1.04	0.030
KWTQ2017763020	44.33	20.11	1.11	0.031
KWTQ2017763024	47.71	21.64	1.19	0.034
KWTQ2017773017	42.34	19.20	1.06	0.030
KWTQ2017773020	44.91	20.37	1.12	0.032
KWTQ2017773024	48.33	21.92	1.21	0.034
KWTQ2017783017	42.88	19.45	1.07	0.030
KWTQ2017783020	45.49	20.63	1.14	0.032
KWTQ2017783024	48.96	22.21	1.22	0.035
KWTQ2017793017	43.43	19.70	1.09	0.031
KWTQ2017793020	46.06	20.89	1.15	0.033
KWTQ2017793024	49.58	22.49	1.24	0.035
KWTQ2017803017	43.97	19.94	1.10	0.031
KWTQ2017803020	46.64	21.16	1.17	0.033
KWTQ2017803024	50.21	22.77	1.26	0.036
KWTQ2017813017	44.51	20.19	1.11	0.032
KWTQ2017813020	47.22	21.42	1.18	0.033
KWTQ2017813024	50.83	23.06	1.27	0.036
KWTQ2017823017	45.06	20.44	1.13	0.032
KWTQ2017823020	47.80	21.68	1.20	0.034
KWTQ2017823024	51.46	23.34	1.29	0.036
KWTQ2017833017	45.60	20.68	1.14	0.032
KWTQ2017833020	48.38	21.94	1.21	0.034
KWTQ2017833024	52.08	23.62	1.30	0.037

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWTQ2017843017	46.15	20.93	1.15	0.033
KWTQ2017843020	48.96	22.21	1.22	0.035
KWTQ2017843024	52.71	23.91	1.32	0.037
KWTQ2017853017	46.69	21.18	1.17	0.033
KWTQ2017853020	49.54	22.47	1.24	0.035
KWTQ2017853024	53.33	24.19	1.33	0.038
KWTQ2017863017	47.23	21.42	1.18	0.033
KWTQ2017863020	50.12	22.73	1.25	0.035
KWTQ2017863024	53.96	24.48	1.35	0.038
KWTQ2017873017	47.78	21.67	1.19	0.034
KWTQ2017873020	50.69	22.99	1.27	0.036
KWTQ2017873024	54.58	24.76	1.36	0.039
KWTQ2017883017	48.32	21.92	1.21	0.034
KWTQ2017883020	51.27	23.26	1.28	0.036
KWTQ2017883024	55.21	25.04	1.38	0.039
KWTQ2017893017	48.87	22.17	1.22	0.035
KWTQ2017893020	51.85	23.52	1.30	0.037
KWTQ2017893024	55.83	25.33	1.40	0.040
KWTQ2017903017	49.41	22.41	1.24	0.035
KWTQ2017903020	52.43	23.78	1.31	0.037
KWTQ2017903024	56.46	25.61	1.41	0.040
KWTQ2017913017	49.95	22.66	1.25	0.035
KWTQ2017913020	53.01	24.04	1.33	0.038
KWTQ2017913024	57.08	25.89	1.43	0.040
KWTQ2017923017	50.50	22.91	1.26	0.036
KWTQ2017923020	53.59	24.31	1.34	0.038
KWTQ2017923024	57.71	26.18	1.44	0.041
KWTQ2017933017	51.04	23.15	1.28	0.036
KWTQ2017933020	54.17	24.57	1.35	0.038
KWTQ2017933024	58.33	26.46	1.46	0.041
KWTQ2017943017	51.59	23.40	1.29	0.037
KWTQ2017943020	54.75	24.83	1.37	0.039
KWTQ2017943024	58.96	26.74	1.47	0.042
KWTQ2017953017	52.13	23.65	1.30	0.037
KWTQ2017953020	55.32	25.09	1.38	0.039
KWTQ2017953024	59.58	27.03	1.49	0.042
KWTQ2017963017	52.67	23.89	1.32	0.037
KWTQ2017963020	55.90	25.36	1.40	0.040
KWTQ2017963024	60.21	27.31	1.51	0.043
KWTQ2020703017	38.08	17.27	0.95	0.027
KWTQ2020703020	40.51	18.37	1.01	0.029
KWTQ2020703024	43.75	19.84	1.09	0.031
KWTQ2020713017	38.62	17.52	0.97	0.027
KWTQ2020713020	41.09	18.64	1.03	0.029
KWTQ2020713024	44.38	20.13	1.11	0.031
KWTQ2020723017	39.17	17.77	0.98	0.028
KWTQ2020723020	41.67	18.90	1.04	0.029
KWTQ2020723024	45.00	20.41	1.13	0.032
KWTQ2020733017	39.71	18.01	0.99	0.028
KWTQ2020733020	42.25	19.16	1.06	0.030
KWTQ2020733024	45.63	20.70	1.14	0.032
KWTQ2020743017	40.25	18.26	1.01	0.028
KWTQ2020743020	42.82	19.42	1.07	0.030
KWTQ2020743024	46.25	20.98	1.16	0.033
KWTQ2020753017	40.80	18.51	1.02	0.029
KWTQ2020753020	43.40	19.69	1.09	0.031
KWTQ2020753024	46.88	21.26	1.17	0.033

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWTQ2020763017	41.34	18.75	1.03	0.029
KWTQ2020763020	43.98	19.95	1.10	0.031
KWTQ2020763024	47.50	21.55	1.19	0.034
KWTQ2020773017	41.89	19.00	1.05	0.030
KWTQ2020773020	44.56	20.21	1.11	0.032
KWTQ2020773024	48.13	21.83	1.20	0.034
KWTQ2020783017	42.43	19.25	1.06	0.030
KWTQ2020783020	45.14	20.47	1.13	0.032
KWTQ2020783024	48.75	22.11	1.22	0.035
KWTQ2020793017	42.97	19.49	1.07	0.030
KWTQ2020793020	45.72	20.74	1.14	0.032
KWTQ2020793024	49.38	22.40	1.23	0.035
KWTQ2020803017	43.52	19.74	1.09	0.031
KWTQ2020803020	46.30	21.00	1.16	0.033
KWTQ2020803024	50.00	22.68	1.25	0.035
KWTQ2020813017	44.06	19.99	1.10	0.031
KWTQ2020813020	46.88	21.26	1.17	0.033
KWTQ2020813024	50.63	22.96	1.27	0.036
KWTQ2020823017	44.61	20.23	1.12	0.032
KWTQ2020823020	47.45	21.52	1.19	0.034
KWTQ2020823024	51.25	23.25	1.28	0.036
KWTQ2020833017	45.15	20.48	1.13	0.032
KWTQ2020833020	48.03	21.79	1.20	0.034
KWTQ2020833024	51.88	23.53	1.30	0.037
KWTQ2020843017	45.69	20.73	1.14	0.032
KWTQ2020843020	48.61	22.05	1.22	0.034
KWTQ2020843024	52.50	23.81	1.31	0.037
KWTQ2020853017	46.24	20.97	1.16	0.033
KWTQ2020853020	49.19	22.31	1.23	0.035
KWTQ2020853024	53.13	24.10	1.33	0.038
KWTQ2020863017	46.78	21.22	1.17	0.033
KWTQ2020863020	49.77	22.57	1.24	0.035
KWTQ2020863024	53.75	24.38	1.34	0.038
KWTQ2020873017	47.33	21.47	1.18	0.034
KWTQ2020873020	50.35	22.84	1.26	0.036
KWTQ2020873024	54.38	24.66	1.36	0.038
KWTQ2020883017	47.87	21.71	1.20	0.034
KWTQ2020883020	50.93	23.10	1.27	0.036
KWTQ2020883024	55.00	24.95	1.38	0.039
KWTQ2020893017	48.41	21.96	1.21	0.034
KWTQ2020893020	51.50	23.36	1.29	0.036
KWTQ2020893024	55.63	25.23	1.39	0.039
KWTQ2020903017	48.96	22.21	1.22	0.035
KWTQ2020903020	52.08	23.62	1.30	0.037
KWTQ2020903024	56.25	25.51	1.41	0.040
KWTQ2020913017	49.50	22.45	1.24	0.035
KWTQ2020913020	52.66	23.89	1.32	0.037
KWTQ2020913024	56.88	25.80	1.42	0.040
KWTQ2020923017	50.05	22.70	1.25	0.035
KWTQ2020923020	53.24	24.15	1.33	0.038
KWTQ2020923024	57.50	26.08	1.44	0.041
KWTQ2020933017	50.59	22.95	1.26	0.036
KWTQ2020933020	53.82	24.41	1.35	0.038
KWTQ2020933024	58.13	26.37	1.45	0.041
KWTQ2020943017	51.13	23.19	1.28	0.036
KWTQ2020943020	54.40	24.67	1.36	0.039
KWTQ2020943024	58.75	26.65	1.47	0.042

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWTQ2020953017	51.68	23.44	1.29	0.037
KWTQ2020953020	54.98	24.94	1.37	0.039
KWTQ2020953024	59.38	26.93	1.48	0.042
KWTQ2020963017	52.22	23.69	1.31	0.037
KWTQ2020963020	55.56	25.20	1.39	0.039
KWTQ2020963024	60.00	27.22	1.50	0.042
KWTQ2024703017	37.48	17.00	0.94	0.027
KWTQ2024703020	40.05	18.16	1.00	0.028
KWTQ2024703024	43.47	19.72	1.09	0.031
KWTQ2024713017	38.02	17.25	0.95	0.027
KWTQ2024713020	40.63	18.43	1.02	0.029
KWTQ2024713024	44.10	20.00	1.10	0.031
KWTQ2024723017	38.56	17.49	0.96	0.027
KWTQ2024723020	41.20	18.69	1.03	0.029
KWTQ2024723024	44.72	20.29	1.12	0.032
KWTQ2024733017	39.11	17.74	0.98	0.028
KWTQ2024733020	41.78	18.95	1.04	0.030
KWTQ2024733024	45.35	20.57	1.13	0.032
KWTQ2024743017	39.65	17.99	0.99	0.028
KWTQ2024743020	42.36	19.21	1.06	0.030
KWTQ2024743024	45.97	20.85	1.15	0.033
KWTQ2024753017	40.20	18.23	1.00	0.028
KWTQ2024753020	42.94	19.48	1.07	0.030
KWTQ2024753024	46.60	21.14	1.16	0.033
KWTQ2024763017	40.74	18.48	1.02	0.029
KWTQ2024763020	43.52	19.74	1.09	0.031
KWTQ2024763024	47.22	21.42	1.18	0.033
KWTQ2024773017	41.28	18.73	1.03	0.029
KWTQ2024773020	44.10	20.00	1.10	0.031
KWTQ2024773024	47.85	21.70	1.20	0.034
KWTQ2024783017	41.83	18.97	1.05	0.030
KWTQ2024783020	44.68	20.26	1.12	0.032
KWTQ2024783024	48.47	21.99	1.21	0.034
KWTQ2024793017	42.37	19.22	1.06	0.030
KWTQ2024793020	45.25	20.53	1.13	0.032
KWTQ2024793024	49.10	22.27	1.23	0.035
KWTQ2024803017	42.92	19.47	1.07	0.030
KWTQ2024803020	45.83	20.79	1.15	0.032
KWTQ2024803024	49.72	22.55	1.24	0.035
KWTQ2024813017	43.46	19.71	1.09	0.031
KWTQ2024813020	46.41	21.05	1.16	0.033
KWTQ2024813024	50.35	22.84	1.26	0.036
KWTQ2024823017	44.00	19.96	1.10	0.031
KWTQ2024823020	46.99	21.31	1.17	0.033
KWTQ2024823024	50.97	23.12	1.27	0.036
KWTQ2024833017	44.55	20.21	1.11	0.032
KWTQ2024833020	47.57	21.58	1.19	0.034
KWTQ2024833024	51.60	23.40	1.29	0.037
KWTQ2024843017	45.09	20.45	1.13	0.032
KWTQ2024843020	48.15	21.84	1.20	0.034
KWTQ2024843024	52.22	23.69	1.31	0.037
KWTQ2024853017	45.64	20.70	1.14	0.032
KWTQ2024853020	48.73	22.10	1.22	0.034
KWTQ2024853024	52.85	23.97	1.32	0.037
KWTQ2024863017	46.18	20.95	1.15	0.033
KWTQ2024863020	49.31	22.36	1.23	0.035
KWTQ2024863024	53.47	24.25	1.34	0.038

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWTQ2024873017	46.72	21.19	1.17	0.033
KWTQ2024873020	49.88	22.63	1.25	0.035
KWTQ2024873024	54.10	24.54	1.35	0.038
KWTQ2024883017	47.27	21.44	1.18	0.033
KWTQ2024883020	50.46	22.89	1.26	0.036
KWTQ2024883024	54.72	24.82	1.37	0.039
KWTQ2024893017	47.81	21.69	1.20	0.034
KWTQ2024893020	51.04	23.15	1.28	0.036
KWTQ2024893024	55.35	25.11	1.38	0.039
KWTQ2024903017	48.36	21.93	1.21	0.034
KWTQ2024903020	51.62	23.41	1.29	0.037
KWTQ2024903024	55.97	25.39	1.40	0.040
KWTQ2024913017	48.90	22.18	1.22	0.035
KWTQ2024913020	52.20	23.68	1.30	0.037
KWTQ2024913024	56.60	25.67	1.41	0.040
KWTQ2024923017	49.44	22.43	1.24	0.035
KWTQ2024923020	52.78	23.94	1.32	0.037
KWTQ2024923024	57.22	25.96	1.43	0.041
KWTQ2024933017	49.99	22.67	1.25	0.035
KWTQ2024933020	53.36	24.20	1.33	0.038
KWTQ2024933024	57.85	26.24	1.45	0.041
KWTQ2024943017	50.53	22.92	1.26	0.036
KWTQ2024943020	53.94	24.46	1.35	0.038
KWTQ2024943024	58.47	26.52	1.46	0.041
KWTQ2024953017	51.08	23.17	1.28	0.036
KWTQ2024953020	54.51	24.73	1.36	0.039
KWTQ2024953024	59.10	26.81	1.48	0.042
KWTQ2024963017	51.62	23.41	1.29	0.037
KWTQ2024963020	55.09	24.99	1.38	0.039
KWTQ2024963024	59.72	27.09	1.49	0.042
KWTQ2417703017	39.13	17.75	0.98	0.028
KWTQ2417703020	41.32	18.74	1.03	0.029
KWTQ2417703024	44.24	20.07	1.11	0.031
KWTQ2417713017	39.68	18.00	0.99	0.028
KWTQ2417713020	41.90	19.00	1.05	0.030
KWTQ2417713024	44.86	20.35	1.12	0.032
KWTQ2417723017	40.22	18.24	1.01	0.028
KWTQ2417723020	42.48	19.27	1.06	0.030
KWTQ2417723024	45.49	20.63	1.14	0.032
KWTQ2417733017	40.76	18.49	1.02	0.029
KWTQ2417733020	43.06	19.53	1.08	0.030
KWTQ2417733024	46.11	20.92	1.15	0.033
KWTQ2417743017	41.31	18.74	1.03	0.029
KWTQ2417743020	43.63	19.79	1.09	0.031
KWTQ2417743024	46.74	21.20	1.17	0.033
KWTQ2417753017	41.85	18.98	1.05	0.030
KWTQ2417753020	44.21	20.05	1.11	0.031
KWTQ2417753024	47.36	21.48	1.18	0.034
KWTQ2417763017	42.40	19.23	1.06	0.030
KWTQ2417763020	44.79	20.32	1.12	0.032
KWTQ2417763024	47.99	21.77	1.20	0.034
KWTQ2417773017	42.94	19.48	1.07	0.030
KWTQ2417773020	45.37	20.58	1.13	0.032
KWTQ2417773024	48.61	22.05	1.22	0.034
KWTQ2417783017	43.48	19.72	1.09	0.031
KWTQ2417783020	45.95	20.84	1.15	0.033

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWTQ2417783024	49.24	22.33	1.23	0.035
KWTQ2417793017	44.03	19.97	1.10	0.031
KWTQ2417793020	46.53	21.10	1.16	0.033
KWTQ2417793024	49.86	22.62	1.25	0.035
KWTQ2417803017	44.57	20.22	1.11	0.032
KWTQ2417803020	47.11	21.37	1.18	0.033
KWTQ2417803024	50.49	22.90	1.26	0.036
KWTQ2417813017	45.12	20.46	1.13	0.032
KWTQ2417813020	47.69	21.63	1.19	0.034
KWTQ2417813024	51.11	23.18	1.28	0.036
KWTQ2417823017	45.66	20.71	1.14	0.032
KWTQ2417823020	48.26	21.89	1.21	0.034
KWTQ2417823024	51.74	23.47	1.29	0.037
KWTQ2417833017	46.20	20.96	1.16	0.033
KWTQ2417833020	48.84	22.15	1.22	0.035
KWTQ2417833024	52.36	23.75	1.31	0.037
KWTQ2417843017	46.75	21.20	1.17	0.033
KWTQ2417843020	49.42	22.42	1.24	0.035
KWTQ2417843024	52.99	24.03	1.32	0.038
KWTQ2417853017	47.29	21.45	1.18	0.033
KWTQ2417853020	50.00	22.68	1.25	0.035
KWTQ2417853024	53.61	24.32	1.34	0.038
KWTQ2417863017	47.84	21.70	1.20	0.034
KWTQ2417863020	50.58	22.94	1.26	0.036
KWTQ2417863024	54.24	24.60	1.36	0.038
KWTQ2417873017	48.38	21.94	1.21	0.034
KWTQ2417873020	51.16	23.20	1.28	0.036
KWTQ2417873024	54.86	24.88	1.37	0.039
KWTQ2417883017	48.92	22.19	1.22	0.035
KWTQ2417883020	51.74	23.47	1.29	0.037
KWTQ2417883024	55.49	25.17	1.39	0.039
KWTQ2417893017	49.47	22.44	1.24	0.035
KWTQ2417893020	52.31	23.73	1.31	0.037
KWTQ2417893024	56.11	25.45	1.40	0.040
KWTQ2417903017	50.01	22.68	1.25	0.035
KWTQ2417903020	52.89	23.99	1.32	0.037
KWTQ2417903024	56.74	25.74	1.42	0.040
KWTQ2417913017	50.56	22.93	1.26	0.036
KWTQ2417913020	53.47	24.25	1.34	0.038
KWTQ2417913024	57.36	26.02	1.43	0.041
KWTQ2417923017	51.10	23.18	1.28	0.036
KWTQ2417923020	54.05	24.52	1.35	0.038
KWTQ2417923024	57.99	26.30	1.45	0.041
KWTQ2417933017	51.64	23.43	1.29	0.037
KWTQ2417933020	54.63	24.78	1.37	0.039
KWTQ2417933024	58.61	26.59	1.47	0.041
KWTQ2417943017	52.19	23.67	1.30	0.037
KWTQ2417943020	55.21	25.04	1.38	0.039
KWTQ2417943024	59.24	26.87	1.48	0.042
KWTQ2417953017	52.73	23.92	1.32	0.037
KWTQ2417953020	55.79	25.30	1.39	0.039
KWTQ2417953024	59.86	27.15	1.50	0.042
KWTQ2417963017	53.28	24.17	1.33	0.038
KWTQ2417963020	56.37	25.57	1.41	0.040
KWTQ2417963024	60.49	27.44	1.51	0.043
KWTQ2420703017	38.68	17.55	0.97	0.027
KWTQ2420703020	40.97	18.58	1.02	0.029

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWTQ2420703024	44.03	19.97	1.10	0.031
KWTQ2420713017	39.22	17.79	0.98	0.028
KWTQ2420713020	41.55	18.85	1.04	0.029
KWTQ2420713024	44.65	20.25	1.12	0.032
KWTQ2420723017	39.77	18.04	0.99	0.028
KWTQ2420723020	42.13	19.11	1.05	0.030
KWTQ2420723024	45.28	20.54	1.13	0.032
KWTQ2420733017	40.31	18.29	1.01	0.029
KWTQ2420733020	42.71	19.37	1.07	0.030
KWTQ2420733024	45.90	20.82	1.15	0.032
KWTQ2420743017	40.86	18.53	1.02	0.029
KWTQ2420743020	43.29	19.63	1.08	0.031
KWTQ2420743024	46.53	21.10	1.16	0.033
KWTQ2420753017	41.40	18.78	1.04	0.029
KWTQ2420753020	43.87	19.90	1.10	0.031
KWTQ2420753024	47.15	21.39	1.18	0.033
KWTQ2420763017	41.94	19.03	1.05	0.030
KWTQ2420763020	44.44	20.16	1.11	0.031
KWTQ2420763024	47.78	21.67	1.19	0.034
KWTQ2420773017	42.49	19.27	1.06	0.030
KWTQ2420773020	45.02	20.42	1.13	0.032
KWTQ2420773024	48.40	21.96	1.21	0.034
KWTQ2420783017	43.03	19.52	1.08	0.030
KWTQ2420783020	45.60	20.68	1.14	0.032
KWTQ2420783024	49.03	22.24	1.23	0.035
KWTQ2420793017	43.58	19.77	1.09	0.031
KWTQ2420793020	46.18	20.95	1.15	0.033
KWTQ2420793024	49.65	22.52	1.24	0.035
KWTQ2420803017	44.12	20.01	1.10	0.031
KWTQ2420803020	46.76	21.21	1.17	0.033
KWTQ2420803024	50.28	22.81	1.26	0.036
KWTQ2420813017	44.66	20.26	1.12	0.032
KWTQ2420813020	47.34	21.47	1.18	0.034
KWTQ2420813024	50.90	23.09	1.27	0.036
KWTQ2420823017	45.21	20.51	1.13	0.032
KWTQ2420823020	47.92	21.73	1.20	0.034
KWTQ2420823024	51.53	23.37	1.29	0.036
KWTQ2420833017	45.75	20.75	1.14	0.032
KWTQ2420833020	48.50	22.00	1.21	0.034
KWTQ2420833024	52.15	23.66	1.30	0.037
KWTQ2420843017	46.30	21.00	1.16	0.033
KWTQ2420843020	49.07	22.26	1.23	0.035
KWTQ2420843024	52.78	23.94	1.32	0.037
KWTQ2420853017	46.84	21.25	1.17	0.033
KWTQ2420853020	49.65	22.52	1.24	0.035
KWTQ2420853024	53.40	24.22	1.34	0.038
KWTQ2420863017	47.38	21.49	1.18	0.034
KWTQ2420863020	50.23	22.78	1.26	0.036
KWTQ2420863024	54.03	24.51	1.35	0.038
KWTQ2420873017	47.93	21.74	1.20	0.034
KWTQ2420873020	50.81	23.05	1.27	0.036
KWTQ2420873024	54.65	24.79	1.37	0.039
KWTQ2420883017	48.47	21.99	1.21	0.034
KWTQ2420883020	51.39	23.31	1.28	0.036
KWTQ2420883024	55.28	25.07	1.38	0.039
KWTQ2420893017	49.02	22.23	1.23	0.035
KWTQ2420893020	51.97	23.57	1.30	0.037

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWTQ2420893024	55.90	25.36	1.40	0.040
KWTQ2420903017	49.56	22.48	1.24	0.035
KWTQ2420903020	52.55	23.83	1.31	0.037
KWTQ2420903024	56.53	25.64	1.41	0.040
KWTQ2420913017	50.10	22.73	1.25	0.035
KWTQ2420913020	53.13	24.10	1.33	0.038
KWTQ2420913024	57.15	25.92	1.43	0.040
KWTQ2420923017	50.65	22.97	1.27	0.036
KWTQ2420923020	53.70	24.36	1.34	0.038
KWTQ2420923024	57.78	26.21	1.44	0.041
KWTQ2420933017	51.19	23.22	1.28	0.036
KWTQ2420933020	54.28	24.62	1.36	0.038
KWTQ2420933024	58.40	26.49	1.46	0.041
KWTQ2420943017	51.74	23.47	1.29	0.037
KWTQ2420943020	54.86	24.88	1.37	0.039
KWTQ2420943024	59.03	26.77	1.48	0.042
KWTQ2420953017	52.28	23.71	1.31	0.037
KWTQ2420953020	55.44	25.15	1.39	0.039
KWTQ2420953024	59.65	27.06	1.49	0.042
KWTQ2420963017	52.82	23.96	1.32	0.037
KWTQ2420963020	56.02	25.41	1.40	0.040
KWTQ2420963024	60.28	27.34	1.51	0.043
KWTQ2424703017	38.08	17.27	0.95	0.027
KWTQ2424703020	40.51	18.37	1.01	0.029
KWTQ2424703024	43.75	19.84	1.09	0.031
KWTQ2424713017	38.62	17.52	0.97	0.027
KWTQ2424713020	41.09	18.64	1.03	0.029
KWTQ2424713024	44.38	20.13	1.11	0.031
KWTQ2424723017	39.17	17.77	0.98	0.028
KWTQ2424723020	41.67	18.90	1.04	0.029
KWTQ2424723024	45.00	20.41	1.13	0.032
KWTQ2424733017	39.71	18.01	0.99	0.028
KWTQ2424733020	42.25	19.16	1.06	0.030
KWTQ2424733024	45.63	20.70	1.14	0.032
KWTQ2424743017	40.25	18.26	1.01	0.028
KWTQ2424743020	42.82	19.42	1.07	0.030
KWTQ2424743024	46.25	20.98	1.16	0.033
KWTQ2424753017	40.80	18.51	1.02	0.029
KWTQ2424753020	43.40	19.69	1.09	0.031
KWTQ2424753024	46.88	21.26	1.17	0.033
KWTQ2424763017	41.34	18.75	1.03	0.029
KWTQ2424763020	43.98	19.95	1.10	0.031
KWTQ2424763024	47.50	21.55	1.19	0.034
KWTQ2424773017	41.89	19.00	1.05	0.030
KWTQ2424773020	44.56	20.21	1.11	0.032
KWTQ2424773024	48.13	21.83	1.20	0.034
KWTQ2424783017	42.43	19.25	1.06	0.030
KWTQ2424783020	45.14	20.47	1.13	0.032
KWTQ2424783024	48.75	22.11	1.22	0.035
KWTQ2424793017	42.97	19.49	1.07	0.030
KWTQ2424793020	45.72	20.74	1.14	0.032
KWTQ2424793024	49.38	22.40	1.23	0.035
KWTQ2424803017	43.52	19.74	1.09	0.031
KWTQ2424803020	46.30	21.00	1.16	0.033
KWTQ2424803024	50.00	22.68	1.25	0.035
KWTQ2424813017	44.06	19.99	1.10	0.031
KWTQ2424813020	46.88	21.26	1.17	0.033



# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWTQ2424813024	50.63	22.96	1.27	0.036
KWTQ2424823017	44.61	20.23	1.12	0.032
KWTQ2424823020	47.45	21.52	1.19	0.034
KWTQ2424823024	51.25	23.25	1.28	0.036
KWTQ2424833017	45.15	20.48	1.13	0.032
KWTQ2424833020	48.03	21.79	1.20	0.034
KWTQ2424833024	51.88	23.53	1.30	0.037
KWTQ2424843017	45.69	20.73	1.14	0.032
KWTQ2424843020	48.61	22.05	1.22	0.034
KWTQ2424843024	52.50	23.81	1.31	0.037
KWTQ2424853017	46.24	20.97	1.16	0.033
KWTQ2424853020	49.19	22.31	1.23	0.035
KWTQ2424853024	53.13	24.10	1.33	0.038
KWTQ2424863017	46.78	21.22	1.17	0.033
KWTQ2424863020	49.77	22.57	1.24	0.035
KWTQ2424863024	53.75	24.38	1.34	0.038
KWTQ2424873017	47.33	21.47	1.18	0.034
KWTQ2424873020	50.35	22.84	1.26	0.036
KWTQ2424873024	54.38	24.66	1.36	0.038
KWTQ2424883017	47.87	21.71	1.20	0.034
KWTQ2424883020	50.93	23.10	1.27	0.036
KWTQ2424883024	55.00	24.95	1.38	0.039
KWTQ2424893017	48.41	21.96	1.21	0.034
KWTQ2424893020	51.50	23.36	1.29	0.036
KWTQ2424893024	55.63	25.23	1.39	0.039
KWTQ2424903017	48.96	22.21	1.22	0.035
KWTQ2424903020	52.08	23.62	1.30	0.037
KWTQ2424903024	56.25	25.51	1.41	0.040
KWTQ2424913017	49.50	22.45	1.24	0.035
KWTQ2424913020	52.66	23.89	1.32	0.037
KWTQ2424913024	56.88	25.80	1.42	0.040
KWTQ2424923017	50.05	22.70	1.25	0.035
KWTQ2424923020	53.24	24.15	1.33	0.038
KWTQ2424923024	57.50	26.08	1.44	0.041
KWTQ2424933017	50.59	22.95	1.26	0.036
KWTQ2424933020	53.82	24.41	1.35	0.038
KWTQ2424933024	58.13	26.37	1.45	0.041
KWTQ2424943017	51.13	23.19	1.28	0.036
KWTQ2424943020	54.40	24.67	1.36	0.039
KWTQ2424943024	58.75	26.65	1.47	0.042
KWTQ2424953017	51.68	23.44	1.29	0.037
KWTQ2424953020	54.98	24.94	1.37	0.039
KWTQ2424953024	59.38	26.93	1.48	0.042
KWTQ2424963017	52.22	23.69	1.31	0.037
KWTQ2424963020	55.56	25.20	1.39	0.039
KWTQ2424963024	60.00	27.22	1.50	0.042
KWTQ3017703617	45.80	20.77	1.14	0.032
KWTQ3017703620	47.78	21.67	1.19	0.034
KWTQ3017703624	50.42	22.87	1.26	0.036
KWTQ3017713617	46.41	21.05	1.16	0.033
KWTQ3017713620	48.43	21.97	1.21	0.034
KWTQ3017713624	51.11	23.18	1.28	0.036
KWTQ3017723617	47.03	21.33	1.18	0.033
KWTQ3017723620	49.07	22.26	1.23	0.035
KWTQ3017723624	51.81	23.50	1.30	0.037
KWTQ3017733617	47.64	21.61	1.19	0.034

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWTQ3017733620	49.72	22.55	1.24	0.035
KWTQ3017733624	52.50	23.81	1.31	0.037
KWTQ3017743617	48.25	21.89	1.21	0.034
KWTQ3017743620	50.37	22.85	1.26	0.036
KWTQ3017743624	53.19	24.13	1.33	0.038
KWTQ3017753617	48.87	22.17	1.22	0.035
KWTQ3017753620	51.02	23.14	1.28	0.036
KWTQ3017753624	53.89	24.44	1.35	0.038
KWTQ3017763617	49.48	22.44	1.24	0.035
KWTQ3017763620	51.67	23.44	1.29	0.037
KWTQ3017763624	54.58	24.76	1.36	0.039
KWTQ3017773617	50.09	22.72	1.25	0.035
KWTQ3017773620	52.31	23.73	1.31	0.037
KWTQ3017773624	55.28	25.07	1.38	0.039
KWTQ3017783617	50.71	23.00	1.27	0.036
KWTQ3017783620	52.96	24.02	1.32	0.037
KWTQ3017783624	55.97	25.39	1.40	0.040
KWTQ3017793617	51.32	23.28	1.28	0.036
KWTQ3017793620	53.61	24.32	1.34	0.038
KWTQ3017793624	56.67	25.70	1.42	0.040
KWTQ3017803617	51.93	23.56	1.30	0.037
KWTQ3017803620	54.26	24.61	1.36	0.038
KWTQ3017803624	57.36	26.02	1.43	0.041
KWTQ3017813617	52.55	23.83	1.31	0.037
KWTQ3017813620	54.91	24.91	1.37	0.039
KWTQ3017813624	58.06	26.33	1.45	0.041
KWTQ3017823617	53.16	24.11	1.33	0.038
KWTQ3017823620	55.56	25.20	1.39	0.039
KWTQ3017823624	58.75	26.65	1.47	0.042
KWTQ3017833617	53.77	24.39	1.34	0.038
KWTQ3017833620	56.20	25.49	1.41	0.040
KWTQ3017833624	59.44	26.96	1.49	0.042
KWTQ3017843617	54.39	24.67	1.36	0.039
KWTQ3017843620	56.85	25.79	1.42	0.040
KWTQ3017843624	60.14	27.28	1.50	0.043
KWTQ3017853617	55.00	24.95	1.38	0.039
KWTQ3017853620	57.50	26.08	1.44	0.041
KWTQ3017853624	60.83	27.59	1.52	0.043
KWTQ3017863617	55.61	25.23	1.39	0.039
KWTQ3017863620	58.15	26.38	1.45	0.041
KWTQ3017863624	61.53	27.91	1.54	0.044
KWTQ3017873617	56.23	25.50	1.41	0.040
KWTQ3017873620	58.80	26.67	1.47	0.042
KWTQ3017873624	62.22	28.22	1.56	0.044
KWTQ3017883617	56.84	25.78	1.42	0.040
KWTQ3017883620	59.44	26.96	1.49	0.042
KWTQ3017883624	62.92	28.54	1.57	0.045
KWTQ3017893617	57.45	26.06	1.44	0.041
KWTQ3017893620	60.09	27.26	1.50	0.043
KWTQ3017893624	63.61	28.85	1.59	0.045
KWTQ3017903617	58.07	26.34	1.45	0.041
KWTQ3017903620	60.74	27.55	1.52	0.043
KWTQ3017903624	64.31	29.17	1.61	0.046
KWTQ3017913617	58.68	26.62	1.47	0.042
KWTQ3017913620	61.39	27.85	1.53	0.043
KWTQ3017913624	65.00	29.48	1.63	0.046
KWTQ3017923617	59.29	26.90	1.48	0.042

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWTQ3017923620	62.04	28.14	1.55	0.044
KWTQ3017923624	65.69	29.80	1.64	0.047
KWTQ3017933617	59.91	27.17	1.50	0.042
KWTQ3017933620	62.69	28.43	1.57	0.044
KWTQ3017933624	66.39	30.11	1.66	0.047
KWTQ3017943617	60.52	27.45	1.51	0.043
KWTQ3017943620	63.33	28.73	1.58	0.045
KWTQ3017943624	67.08	30.43	1.68	0.047
KWTQ3017953617	61.13	27.73	1.53	0.043
KWTQ3017953620	63.98	29.02	1.60	0.045
KWTQ3017953624	67.78	30.74	1.69	0.048
KWTQ3017963617	61.75	28.01	1.54	0.044
KWTQ3017963620	64.63	29.32	1.62	0.046
KWTQ3017963624	68.47	31.06	1.71	0.048
KWTQ3020703617	45.14	20.47	1.13	0.032
KWTQ3020703620	47.22	21.42	1.18	0.033
KWTQ3020703624	50.00	22.68	1.25	0.035
KWTQ3020713617	45.75	20.75	1.14	0.032
KWTQ3020713620	47.87	21.71	1.20	0.034
KWTQ3020713624	50.69	22.99	1.27	0.036
KWTQ3020723617	46.37	21.03	1.16	0.033
KWTQ3020723620	48.52	22.01	1.21	0.034
KWTQ3020723624	51.39	23.31	1.28	0.036
KWTQ3020733617	46.98	21.31	1.17	0.033
KWTQ3020733620	49.17	22.30	1.23	0.035
KWTQ3020733624	52.08	23.62	1.30	0.037
KWTQ3020743617	47.59	21.59	1.19	0.034
KWTQ3020743620	49.81	22.60	1.25	0.035
KWTQ3020743624	52.78	23.94	1.32	0.037
KWTQ3020753617	48.21	21.87	1.21	0.034
KWTQ3020753620	50.46	22.89	1.26	0.036
KWTQ3020753624	53.47	24.25	1.34	0.038
KWTQ3020763617	48.82	22.14	1.22	0.035
KWTQ3020763620	51.11	23.18	1.28	0.036
KWTQ3020763624	54.17	24.57	1.35	0.038
KWTQ3020773617	49.43	22.42	1.24	0.035
KWTQ3020773620	51.76	23.48	1.29	0.037
KWTQ3020773624	54.86	24.88	1.37	0.039
KWTQ3020783617	50.05	22.70	1.25	0.035
KWTQ3020783620	52.41	23.77	1.31	0.037
KWTQ3020783624	55.56	25.20	1.39	0.039
KWTQ3020793617	50.66	22.98	1.27	0.036
KWTQ3020793620	53.06	24.07	1.33	0.038
KWTQ3020793624	56.25	25.51	1.41	0.040
KWTQ3020803617	51.27	23.26	1.28	0.036
KWTQ3020803620	53.70	24.36	1.34	0.038
KWTQ3020803624	56.94	25.83	1.42	0.040
KWTQ3020813617	51.89	23.54	1.30	0.037
KWTQ3020813620	54.35	24.65	1.36	0.038
KWTQ3020813624	57.64	26.14	1.44	0.041
KWTQ3020823617	52.50	23.81	1.31	0.037
KWTQ3020823620	55.00	24.95	1.38	0.039
KWTQ3020823624	58.33	26.46	1.46	0.041
KWTQ3020833617	53.11	24.09	1.33	0.038
KWTQ3020833620	55.65	25.24	1.39	0.039
KWTQ3020833624	59.03	26.77	1.48	0.042
KWTQ3020843617	53.73	24.37	1.34	0.038

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWTQ3020843620	56.30	25.54	1.41	0.040
KWTQ3020843624	59.72	27.09	1.49	0.042
KWTQ3020853617	54.34	24.65	1.36	0.038
KWTQ3020853620	56.94	25.83	1.42	0.040
KWTQ3020853624	60.42	27.40	1.51	0.043
KWTQ3020863617	54.95	24.93	1.37	0.039
KWTQ3020863620	57.59	26.12	1.44	0.041
KWTQ3020863624	61.11	27.72	1.53	0.043
KWTQ3020873617	55.57	25.20	1.39	0.039
KWTQ3020873620	58.24	26.42	1.46	0.041
KWTQ3020873624	61.81	28.03	1.55	0.044
KWTQ3020883617	56.18	25.48	1.40	0.040
KWTQ3020883620	58.89	26.71	1.47	0.042
KWTQ3020883624	62.50	28.35	1.56	0.044
KWTQ3020893617	56.79	25.76	1.42	0.040
KWTQ3020893620	59.54	27.01	1.49	0.042
KWTQ3020893624	63.19	28.66	1.58	0.045
KWTQ3020903617	57.41	26.04	1.44	0.041
KWTQ3020903620	60.19	27.30	1.50	0.043
KWTQ3020903624	63.89	28.98	1.60	0.045
KWTQ3020913617	58.02	26.32	1.45	0.041
KWTQ3020913620	60.83	27.59	1.52	0.043
KWTQ3020913624	64.58	29.29	1.61	0.046
KWTQ3020923617	58.63	26.60	1.47	0.042
KWTQ3020923620	61.48	27.89	1.54	0.044
KWTQ3020923624	65.28	29.61	1.63	0.046
KWTQ3020933617	59.25	26.87	1.48	0.042
KWTQ3020933620	62.13	28.18	1.55	0.044
KWTQ3020933624	65.97	29.92	1.65	0.047
KWTQ3020943617	59.86	27.15	1.50	0.042
KWTQ3020943620	62.78	28.48	1.57	0.044
KWTQ3020943624	66.67	30.24	1.67	0.047
KWTQ3020953617	60.47	27.43	1.51	0.043
KWTQ3020953620	63.43	28.77	1.59	0.045
KWTQ3020953624	67.36	30.55	1.68	0.048
KWTQ3020963617	61.09	27.71	1.53	0.043
KWTQ3020963620	64.07	29.06	1.60	0.045
KWTQ3020963624	68.06	30.87	1.70	0.048
KWTQ3024703617	44.26	20.08	1.11	0.031
KWTQ3024703620	46.48	21.08	1.16	0.033
KWTQ3024703624	49.44	22.43	1.24	0.035
KWTQ3024713617	44.87	20.35	1.12	0.032
KWTQ3024713620	47.13	21.38	1.18	0.033
KWTQ3024713624	50.14	22.74	1.25	0.035
KWTQ3024723617	45.49	20.63	1.14	0.032
KWTQ3024723620	47.78	21.67	1.19	0.034
KWTQ3024723624	50.83	23.06	1.27	0.036
KWTQ3024733617	46.10	20.91	1.15	0.033
KWTQ3024733620	48.43	21.97	1.21	0.034
KWTQ3024733624	51.53	23.37	1.29	0.036
KWTQ3024743617	46.71	21.19	1.17	0.033
KWTQ3024743620	49.07	22.26	1.23	0.035
KWTQ3024743624	52.22	23.69	1.31	0.037
KWTQ3024753617	47.33	21.47	1.18	0.034
KWTQ3024753620	49.72	22.55	1.24	0.035
KWTQ3024753624	52.92	24.00	1.32	0.037
KWTQ3024763617	47.94	21.75	1.20	0.034

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWTQ3024763620	50.37	22.85	1.26	0.036
KWTQ3024763624	53.61	24.32	1.34	0.038
KWTQ3024773617	48.55	22.02	1.21	0.034
KWTQ3024773620	51.02	23.14	1.28	0.036
KWTQ3024773624	54.31	24.63	1.36	0.038
KWTQ3024783617	49.17	22.30	1.23	0.035
KWTQ3024783620	51.67	23.44	1.29	0.037
KWTQ3024783624	55.00	24.95	1.38	0.039
KWTQ3024793617	49.78	22.58	1.24	0.035
KWTQ3024793620	52.31	23.73	1.31	0.037
KWTQ3024793624	55.69	25.26	1.39	0.039
KWTQ3024803617	50.39	22.86	1.26	0.036
KWTQ3024803620	52.96	24.02	1.32	0.037
KWTQ3024803624	56.39	25.58	1.41	0.040
KWTQ3024813617	51.01	23.14	1.28	0.036
KWTQ3024813620	53.61	24.32	1.34	0.038
KWTQ3024813624	57.08	25.89	1.43	0.040
KWTQ3024823617	51.62	23.41	1.29	0.037
KWTQ3024823620	54.26	24.61	1.36	0.038
KWTQ3024823624	57.78	26.21	1.44	0.041
KWTQ3024833617	52.23	23.69	1.31	0.037
KWTQ3024833620	54.91	24.91	1.37	0.039
KWTQ3024833624	58.47	26.52	1.46	0.041
KWTQ3024843617	52.85	23.97	1.32	0.037
KWTQ3024843620	55.56	25.20	1.39	0.039
KWTQ3024843624	59.17	26.84	1.48	0.042
KWTQ3024853617	53.46	24.25	1.34	0.038
KWTQ3024853620	56.20	25.49	1.41	0.040
KWTQ3024853624	59.86	27.15	1.50	0.042
KWTQ3024863617	54.07	24.53	1.35	0.038
KWTQ3024863620	56.85	25.79	1.42	0.040
KWTQ3024863624	60.56	27.47	1.51	0.043
KWTQ3024873617	54.69	24.81	1.37	0.039
KWTQ3024873620	57.50	26.08	1.44	0.041
KWTQ3024873624	61.25	27.78	1.53	0.043
KWTQ3024883617	55.30	25.08	1.38	0.039
KWTQ3024883620	58.15	26.38	1.45	0.041
KWTQ3024883624	61.94	28.10	1.55	0.044
KWTQ3024893617	55.91	25.36	1.40	0.040
KWTQ3024893620	58.80	26.67	1.47	0.042
KWTQ3024893624	62.64	28.41	1.57	0.044
KWTQ3024903617	56.53	25.64	1.41	0.040
KWTQ3024903620	59.44	26.96	1.49	0.042
KWTQ3024903624	63.33	28.73	1.58	0.045
KWTQ3024913617	57.14	25.92	1.43	0.040
KWTQ3024913620	60.09	27.26	1.50	0.043
KWTQ3024913624	64.03	29.04	1.60	0.045
KWTQ3024923617	57.75	26.20	1.44	0.041
KWTQ3024923620	60.74	27.55	1.52	0.043
KWTQ3024923624	64.72	29.36	1.62	0.046
KWTQ3024933617	58.37	26.48	1.46	0.041
KWTQ3024933620	61.39	27.85	1.53	0.043
KWTQ3024933624	65.42	29.67	1.64	0.046
KWTQ3024943617	58.98	26.75	1.47	0.042
KWTQ3024943620	62.04	28.14	1.55	0.044
KWTQ3024943624	66.11	29.99	1.65	0.047
KWTQ3024953617	59.59	27.03	1.49	0.042

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWTQ3024953620	62.69	28.43	1.57	0.044
KWTQ3024953624	66.81	30.30	1.67	0.047
KWTQ3024963617	60.21	27.31	1.51	0.043
KWTQ3024963620	63.33	28.73	1.58	0.045
KWTQ3024963624	67.50	30.62	1.69	0.048

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Guest Rectangle Worksurface (D-Style) (KWRGQ)</b>				
KWRGQ2454	30.00	n/a	0.75	n/a
KWRGQ2455	30.00	n/a	0.75	n/a
KWRGQ2456	30.00	n/a	0.75	n/a
KWRGQ2457	31.60	n/a	0.79	n/a
KWRGQ2458	31.60	n/a	0.79	n/a
KWRGQ2459	31.60	n/a	0.79	n/a
KWRGQ2460	33.20	n/a	0.83	n/a
KWRGQ2461	33.20	n/a	0.83	n/a
KWRGQ2462	33.20	n/a	0.83	n/a
KWRGQ2463	34.80	n/a	0.87	n/a
KWRGQ2464	34.80	n/a	0.87	n/a
KWRGQ2465	34.80	n/a	0.87	n/a
KWRGQ2466	36.40	n/a	0.91	n/a
KWRGQ2467	36.40	n/a	0.91	n/a
KWRGQ2468	36.40	n/a	0.91	n/a
KWRGQ2469	38.00	n/a	0.95	n/a
KWRGQ2470	38.00	n/a	0.95	n/a
KWRGQ2471	38.00	n/a	0.95	n/a
KWRGQ2472	40.00	n/a	1.00	n/a
KWRGQ2473	40.00	n/a	1.00	n/a
KWRGQ2474	40.00	n/a	1.00	n/a
KWRGQ2475	41.00	n/a	1.08	n/a
KWRGQ2476	41.00	n/a	1.08	n/a
KWRGQ2477	41.00	n/a	1.08	n/a
KWRGQ2478	41.00	n/a	1.08	n/a
KWRGQ2479	44.10	n/a	1.16	n/a
KWRGQ2480	44.10	n/a	1.16	n/a
KWRGQ2481	44.10	n/a	1.16	n/a
KWRGQ2482	44.10	n/a	1.16	n/a
KWRGQ2483	44.10	n/a	1.16	n/a
KWRGQ2484	44.10	n/a	1.16	n/a
KWRGQ3054	37.00	n/a	0.93	n/a
KWRGQ3055	37.50	n/a	0.96	n/a
KWRGQ3056	37.80	n/a	0.98	n/a
KWRGQ3057	38.10	n/a	0.99	n/a
KWRGQ3058	38.70	n/a	1.01	n/a
KWRGQ3059	39.60	n/a	1.02	n/a
KWRGQ3060	41.20	n/a	1.04	n/a
KWRGQ3061	41.70	n/a	1.06	n/a
KWRGQ3062	42.00	n/a	1.08	n/a
KWRGQ3063	42.60	n/a	1.10	n/a
KWRGQ3064	43.50	n/a	1.12	n/a
KWRGQ3065	44.20	n/a	1.13	n/a
KWRGQ3066	45.30	n/a	1.14	n/a
KWRGQ3067	45.70	n/a	1.16	n/a
KWRGQ3068	46.00	n/a	1.18	n/a
KWRGQ3069	46.50	n/a	1.20	n/a
KWRGQ3070	47.10	n/a	1.21	n/a
KWRGQ3071	47.80	n/a	1.23	n/a
KWRGQ3072	48.10	n/a	1.25	n/a
KWRGQ3073	48.40	n/a	1.26	n/a
KWRGQ3074	48.70	n/a	1.28	n/a
KWRGQ3075	49.00	n/a	1.30	n/a
KWRGQ3076	49.50	n/a	1.32	n/a
KWRGQ3077	50.00	n/a	1.33	n/a
KWRGQ3078	51.30	n/a	1.35	n/a

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWRGQ3079	51.50	n/a	1.38	n/a
KWRGQ3080	52.00	n/a	1.39	n/a
KWRGQ3081	52.20	n/a	1.41	n/a
KWRGQ3082	52.60	n/a	1.42	n/a
KWRGQ3083	53.10	n/a	1.44	n/a
KWRGQ3084	54.90	n/a	1.45	n/a
KWRGQ3654	42.60	n/a	1.12	n/a
KWRGQ3655	43.00	n/a	1.14	n/a
KWRGQ3656	43.50	n/a	1.16	n/a
KWRGQ3657	44.80	n/a	1.18	n/a
KWRGQ3658	45.60	n/a	1.20	n/a
KWRGQ3659	46.20	n/a	1.22	n/a
KWRGQ3660	47.50	n/a	1.25	n/a
KWRGQ3661	48.00	n/a	1.27	n/a
KWRGQ3662	48.70	n/a	1.29	n/a
KWRGQ3663	49.80	n/a	1.31	n/a
KWRGQ3664	50.20	n/a	1.33	n/a
KWRGQ3665	51.30	n/a	1.35	n/a
KWRGQ3666	52.10	n/a	1.37	n/a
KWRGQ3667	52.90	n/a	1.39	n/a
KWRGQ3668	53.40	n/a	1.41	n/a
KWRGQ3669	54.30	n/a	1.43	n/a
KWRGQ3670	55.00	n/a	1.45	n/a
KWRGQ3671	56.10	n/a	1.47	n/a
KWRGQ3672	57.00	n/a	1.50	n/a
KWRGQ3673	57.30	n/a	1.52	n/a
KWRGQ3674	57.60	n/a	1.54	n/a
KWRGQ3675	57.90	n/a	1.56	n/a
KWRGQ3676	58.10	n/a	1.58	n/a
KWRGQ3677	58.30	n/a	1.60	n/a
KWRGQ3678	58.60	n/a	1.62	n/a
KWRGQ3679	58.90	n/a	1.64	n/a
KWRGQ3680	59.00	n/a	1.66	n/a
KWRGQ3681	59.20	n/a	1.68	n/a
KWRGQ3682	59.40	n/a	1.70	n/a
KWRGQ3683	59.60	n/a	1.72	n/a
KWRGQ3684	59.80	n/a	1.75	n/a

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Fan Worksurface (D-Style) (KWFGQ)</b>				
KWFGQ20301748	29.75	13.49	0.74	0.021
KWFGQ20301749	34.03	15.43	0.85	0.024
KWFGQ20301750	34.72	15.75	0.87	0.025
KWFGQ20301751	35.42	16.06	0.89	0.025
KWFGQ20301752	36.11	16.38	0.90	0.026
KWFGQ20301753	36.81	16.69	0.92	0.026
KWFGQ20301754	37.50	17.01	0.94	0.027
KWFGQ20301755	38.19	17.32	0.95	0.027
KWFGQ20301756	38.89	17.64	0.97	0.028
KWFGQ20301757	39.58	17.95	0.99	0.028
KWFGQ20301758	40.28	18.27	1.01	0.029
KWFGQ20301759	40.97	18.58	1.02	0.029
KWFGQ20301760	41.67	18.90	1.04	0.029
KWFGQ20301761	42.36	19.21	1.06	0.030
KWFGQ20301762	43.06	19.53	1.08	0.030
KWFGQ20301763	43.75	19.84	1.09	0.031
KWFGQ20301764	44.44	20.16	1.11	0.031
KWFGQ20301765	45.14	20.47	1.13	0.032
KWFGQ20301766	45.83	20.79	1.15	0.032
KWFGQ20301767	46.53	21.10	1.16	0.033
KWFGQ20301768	47.22	21.42	1.18	0.033
KWFGQ20301769	47.92	21.73	1.20	0.034
KWFGQ20301770	48.61	22.05	1.22	0.034
KWFGQ20301771	49.31	22.36	1.23	0.035
KWFGQ20301772	50.00	22.68	1.25	0.035
KWFGQ20301773	50.69	22.99	1.27	0.036
KWFGQ20301774	51.39	23.31	1.28	0.036
KWFGQ20301775	52.08	23.62	1.30	0.037
KWFGQ20301776	52.78	23.94	1.32	0.037
KWFGQ20301777	53.47	24.25	1.34	0.038
KWFGQ20301778	54.17	24.57	1.35	0.038
KWFGQ20301779	54.86	24.88	1.37	0.039
KWFGQ20301780	55.56	25.20	1.39	0.039
KWFGQ20301781	56.25	25.51	1.41	0.040
KWFGQ20301782	56.94	25.83	1.42	0.040
KWFGQ20301783	57.64	26.14	1.44	0.041
KWFGQ20301784	58.33	26.46	1.46	0.041
KWFGQ20302048	33.33	15.12	0.83	0.024
KWFGQ20302049	34.03	15.43	0.85	0.024
KWFGQ20302050	34.72	15.75	0.87	0.025
KWFGQ20302051	35.42	16.06	0.89	0.025
KWFGQ20302052	36.11	16.38	0.90	0.026
KWFGQ20302053	36.81	16.69	0.92	0.026
KWFGQ20302054	37.50	17.01	0.94	0.027
KWFGQ20302055	38.19	17.32	0.95	0.027
KWFGQ20302056	38.89	17.64	0.97	0.028
KWFGQ20302057	39.58	17.95	0.99	0.028
KWFGQ20302058	40.28	18.27	1.01	0.029
KWFGQ20302059	40.97	18.58	1.02	0.029
KWFGQ20302060	41.67	18.90	1.04	0.029
KWFGQ20302061	42.36	19.21	1.06	0.030
KWFGQ20302062	43.06	19.53	1.08	0.030
KWFGQ20302063	43.75	19.84	1.09	0.031
KWFGQ20302064	44.44	20.16	1.11	0.031
KWFGQ20302065	45.14	20.47	1.13	0.032
KWFGQ20302066	45.83	20.79	1.15	0.032

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWFGQ20302067	46.53	21.10	1.16	0.033
KWFGQ20302068	47.22	21.42	1.18	0.033
KWFGQ20302069	47.92	21.73	1.20	0.034
KWFGQ20302070	48.61	22.05	1.22	0.034
KWFGQ20302071	49.31	22.36	1.23	0.035
KWFGQ20302072	50.00	22.68	1.25	0.035
KWFGQ20302073	50.69	22.99	1.27	0.036
KWFGQ20302074	51.39	23.31	1.28	0.036
KWFGQ20302075	52.08	23.62	1.30	0.037
KWFGQ20302076	52.78	23.94	1.32	0.037
KWFGQ20302077	53.47	24.25	1.34	0.038
KWFGQ20302078	54.17	24.57	1.35	0.038
KWFGQ20302079	54.86	24.88	1.37	0.039
KWFGQ20302080	55.56	25.20	1.39	0.039
KWFGQ20302081	56.25	25.51	1.41	0.040
KWFGQ20302082	56.94	25.83	1.42	0.040
KWFGQ20302083	57.64	26.14	1.44	0.041
KWFGQ20302084	58.33	26.46	1.46	0.041
KWFGQ20302448	33.33	15.12	0.83	0.024
KWFGQ20302449	34.03	15.43	0.85	0.024
KWFGQ20302450	34.72	15.75	0.87	0.025
KWFGQ20302451	35.42	16.06	0.89	0.025
KWFGQ20302452	36.11	16.38	0.90	0.026
KWFGQ20302453	36.81	16.69	0.92	0.026
KWFGQ20302454	37.50	17.01	0.94	0.027
KWFGQ20302455	38.19	17.32	0.95	0.027
KWFGQ20302456	38.89	17.64	0.97	0.028
KWFGQ20302457	39.58	17.95	0.99	0.028
KWFGQ20302458	40.28	18.27	1.01	0.029
KWFGQ20302459	40.97	18.58	1.02	0.029
KWFGQ20302460	41.67	18.90	1.04	0.029
KWFGQ20302461	42.36	19.21	1.06	0.030
KWFGQ20302462	43.06	19.53	1.08	0.030
KWFGQ20302463	43.75	19.84	1.09	0.031
KWFGQ20302464	44.44	20.16	1.11	0.031
KWFGQ20302465	45.14	20.47	1.13	0.032
KWFGQ20302466	45.83	20.79	1.15	0.032
KWFGQ20302467	46.53	21.10	1.16	0.033
KWFGQ20302468	47.22	21.42	1.18	0.033
KWFGQ20302469	47.92	21.73	1.20	0.034
KWFGQ20302470	48.61	22.05	1.22	0.034
KWFGQ20302471	49.31	22.36	1.23	0.035
KWFGQ20302472	50.00	22.68	1.25	0.035
KWFGQ20302473	50.69	22.99	1.27	0.036
KWFGQ20302474	51.39	23.31	1.28	0.036
KWFGQ20302475	52.08	23.62	1.30	0.037
KWFGQ20302476	52.78	23.94	1.32	0.037
KWFGQ20302477	53.47	24.25	1.34	0.038
KWFGQ20302478	54.17	24.57	1.35	0.038
KWFGQ20302479	54.86	24.88	1.37	0.039
KWFGQ20302480	55.56	25.20	1.39	0.039
KWFGQ20302481	56.25	25.51	1.41	0.040
KWFGQ20302482	56.94	25.83	1.42	0.040
KWFGQ20302483	57.64	26.14	1.44	0.041
KWFGQ20302484	58.33	26.46	1.46	0.041

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWFGQ24361748	40.00	18.14	1.00	0.028
KWFGQ24361749	40.83	18.52	1.02	0.029
KWFGQ24361750	41.67	18.90	1.04	0.029
KWFGQ24361751	42.50	19.28	1.06	0.030
KWFGQ24361752	43.33	19.66	1.08	0.031
KWFGQ24361753	44.17	20.03	1.10	0.031
KWFGQ24361754	45.00	20.41	1.13	0.032
KWFGQ24361755	45.83	20.79	1.15	0.032
KWFGQ24361756	46.67	21.17	1.17	0.033
KWFGQ24361757	47.50	21.55	1.19	0.034
KWFGQ24361758	48.33	21.92	1.21	0.034
KWFGQ24361759	49.17	22.30	1.23	0.035
KWFGQ24361760	50.00	22.68	1.25	0.035
KWFGQ24361761	50.83	23.06	1.27	0.036
KWFGQ24361762	51.67	23.44	1.29	0.037
KWFGQ24361763	52.50	23.81	1.31	0.037
KWFGQ24361764	53.33	24.19	1.33	0.038
KWFGQ24361765	54.17	24.57	1.35	0.038
KWFGQ24361766	55.00	24.95	1.38	0.039
KWFGQ24361767	55.83	25.33	1.40	0.040
KWFGQ24361768	56.67	25.70	1.42	0.040
KWFGQ24361769	57.50	26.08	1.44	0.041
KWFGQ24361770	58.33	26.46	1.46	0.041
KWFGQ24361771	59.17	26.84	1.48	0.042
KWFGQ24361772	60.00	27.22	1.50	0.042
KWFGQ24361773	60.83	27.59	1.52	0.043
KWFGQ24361774	61.67	27.97	1.54	0.044
KWFGQ24361775	62.50	28.35	1.56	0.044
KWFGQ24361776	63.33	28.73	1.58	0.045
KWFGQ24361777	64.17	29.11	1.60	0.045
KWFGQ24361778	65.00	29.48	1.63	0.046
KWFGQ24361779	65.83	29.86	1.65	0.047
KWFGQ24361780	66.67	30.24	1.67	0.047
KWFGQ24361781	67.50	30.62	1.69	0.048
KWFGQ24361782	68.33	31.00	1.71	0.048
KWFGQ24361783	69.17	31.37	1.73	0.049
KWFGQ24361784	70.00	31.75	1.75	0.050
KWFGQ24362048	40.00	18.14	1.00	0.028
KWFGQ24362049	40.83	18.52	1.02	0.029
KWFGQ24362050	41.67	18.90	1.04	0.029
KWFGQ24362051	42.50	19.28	1.06	0.030
KWFGQ24362052	43.33	19.66	1.08	0.031
KWFGQ24362053	44.17	20.03	1.10	0.031
KWFGQ24362054	45.00	20.41	1.13	0.032
KWFGQ24362055	45.83	20.79	1.15	0.032
KWFGQ24362056	46.67	21.17	1.17	0.033
KWFGQ24362057	47.50	21.55	1.19	0.034
KWFGQ24362058	48.33	21.92	1.21	0.034
KWFGQ24362059	49.17	22.30	1.23	0.035
KWFGQ24362060	50.00	22.68	1.25	0.035
KWFGQ24362061	50.83	23.06	1.27	0.036
KWFGQ24362062	51.67	23.44	1.29	0.037
KWFGQ24362063	52.50	23.81	1.31	0.037
KWFGQ24362064	53.33	24.19	1.33	0.038
KWFGQ24362065	54.17	24.57	1.35	0.038
KWFGQ24362066	55.00	24.95	1.38	0.039
KWFGQ24362067	55.83	25.33	1.40	0.040

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWFGQ24362068	56.67	25.70	1.42	0.040
KWFGQ24362069	57.50	26.08	1.44	0.041
KWFGQ24362070	58.33	26.46	1.46	0.041
KWFGQ24362071	59.17	26.84	1.48	0.042
KWFGQ24362072	60.00	27.22	1.50	0.042
KWFGQ24362073	60.83	27.59	1.52	0.043
KWFGQ24362074	61.67	27.97	1.54	0.044
KWFGQ24362075	62.50	28.35	1.56	0.044
KWFGQ24362076	63.33	28.73	1.58	0.045
KWFGQ24362077	64.17	29.11	1.60	0.045
KWFGQ24362078	65.00	29.48	1.63	0.046
KWFGQ24362079	65.83	29.86	1.65	0.047
KWFGQ24362080	66.67	30.24	1.67	0.047
KWFGQ24362081	67.50	30.62	1.69	0.048
KWFGQ24362082	68.33	31.00	1.71	0.048
KWFGQ24362083	69.17	31.37	1.73	0.049
KWFGQ24362084	70.00	31.75	1.75	0.050
KWFGQ24362448	40.00	18.14	1.00	0.028
KWFGQ24362449	40.83	18.52	1.02	0.029
KWFGQ24362450	41.67	18.90	1.04	0.029
KWFGQ24362451	42.50	19.28	1.06	0.030
KWFGQ24362452	43.33	19.66	1.08	0.031
KWFGQ24362453	44.17	20.03	1.10	0.031
KWFGQ24362454	45.00	20.41	1.13	0.032
KWFGQ24362455	45.83	20.79	1.15	0.032
KWFGQ24362456	46.67	21.17	1.17	0.033
KWFGQ24362457	47.50	21.55	1.19	0.034
KWFGQ24362458	48.33	21.92	1.21	0.034
KWFGQ24362459	49.17	22.30	1.23	0.035
KWFGQ24362460	50.00	22.68	1.25	0.035
KWFGQ24362461	50.83	23.06	1.27	0.036
KWFGQ24362462	51.67	23.44	1.29	0.037
KWFGQ24362463	52.50	23.81	1.31	0.037
KWFGQ24362464	53.33	24.19	1.33	0.038
KWFGQ24362465	54.17	24.57	1.35	0.038
KWFGQ24362466	55.00	24.95	1.38	0.039
KWFGQ24362467	55.83	25.33	1.40	0.040
KWFGQ24362468	56.67	25.70	1.42	0.040
KWFGQ24362469	57.50	26.08	1.44	0.041
KWFGQ24362470	58.33	26.46	1.46	0.041
KWFGQ24362471	59.17	26.84	1.48	0.042
KWFGQ24362472	60.00	27.22	1.50	0.042
KWFGQ24362473	60.83	27.59	1.52	0.043
KWFGQ24362474	61.67	27.97	1.54	0.044
KWFGQ24362475	62.50	28.35	1.56	0.044
KWFGQ24362476	63.33	28.73	1.58	0.045
KWFGQ24362477	64.17	29.11	1.60	0.045
KWFGQ24362478	65.00	29.48	1.63	0.046
KWFGQ24362479	65.83	29.86	1.65	0.047
KWFGQ24362480	66.67	30.24	1.67	0.047
KWFGQ24362481	67.50	30.62	1.69	0.048
KWFGQ24362482	68.33	31.00	1.71	0.048
KWFGQ24362483	69.17	31.37	1.73	0.049
KWFGQ24362484	70.00	31.75	1.75	0.050
KWFGQ30421748	46.67	21.17	1.17	0.033
KWFGQ30421749	47.64	21.61	1.19	0.034

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3.00</sup>	M <sup>3</sup>
KWFGQ30421750	48.61	22.05	1.22	0.034
KWFGQ30421751	49.58	22.49	1.24	0.035
KWFGQ30421752	50.56	22.93	1.26	0.036
KWFGQ30421753	51.53	23.37	1.29	0.036
KWFGQ30421754	52.50	23.81	1.31	0.037
KWFGQ30421755	53.47	24.25	1.34	0.038
KWFGQ30421756	54.44	24.70	1.36	0.039
KWFGQ30421757	55.42	25.14	1.39	0.039
KWFGQ30421758	56.39	25.58	1.41	0.040
KWFGQ30421759	57.36	26.02	1.43	0.041
KWFGQ30421760	58.33	26.46	1.46	0.041
KWFGQ30421761	59.31	26.90	1.48	0.042
KWFGQ30421762	60.28	27.34	1.51	0.043
KWFGQ30421763	61.25	27.78	1.53	0.043
KWFGQ30421764	62.22	28.22	1.56	0.044
KWFGQ30421765	63.19	28.66	1.58	0.045
KWFGQ30421766	64.17	29.11	1.60	0.045
KWFGQ30421767	65.14	29.55	1.63	0.046
KWFGQ30421768	66.11	29.99	1.65	0.047
KWFGQ30421769	67.08	30.43	1.68	0.047
KWFGQ30421770	68.06	30.87	1.70	0.048
KWFGQ30421771	69.03	31.31	1.73	0.049
KWFGQ30421772	70.00	31.75	1.75	0.050
KWFGQ30421773	70.97	32.19	1.77	0.050
KWFGQ30421774	71.94	32.63	1.80	0.051
KWFGQ30421775	72.92	33.07	1.82	0.052
KWFGQ30421776	73.89	33.52	1.85	0.052
KWFGQ30421777	74.86	33.96	1.87	0.053
KWFGQ30421778	75.83	34.40	1.90	0.054
KWFGQ30421779	76.81	34.84	1.92	0.054
KWFGQ30421780	77.78	35.28	1.94	0.055
KWFGQ30421781	78.75	35.72	1.97	0.056
KWFGQ30421782	79.72	36.16	1.99	0.056
KWFGQ30421783	80.69	36.60	2.02	0.057
KWFGQ30421784	81.67	37.04	2.04	0.058
KWFGQ30422048	46.67	21.17	1.17	0.033
KWFGQ30422049	47.64	21.61	1.19	0.034
KWFGQ30422050	48.61	22.05	1.22	0.034
KWFGQ30422051	49.58	22.49	1.24	0.035
KWFGQ30422052	50.56	22.93	1.26	0.036
KWFGQ30422053	51.53	23.37	1.29	0.036
KWFGQ30422054	52.50	23.81	1.31	0.037
KWFGQ30422055	53.47	24.25	1.34	0.038
KWFGQ30422056	54.44	24.70	1.36	0.039
KWFGQ30422057	55.42	25.14	1.39	0.039
KWFGQ30422058	56.39	25.58	1.41	0.040
KWFGQ30422059	57.36	26.02	1.43	0.041
KWFGQ30422060	58.33	26.46	1.46	0.041
KWFGQ30422061	59.31	26.90	1.48	0.042
KWFGQ30422062	60.28	27.34	1.51	0.043
KWFGQ30422063	61.25	27.78	1.53	0.043
KWFGQ30422064	62.22	28.22	1.56	0.044
KWFGQ30422065	63.19	28.66	1.58	0.045
KWFGQ30422066	64.17	29.11	1.60	0.045
KWFGQ30422067	65.14	29.55	1.63	0.046
KWFGQ30422068	66.11	29.99	1.65	0.047
KWFGQ30422069	67.08	30.43	1.68	0.047

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWFGQ30422070	68.06	30.87	1.70	0.048
KWFGQ30422071	69.03	31.31	1.73	0.049
KWFGQ30422072	70.00	31.75	1.75	0.050
KWFGQ30422073	70.97	32.19	1.77	0.050
KWFGQ30422074	71.94	32.63	1.80	0.051
KWFGQ30422075	72.92	33.07	1.82	0.052
KWFGQ30422076	73.89	33.52	1.85	0.052
KWFGQ30422077	74.86	33.96	1.87	0.053
KWFGQ30422078	75.83	34.40	1.90	0.054
KWFGQ30422079	76.81	34.84	1.92	0.054
KWFGQ30422080	77.78	35.28	1.94	0.055
KWFGQ30422081	78.75	35.72	1.97	0.056
KWFGQ30422082	79.72	36.16	1.99	0.056
KWFGQ30422083	80.69	36.60	2.02	0.057
KWFGQ30422084	81.67	37.04	2.04	0.058
KWFGQ30422448	46.67	21.17	1.17	0.033
KWFGQ30422449	47.64	21.61	1.19	0.034
KWFGQ30422450	48.61	22.05	1.22	0.034
KWFGQ30422451	49.58	22.49	1.24	0.035
KWFGQ30422452	50.56	22.93	1.26	0.036
KWFGQ30422453	51.53	23.37	1.29	0.036
KWFGQ30422454	52.50	23.81	1.31	0.037
KWFGQ30422455	53.47	24.25	1.34	0.038
KWFGQ30422456	54.44	24.70	1.36	0.039
KWFGQ30422457	55.42	25.14	1.39	0.039
KWFGQ30422458	56.39	25.58	1.41	0.040
KWFGQ30422459	57.36	26.02	1.43	0.041
KWFGQ30422460	58.33	26.46	1.46	0.041
KWFGQ30422461	59.31	26.90	1.48	0.042
KWFGQ30422462	60.28	27.34	1.51	0.043
KWFGQ30422463	61.25	27.78	1.53	0.043
KWFGQ30422464	62.22	28.22	1.56	0.044
KWFGQ30422465	63.19	28.66	1.58	0.045
KWFGQ30422466	64.17	29.11	1.60	0.045
KWFGQ30422467	65.14	29.55	1.63	0.046
KWFGQ30422468	66.11	29.99	1.65	0.047
KWFGQ30422469	67.08	30.43	1.68	0.047
KWFGQ30422470	68.06	30.87	1.70	0.048
KWFGQ30422471	69.03	31.31	1.73	0.049
KWFGQ30422472	70.00	31.75	1.75	0.050
KWFGQ30422473	70.97	32.19	1.77	0.050
KWFGQ30422474	71.94	32.63	1.80	0.051
KWFGQ30422475	72.92	33.07	1.82	0.052
KWFGQ30422476	73.89	33.52	1.85	0.052
KWFGQ30422477	74.86	33.96	1.87	0.053
KWFGQ30422478	75.83	34.40	1.90	0.054
KWFGQ30422479	76.81	34.84	1.92	0.054
KWFGQ30422480	77.78	35.28	1.94	0.055
KWFGQ30422481	78.75	35.72	1.97	0.056
KWFGQ30422482	79.72	36.16	1.99	0.056
KWFGQ30422483	80.69	36.60	2.02	0.057
KWFGQ30422484	81.67	37.04	2.04	0.058
KWFGQ36481748	53.33	24.19	1.33	0.038
KWFGQ36481749	54.44	24.70	1.36	0.039
KWFGQ36481750	55.56	25.20	1.39	0.039
KWFGQ36481751	56.67	25.70	1.42	0.040
KWFGQ36481752	57.78	26.21	1.44	0.041

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3.00</sup>	M <sup>3</sup>
KWFGQ36481753	58.89	26.71	1.47	0.042
KWFGQ36481754	60.00	27.22	1.50	0.042
KWFGQ36481755	61.11	27.72	1.53	0.043
KWFGQ36481756	62.22	28.22	1.56	0.044
KWFGQ36481757	63.33	28.73	1.58	0.045
KWFGQ36481758	64.44	29.23	1.61	0.046
KWFGQ36481759	65.56	29.74	1.64	0.046
KWFGQ36481760	66.67	30.24	1.67	0.047
KWFGQ36481761	67.78	30.74	1.69	0.048
KWFGQ36481762	68.89	31.25	1.72	0.049
KWFGQ36481763	70.00	31.75	1.75	0.050
KWFGQ36481764	71.11	32.26	1.78	0.050
KWFGQ36481765	72.22	32.76	1.81	0.051
KWFGQ36481766	73.33	33.26	1.83	0.052
KWFGQ36481767	74.44	33.77	1.86	0.053
KWFGQ36481768	75.56	34.27	1.89	0.053
KWFGQ36481769	76.67	34.78	1.92	0.054
KWFGQ36481770	77.78	35.28	1.94	0.055
KWFGQ36481771	78.89	35.78	1.97	0.056
KWFGQ36481772	80.00	36.29	2.00	0.057
KWFGQ36481773	81.11	36.79	2.03	0.057
KWFGQ36481774	82.22	37.30	2.06	0.058
KWFGQ36481775	83.33	37.80	2.08	0.059
KWFGQ36481776	84.44	38.30	2.11	0.060
KWFGQ36481777	85.56	38.81	2.14	0.061
KWFGQ36481778	86.67	39.31	2.17	0.061
KWFGQ36481779	87.78	39.82	2.19	0.062
KWFGQ36481780	88.89	40.32	2.22	0.063
KWFGQ36481781	90.00	40.82	2.25	0.064
KWFGQ36481782	91.11	41.33	2.28	0.064
KWFGQ36481783	92.22	41.83	2.31	0.065
KWFGQ36481784	93.33	42.34	2.33	0.066
KWFGQ36482048	53.33	24.19	1.33	0.038
KWFGQ36482049	54.44	24.70	1.36	0.039
KWFGQ36482050	55.56	25.20	1.39	0.039
KWFGQ36482051	56.67	25.70	1.42	0.040
KWFGQ36482052	57.78	26.21	1.44	0.041
KWFGQ36482053	58.89	26.71	1.47	0.042
KWFGQ36482054	60.00	27.22	1.50	0.042
KWFGQ36482055	61.11	27.72	1.53	0.043
KWFGQ36482056	62.22	28.22	1.56	0.044
KWFGQ36482057	63.33	28.73	1.58	0.045
KWFGQ36482058	64.44	29.23	1.61	0.046
KWFGQ36482059	65.56	29.74	1.64	0.046
KWFGQ36482060	66.67	30.24	1.67	0.047
KWFGQ36482061	67.78	30.74	1.69	0.048
KWFGQ36482062	68.89	31.25	1.72	0.049
KWFGQ36482063	70.00	31.75	1.75	0.050
KWFGQ36482064	71.11	32.26	1.78	0.050
KWFGQ36482065	72.22	32.76	1.81	0.051
KWFGQ36482066	73.33	33.26	1.83	0.052
KWFGQ36482067	74.44	33.77	1.86	0.053
KWFGQ36482068	75.56	34.27	1.89	0.053
KWFGQ36482069	76.67	34.78	1.92	0.054
KWFGQ36482070	77.78	35.28	1.94	0.055
KWFGQ36482071	78.89	35.78	1.97	0.056
KWFGQ36482072	80.00	36.29	2.00	0.057

## Worksurfaces & Countertops

PRODUCT CODE

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWFGQ36482073	81.11	36.79	2.03	0.057
KWFGQ36482074	82.22	37.30	2.06	0.058
KWFGQ36482075	83.33	37.80	2.08	0.059
KWFGQ36482076	84.44	38.30	2.11	0.060
KWFGQ36482077	85.56	38.81	2.14	0.061
KWFGQ36482078	86.67	39.31	2.17	0.061
KWFGQ36482079	87.78	39.82	2.19	0.062
KWFGQ36482080	88.89	40.32	2.22	0.063
KWFGQ36482081	90.00	40.82	2.25	0.064
KWFGQ36482082	91.11	41.33	2.28	0.064
KWFGQ36482083	92.22	41.83	2.31	0.065
KWFGQ36482084	93.33	42.34	2.33	0.066
KWFGQ36482448	53.33	24.19	1.33	0.038
KWFGQ36482449	54.44	24.70	1.36	0.039
KWFGQ36482450	55.56	25.20	1.39	0.039
KWFGQ36482451	56.67	25.70	1.42	0.040
KWFGQ36482452	57.78	26.21	1.44	0.041
KWFGQ36482453	58.89	26.71	1.47	0.042
KWFGQ36482454	60.00	27.22	1.50	0.042
KWFGQ36482455	61.11	27.72	1.53	0.043
KWFGQ36482456	62.22	28.22	1.56	0.044
KWFGQ36482457	63.33	28.73	1.58	0.045
KWFGQ36482458	64.44	29.23	1.61	0.046
KWFGQ36482459	65.56	29.74	1.64	0.046
KWFGQ36482460	66.67	30.24	1.67	0.047
KWFGQ36482461	67.78	30.74	1.69	0.048
KWFGQ36482462	68.89	31.25	1.72	0.049
KWFGQ36482463	70.00	31.75	1.75	0.050
KWFGQ36482464	71.11	32.26	1.78	0.050
KWFGQ36482465	72.22	32.76	1.81	0.051
KWFGQ36482466	73.33	33.26	1.83	0.052
KWFGQ36482467	74.44	33.77	1.86	0.053
KWFGQ36482468	75.56	34.27	1.89	0.053
KWFGQ36482469	76.67	34.78	1.92	0.054
KWFGQ36482470	77.78	35.28	1.94	0.055
KWFGQ36482471	78.89	35.78	1.97	0.056
KWFGQ36482472	80.00	36.29	2.00	0.057
KWFGQ36482473	81.11	36.79	2.03	0.057
KWFGQ36482474	82.22	37.30	2.06	0.058
KWFGQ36482475	83.33	37.80	2.08	0.059
KWFGQ36482476	84.44	38.30	2.11	0.060
KWFGQ36482477	85.56	38.81	2.14	0.061
KWFGQ36482478	86.67	39.31	2.17	0.061
KWFGQ36482479	87.78	39.82	2.19	0.062
KWFGQ36482480	88.89	40.32	2.22	0.063
KWFGQ36482481	90.00	40.82	2.25	0.064
KWFGQ36482482	91.11	41.33	2.28	0.064
KWFGQ36482483	92.22	41.83	2.31	0.065
KWFGQ36482484	93.33	42.34	2.33	0.066
KWFGQ42541748	60.00	27.22	1.50	0.042
KWFGQ42541749	61.25	27.78	1.53	0.043
KWFGQ42541750	62.50	28.35	1.56	0.044
KWFGQ42541751	63.75	28.92	1.59	0.045
KWFGQ42541752	65.00	29.48	1.63	0.046
KWFGQ42541753	66.25	30.05	1.66	0.047
KWFGQ42541754	67.50	30.62	1.69	0.048



# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWFGQ42541755	68.75	31.18	1.72	0.049
KWFGQ42541756	70.00	31.75	1.75	0.050
KWFGQ42541757	71.25	32.32	1.78	0.050
KWFGQ42541758	72.50	32.89	1.81	0.051
KWFGQ42541759	73.75	33.45	1.84	0.052
KWFGQ42541760	75.00	34.02	1.88	0.053
KWFGQ42541761	76.25	34.59	1.91	0.054
KWFGQ42541762	77.50	35.15	1.94	0.055
KWFGQ42541763	78.75	35.72	1.97	0.056
KWFGQ42541764	80.00	36.29	2.00	0.057
KWFGQ42541765	81.25	36.85	2.03	0.058
KWFGQ42541766	82.50	37.42	2.06	0.058
KWFGQ42541767	83.75	37.99	2.09	0.059
KWFGQ42541768	85.00	38.56	2.13	0.060
KWFGQ42541769	86.25	39.12	2.16	0.061
KWFGQ42541770	87.50	39.69	2.19	0.062
KWFGQ42541771	88.75	40.26	2.22	0.063
KWFGQ42541772	90.00	40.82	2.25	0.064
KWFGQ42541773	91.25	41.39	2.28	0.065
KWFGQ42541774	92.50	41.96	2.31	0.065
KWFGQ42541775	93.75	42.52	2.34	0.066
KWFGQ42541776	95.00	43.09	2.38	0.067
KWFGQ42541777	96.25	43.66	2.41	0.068
KWFGQ42541778	97.50	44.23	2.44	0.069
KWFGQ42541779	98.75	44.79	2.47	0.070
KWFGQ42541780	100.00	45.36	2.50	0.071
KWFGQ42541781	101.25	45.93	2.53	0.072
KWFGQ42541782	102.50	46.49	2.56	0.073
KWFGQ42541783	103.75	47.06	2.59	0.073
KWFGQ42541784	105.00	47.63	2.63	0.074
KWFGQ42542048	60.00	27.22	1.50	0.042
KWFGQ42542049	61.25	27.78	1.53	0.043
KWFGQ42542050	62.50	28.35	1.56	0.044
KWFGQ42542051	63.75	28.92	1.59	0.045
KWFGQ42542052	65.00	29.48	1.63	0.046
KWFGQ42542053	66.25	30.05	1.66	0.047
KWFGQ42542054	67.50	30.62	1.69	0.048
KWFGQ42542055	68.75	31.18	1.72	0.049
KWFGQ42542056	70.00	31.75	1.75	0.050
KWFGQ42542057	71.25	32.32	1.78	0.050
KWFGQ42542058	72.50	32.89	1.81	0.051
KWFGQ42542059	73.75	33.45	1.84	0.052
KWFGQ42542060	75.00	34.02	1.88	0.053
KWFGQ42542061	76.25	34.59	1.91	0.054
KWFGQ42542062	77.50	35.15	1.94	0.055
KWFGQ42542063	78.75	35.72	1.97	0.056
KWFGQ42542064	80.00	36.29	2.00	0.057
KWFGQ42542065	81.25	36.85	2.03	0.058
KWFGQ42542066	82.50	37.42	2.06	0.058
KWFGQ42542067	83.75	37.99	2.09	0.059
KWFGQ42542068	85.00	38.56	2.13	0.060
KWFGQ42542069	86.25	39.12	2.16	0.061
KWFGQ42542070	87.50	39.69	2.19	0.062
KWFGQ42542071	88.75	40.26	2.22	0.063
KWFGQ42542072	90.00	40.82	2.25	0.064
KWFGQ42542073	91.25	41.39	2.28	0.065
KWFGQ42542074	92.50	41.96	2.31	0.065

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWFGQ42542075	93.75	42.52	2.34	0.066
KWFGQ42542076	95.00	43.09	2.38	0.067
KWFGQ42542077	96.25	43.66	2.41	0.068
KWFGQ42542078	97.50	44.23	2.44	0.069
KWFGQ42542079	98.75	44.79	2.47	0.070
KWFGQ42542080	100.00	45.36	2.50	0.071
KWFGQ42542081	101.25	45.93	2.53	0.072
KWFGQ42542082	102.50	46.49	2.56	0.073
KWFGQ42542083	103.75	47.06	2.59	0.073
KWFGQ42542084	105.00	47.63	2.63	0.074
KWFGQ42542448	60.00	27.22	1.50	0.042
KWFGQ42542449	61.25	27.78	1.53	0.043
KWFGQ42542450	62.50	28.35	1.56	0.044
KWFGQ42542451	63.75	28.92	1.59	0.045
KWFGQ42542452	65.00	29.48	1.63	0.046
KWFGQ42542453	66.25	30.05	1.66	0.047
KWFGQ42542454	67.50	30.62	1.69	0.048
KWFGQ42542455	68.75	31.18	1.72	0.049
KWFGQ42542456	70.00	31.75	1.75	0.050
KWFGQ42542457	71.25	32.32	1.78	0.050
KWFGQ42542458	72.50	32.89	1.81	0.051
KWFGQ42542459	73.75	33.45	1.84	0.052
KWFGQ42542460	75.00	34.02	1.88	0.053
KWFGQ42542461	76.25	34.59	1.91	0.054
KWFGQ42542462	77.50	35.15	1.94	0.055
KWFGQ42542463	78.75	35.72	1.97	0.056
KWFGQ42542464	80.00	36.29	2.00	0.057
KWFGQ42542465	81.25	36.85	2.03	0.058
KWFGQ42542466	82.50	37.42	2.06	0.058
KWFGQ42542467	83.75	37.99	2.09	0.059
KWFGQ42542468	85.00	38.56	2.13	0.060
KWFGQ42542469	86.25	39.12	2.16	0.061
KWFGQ42542470	87.50	39.69	2.19	0.062
KWFGQ42542471	88.75	40.26	2.22	0.063
KWFGQ42542472	90.00	40.82	2.25	0.064
KWFGQ42542473	91.25	41.39	2.28	0.065
KWFGQ42542474	92.50	41.96	2.31	0.065
KWFGQ42542475	93.75	42.52	2.34	0.066
KWFGQ42542476	95.00	43.09	2.38	0.067
KWFGQ42542477	96.25	43.66	2.41	0.068
KWFGQ42542478	97.50	44.23	2.44	0.069
KWFGQ42542479	98.75	44.79	2.47	0.070
KWFGQ42542480	100.00	45.36	2.50	0.071
KWFGQ42542481	101.25	45.93	2.53	0.072
KWFGQ42542482	102.50	46.49	2.56	0.073
KWFGQ42542483	103.75	47.06	2.59	0.073
KWFGQ42542484	105.00	47.63	2.63	0.074

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Tapered Worksurface (D-Style) (KWBGGQ)</b>				
KWBGGQ30201748	29.75	13.49	0.74	0.021
KWBGGQ30201749	30.32	13.75	0.76	0.021
KWBGGQ30201750	30.90	14.02	0.77	0.022
KWBGGQ30201751	31.48	14.28	0.79	0.022
KWBGGQ30201752	32.06	14.54	0.80	0.023
KWBGGQ30201753	32.64	14.80	0.82	0.023
KWBGGQ30201754	33.22	15.07	0.83	0.024
KWBGGQ30201755	33.80	15.33	0.84	0.024
KWBGGQ30201756	34.38	15.59	0.86	0.024
KWBGGQ30201757	34.95	15.85	0.87	0.025
KWBGGQ30201758	35.53	16.12	0.89	0.025
KWBGGQ30201759	36.11	16.38	0.90	0.026
KWBGGQ30201760	36.69	16.64	0.92	0.026
KWBGGQ30201761	37.27	16.90	0.93	0.026
KWBGGQ30201762	37.85	17.17	0.95	0.027
KWBGGQ30201763	38.43	17.43	0.96	0.027
KWBGGQ30201764	39.00	17.69	0.98	0.028
KWBGGQ30201765	39.58	17.95	0.99	0.028
KWBGGQ30201766	40.16	18.22	1.00	0.028
KWBGGQ30201767	40.74	18.48	1.02	0.029
KWBGGQ30201768	41.32	18.74	1.03	0.029
KWBGGQ30201769	41.90	19.00	1.05	0.030
KWBGGQ30201770	42.48	19.27	1.06	0.030
KWBGGQ30201771	43.06	19.53	1.08	0.030
KWBGGQ30201772	43.63	19.79	1.09	0.031
KWBGGQ30201773	44.21	20.05	1.11	0.031
KWBGGQ30201774	44.79	20.32	1.12	0.032
KWBGGQ30201775	45.37	20.58	1.13	0.032
KWBGGQ30201776	45.95	20.84	1.15	0.033
KWBGGQ30201777	46.53	21.10	1.16	0.033
KWBGGQ30201778	47.11	21.37	1.18	0.033
KWBGGQ30201779	47.69	21.63	1.19	0.034
KWBGGQ30201780	48.26	21.89	1.21	0.034
KWBGGQ30201781	48.84	22.15	1.22	0.035
KWBGGQ30201782	49.42	22.42	1.24	0.035
KWBGGQ30201783	50.00	22.68	1.25	0.035
KWBGGQ30201784	50.58	22.94	1.26	0.036
KWBGGQ30202048	30.09	13.65	0.75	0.021
KWBGGQ30202049	30.67	13.91	0.77	0.022
KWBGGQ30202050	31.25	14.17	0.78	0.022
KWBGGQ30202051	31.83	14.44	0.80	0.023
KWBGGQ30202052	32.41	14.70	0.81	0.023
KWBGGQ30202053	32.99	14.96	0.82	0.023
KWBGGQ30202054	33.56	15.22	0.84	0.024
KWBGGQ30202055	34.14	15.49	0.85	0.024
KWBGGQ30202056	34.72	15.75	0.87	0.025
KWBGGQ30202057	35.30	16.01	0.88	0.025
KWBGGQ30202058	35.88	16.27	0.90	0.025
KWBGGQ30202059	36.46	16.54	0.91	0.026
KWBGGQ30202060	37.04	16.80	0.93	0.026
KWBGGQ30202061	37.62	17.06	0.94	0.027
KWBGGQ30202062	38.19	17.32	0.95	0.027
KWBGGQ30202063	38.77	17.59	0.97	0.027
KWBGGQ30202064	39.35	17.85	0.98	0.028
KWBGGQ30202065	39.93	18.11	1.00	0.028
KWBGGQ30202066	40.51	18.37	1.01	0.029
KWBGGQ30202067	41.09	18.64	1.03	0.029

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWBGGQ30202068	41.67	18.90	1.04	0.029
KWBGGQ30202069	42.25	19.16	1.06	0.030
KWBGGQ30202070	42.82	19.42	1.07	0.030
KWBGGQ30202071	43.40	19.69	1.09	0.031
KWBGGQ30202072	43.98	19.95	1.10	0.031
KWBGGQ30202073	44.56	20.21	1.11	0.032
KWBGGQ30202074	45.14	20.47	1.13	0.032
KWBGGQ30202075	45.72	20.74	1.14	0.032
KWBGGQ30202076	46.30	21.00	1.16	0.033
KWBGGQ30202077	46.88	21.26	1.17	0.033
KWBGGQ30202078	47.45	21.52	1.19	0.034
KWBGGQ30202079	48.03	21.79	1.20	0.034
KWBGGQ30202080	48.61	22.05	1.22	0.034
KWBGGQ30202081	49.19	22.31	1.23	0.035
KWBGGQ30202082	49.77	22.57	1.24	0.035
KWBGGQ30202083	50.35	22.84	1.26	0.036
KWBGGQ30202084	50.93	23.10	1.27	0.036
KWBGGQ30202448	30.56	13.86	0.76	0.022
KWBGGQ30202449	31.13	14.12	0.78	0.022
KWBGGQ30202450	31.71	14.38	0.79	0.022
KWBGGQ30202451	32.29	14.65	0.81	0.023
KWBGGQ30202452	32.87	14.91	0.82	0.023
KWBGGQ30202453	33.45	15.17	0.84	0.024
KWBGGQ30202454	34.03	15.43	0.85	0.024
KWBGGQ30202455	34.61	15.70	0.87	0.024
KWBGGQ30202456	35.19	15.96	0.88	0.025
KWBGGQ30202457	35.76	16.22	0.89	0.025
KWBGGQ30202458	36.34	16.48	0.91	0.026
KWBGGQ30202459	36.92	16.75	0.92	0.026
KWBGGQ30202460	37.50	17.01	0.94	0.027
KWBGGQ30202461	38.08	17.27	0.95	0.027
KWBGGQ30202462	38.66	17.53	0.97	0.027
KWBGGQ30202463	39.24	17.80	0.98	0.028
KWBGGQ30202464	39.81	18.06	1.00	0.028
KWBGGQ30202465	40.39	18.32	1.01	0.029
KWBGGQ30202466	40.97	18.58	1.02	0.029
KWBGGQ30202467	41.55	18.85	1.04	0.029
KWBGGQ30202468	42.13	19.11	1.05	0.030
KWBGGQ30202469	42.71	19.37	1.07	0.030
KWBGGQ30202470	43.29	19.63	1.08	0.031
KWBGGQ30202471	43.87	19.90	1.10	0.031
KWBGGQ30202472	44.44	20.16	1.11	0.031
KWBGGQ30202473	45.02	20.42	1.13	0.032
KWBGGQ30202474	45.60	20.68	1.14	0.032
KWBGGQ30202475	46.18	20.95	1.15	0.033
KWBGGQ30202476	46.76	21.21	1.17	0.033
KWBGGQ30202477	47.34	21.47	1.18	0.034
KWBGGQ30202478	47.92	21.73	1.20	0.034
KWBGGQ30202479	48.50	22.00	1.21	0.034
KWBGGQ30202480	49.07	22.26	1.23	0.035
KWBGGQ30202481	49.65	22.52	1.24	0.035
KWBGGQ30202482	50.23	22.78	1.26	0.036
KWBGGQ30202483	50.81	23.05	1.27	0.036
KWBGGQ30202484	51.39	23.31	1.28	0.036
KWBGGQ36241748	35.69	16.19	0.89	0.025
KWBGGQ36241749	36.39	16.51	0.91	0.026
KWBGGQ36241750	37.08	16.82	0.93	0.026

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWBGQ36241751	37.78	17.14	0.94	0.027
KWBGQ36241752	38.47	17.45	0.96	0.027
KWBGQ36241753	39.17	17.77	0.98	0.028
KWBGQ36241754	39.86	18.08	1.00	0.028
KWBGQ36241755	40.56	18.40	1.01	0.029
KWBGQ36241756	41.25	18.71	1.03	0.029
KWBGQ36241757	41.94	19.03	1.05	0.030
KWBGQ36241758	42.64	19.34	1.07	0.030
KWBGQ36241759	43.33	19.66	1.08	0.031
KWBGQ36241760	44.03	19.97	1.10	0.031
KWBGQ36241761	44.72	20.29	1.12	0.032
KWBGQ36241762	45.42	20.60	1.14	0.032
KWBGQ36241763	46.11	20.92	1.15	0.033
KWBGQ36241764	46.81	21.23	1.17	0.033
KWBGQ36241765	47.50	21.55	1.19	0.034
KWBGQ36241766	48.19	21.86	1.20	0.034
KWBGQ36241767	48.89	22.18	1.22	0.035
KWBGQ36241768	49.58	22.49	1.24	0.035
KWBGQ36241769	50.28	22.81	1.26	0.036
KWBGQ36241770	50.97	23.12	1.27	0.036
KWBGQ36241771	51.67	23.44	1.29	0.037
KWBGQ36241772	52.36	23.75	1.31	0.037
KWBGQ36241773	53.06	24.07	1.33	0.038
KWBGQ36241774	53.75	24.38	1.34	0.038
KWBGQ36241775	54.44	24.70	1.36	0.039
KWBGQ36241776	55.14	25.01	1.38	0.039
KWBGQ36241777	55.83	25.33	1.40	0.040
KWBGQ36241778	56.53	25.64	1.41	0.040
KWBGQ36241779	57.22	25.96	1.43	0.041
KWBGQ36241780	57.92	26.27	1.45	0.041
KWBGQ36241781	58.61	26.59	1.47	0.041
KWBGQ36241782	59.31	26.90	1.48	0.042
KWBGQ36241783	60.00	27.22	1.50	0.042
KWBGQ36241784	60.69	27.53	1.52	0.043
KWBGQ36242048	36.11	16.38	0.90	0.026
KWBGQ36242049	36.81	16.69	0.92	0.026
KWBGQ36242050	37.50	17.01	0.94	0.027
KWBGQ36242051	38.19	17.32	0.95	0.027
KWBGQ36242052	38.89	17.64	0.97	0.028
KWBGQ36242053	39.58	17.95	0.99	0.028
KWBGQ36242054	40.28	18.27	1.01	0.029
KWBGQ36242055	40.97	18.58	1.02	0.029
KWBGQ36242056	41.67	18.90	1.04	0.029
KWBGQ36242057	42.36	19.21	1.06	0.030
KWBGQ36242058	43.06	19.53	1.08	0.030
KWBGQ36242059	43.75	19.84	1.09	0.031
KWBGQ36242060	44.44	20.16	1.11	0.031
KWBGQ36242061	45.14	20.47	1.13	0.032
KWBGQ36242062	45.83	20.79	1.15	0.032
KWBGQ36242063	46.53	21.10	1.16	0.033
KWBGQ36242064	47.22	21.42	1.18	0.033
KWBGQ36242065	47.92	21.73	1.20	0.034
KWBGQ36242066	48.61	22.05	1.22	0.034
KWBGQ36242067	49.31	22.36	1.23	0.035
KWBGQ36242068	50.00	22.68	1.25	0.035
KWBGQ36242069	50.69	22.99	1.27	0.036
KWBGQ36242070	51.39	23.31	1.28	0.036

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWBGQ36242071	52.08	23.62	1.30	0.037
KWBGQ36242072	52.78	23.94	1.32	0.037
KWBGQ36242073	53.47	24.25	1.34	0.038
KWBGQ36242074	54.17	24.57	1.35	0.038
KWBGQ36242075	54.86	24.88	1.37	0.039
KWBGQ36242076	55.56	25.20	1.39	0.039
KWBGQ36242077	56.25	25.51	1.41	0.040
KWBGQ36242078	56.94	25.83	1.42	0.040
KWBGQ36242079	57.64	26.14	1.44	0.041
KWBGQ36242080	58.33	26.46	1.46	0.041
KWBGQ36242081	59.03	26.77	1.48	0.042
KWBGQ36242082	59.72	27.09	1.49	0.042
KWBGQ36242083	60.42	27.40	1.51	0.043
KWBGQ36242084	61.11	27.72	1.53	0.043
KWBGQ36242448	36.67	16.63	0.92	0.026
KWBGQ36242449	37.36	16.95	0.93	0.026
KWBGQ36242450	38.06	17.26	0.95	0.027
KWBGQ36242451	38.75	17.58	0.97	0.027
KWBGQ36242452	39.44	17.89	0.99	0.028
KWBGQ36242453	40.14	18.21	1.00	0.028
KWBGQ36242454	40.83	18.52	1.02	0.029
KWBGQ36242455	41.53	18.84	1.04	0.029
KWBGQ36242456	42.22	19.15	1.06	0.030
KWBGQ36242457	42.92	19.47	1.07	0.030
KWBGQ36242458	43.61	19.78	1.09	0.031
KWBGQ36242459	44.31	20.10	1.11	0.031
KWBGQ36242460	45.00	20.41	1.13	0.032
KWBGQ36242461	45.69	20.73	1.14	0.032
KWBGQ36242462	46.39	21.04	1.16	0.033
KWBGQ36242463	47.08	21.36	1.18	0.033
KWBGQ36242464	47.78	21.67	1.19	0.034
KWBGQ36242465	48.47	21.99	1.21	0.034
KWBGQ36242466	49.17	22.30	1.23	0.035
KWBGQ36242467	49.86	22.62	1.25	0.035
KWBGQ36242468	50.56	22.93	1.26	0.036
KWBGQ36242469	51.25	23.25	1.28	0.036
KWBGQ36242470	51.94	23.56	1.30	0.037
KWBGQ36242471	52.64	23.88	1.32	0.037
KWBGQ36242472	53.33	24.19	1.33	0.038
KWBGQ36242473	54.03	24.51	1.35	0.038
KWBGQ36242474	54.72	24.82	1.37	0.039
KWBGQ36242475	55.42	25.14	1.39	0.039
KWBGQ36242476	56.11	25.45	1.40	0.040
KWBGQ36242477	56.81	25.77	1.42	0.040
KWBGQ36242478	57.50	26.08	1.44	0.041
KWBGQ36242479	58.19	26.40	1.45	0.041
KWBGQ36242480	58.89	26.71	1.47	0.042
KWBGQ36242481	59.58	27.03	1.49	0.042
KWBGQ36242482	60.28	27.34	1.51	0.043
KWBGQ36242483	60.97	27.66	1.52	0.043
KWBGQ36242484	61.67	27.97	1.54	0.044
KWBGQ42301748	42.36	19.21	1.06	0.030
KWBGQ42301749	43.19	19.59	1.08	0.031
KWBGQ42301750	44.03	19.97	1.10	0.031
KWBGQ42301751	44.86	20.35	1.12	0.032
KWBGQ42301752	45.69	20.73	1.14	0.032
KWBGQ42301753	46.53	21.10	1.16	0.033

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWBGQ42301754	47.36	21.48	1.18	0.034
KWBGQ42301755	48.19	21.86	1.20	0.034
KWBGQ42301756	49.03	22.24	1.23	0.035
KWBGQ42301757	49.86	22.62	1.25	0.035
KWBGQ42301758	50.69	22.99	1.27	0.036
KWBGQ42301759	51.53	23.37	1.29	0.036
KWBGQ42301760	52.36	23.75	1.31	0.037
KWBGQ42301761	53.19	24.13	1.33	0.038
KWBGQ42301762	54.03	24.51	1.35	0.038
KWBGQ42301763	54.86	24.88	1.37	0.039
KWBGQ42301764	55.69	25.26	1.39	0.039
KWBGQ42301765	56.53	25.64	1.41	0.040
KWBGQ42301766	57.36	26.02	1.43	0.041
KWBGQ42301767	58.19	26.40	1.45	0.041
KWBGQ42301768	59.03	26.77	1.48	0.042
KWBGQ42301769	59.86	27.15	1.50	0.042
KWBGQ42301770	60.69	27.53	1.52	0.043
KWBGQ42301771	61.53	27.91	1.54	0.044
KWBGQ42301772	62.36	28.29	1.56	0.044
KWBGQ42301773	63.19	28.66	1.58	0.045
KWBGQ42301774	64.03	29.04	1.60	0.045
KWBGQ42301775	64.86	29.42	1.62	0.046
KWBGQ42301776	65.69	29.80	1.64	0.047
KWBGQ42301777	66.53	30.18	1.66	0.047
KWBGQ42301778	67.36	30.55	1.68	0.048
KWBGQ42301779	68.19	30.93	1.70	0.048
KWBGQ42301780	69.03	31.31	1.73	0.049
KWBGQ42301781	69.86	31.69	1.75	0.049
KWBGQ42301782	70.69	32.07	1.77	0.050
KWBGQ42301783	71.53	32.44	1.79	0.051
KWBGQ42301784	72.36	32.82	1.81	0.051
KWBGQ42302048	42.78	19.40	1.07	0.030
KWBGQ42302049	43.61	19.78	1.09	0.031
KWBGQ42302050	44.44	20.16	1.11	0.031
KWBGQ42302051	45.28	20.54	1.13	0.032
KWBGQ42302052	46.11	20.92	1.15	0.033
KWBGQ42302053	46.94	21.29	1.17	0.033
KWBGQ42302054	47.78	21.67	1.19	0.034
KWBGQ42302055	48.61	22.05	1.22	0.034
KWBGQ42302056	49.44	22.43	1.24	0.035
KWBGQ42302057	50.28	22.81	1.26	0.036
KWBGQ42302058	51.11	23.18	1.28	0.036
KWBGQ42302059	51.94	23.56	1.30	0.037
KWBGQ42302060	52.78	23.94	1.32	0.037
KWBGQ42302061	53.61	24.32	1.34	0.038
KWBGQ42302062	54.44	24.70	1.36	0.039
KWBGQ42302063	55.28	25.07	1.38	0.039
KWBGQ42302064	56.11	25.45	1.40	0.040
KWBGQ42302065	56.94	25.83	1.42	0.040
KWBGQ42302066	57.78	26.21	1.44	0.041
KWBGQ42302067	58.61	26.59	1.47	0.041
KWBGQ42302068	59.44	26.96	1.49	0.042
KWBGQ42302069	60.28	27.34	1.51	0.043
KWBGQ42302070	61.11	27.72	1.53	0.043
KWBGQ42302071	61.94	28.10	1.55	0.044
KWBGQ42302072	62.78	28.48	1.57	0.044
KWBGQ42302073	63.61	28.85	1.59	0.045

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWBGQ42302074	64.44	29.23	1.61	0.046
KWBGQ42302075	65.28	29.61	1.63	0.046
KWBGQ42302076	66.11	29.99	1.65	0.047
KWBGQ42302077	66.94	30.37	1.67	0.047
KWBGQ42302078	67.78	30.74	1.69	0.048
KWBGQ42302079	68.61	31.12	1.72	0.049
KWBGQ42302080	69.44	31.50	1.74	0.049
KWBGQ42302081	70.28	31.88	1.76	0.050
KWBGQ42302082	71.11	32.26	1.78	0.050
KWBGQ42302083	71.94	32.63	1.80	0.051
KWBGQ42302084	72.78	33.01	1.82	0.052
KWBGQ42302448	43.33	19.66	1.08	0.031
KWBGQ42302449	44.17	20.03	1.10	0.031
KWBGQ42302450	45.00	20.41	1.13	0.032
KWBGQ42302451	45.83	20.79	1.15	0.032
KWBGQ42302452	46.67	21.17	1.17	0.033
KWBGQ42302453	47.50	21.55	1.19	0.034
KWBGQ42302454	48.33	21.92	1.21	0.034
KWBGQ42302455	49.17	22.30	1.23	0.035
KWBGQ42302456	50.00	22.68	1.25	0.035
KWBGQ42302457	50.83	23.06	1.27	0.036
KWBGQ42302458	51.67	23.44	1.29	0.037
KWBGQ42302459	52.50	23.81	1.31	0.037
KWBGQ42302460	53.33	24.19	1.33	0.038
KWBGQ42302461	54.17	24.57	1.35	0.038
KWBGQ42302462	55.00	24.95	1.38	0.039
KWBGQ42302463	55.83	25.33	1.40	0.040
KWBGQ42302464	56.67	25.70	1.42	0.040
KWBGQ42302465	57.50	26.08	1.44	0.041
KWBGQ42302466	58.33	26.46	1.46	0.041
KWBGQ42302467	59.17	26.84	1.48	0.042
KWBGQ42302468	60.00	27.22	1.50	0.042
KWBGQ42302469	60.83	27.59	1.52	0.043
KWBGQ42302470	61.67	27.97	1.54	0.044
KWBGQ42302471	62.50	28.35	1.56	0.044
KWBGQ42302472	63.33	28.73	1.58	0.045
KWBGQ42302473	64.17	29.11	1.60	0.045
KWBGQ42302474	65.00	29.48	1.63	0.046
KWBGQ42302475	65.83	29.86	1.65	0.047
KWBGQ42302476	66.67	30.24	1.67	0.047
KWBGQ42302477	67.50	30.62	1.69	0.048
KWBGQ42302478	68.33	31.00	1.71	0.048
KWBGQ42302479	69.17	31.37	1.73	0.049
KWBGQ42302480	70.00	31.75	1.75	0.050
KWBGQ42302481	70.83	32.13	1.77	0.050
KWBGQ42302482	71.67	32.51	1.79	0.051
KWBGQ42302483	72.50	32.89	1.81	0.051
KWBGQ42302484	73.33	33.26	1.83	0.052
KWBGQ48361748	49.03	22.24	1.23	0.035
KWBGQ48361749	50.00	22.68	1.25	0.035
KWBGQ48361750	50.97	23.12	1.27	0.036
KWBGQ48361751	51.94	23.56	1.30	0.037
KWBGQ48361752	52.92	24.00	1.32	0.037
KWBGQ48361753	53.89	24.44	1.35	0.038
KWBGQ48361754	54.86	24.88	1.37	0.039
KWBGQ48361755	55.83	25.33	1.40	0.040

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWBGQ48361756	56.81	25.77	1.42	0.040
KWBGQ48361757	57.78	26.21	1.44	0.041
KWBGQ48361758	58.75	26.65	1.47	0.042
KWBGQ48361759	59.72	27.09	1.49	0.042
KWBGQ48361760	60.69	27.53	1.52	0.043
KWBGQ48361761	61.67	27.97	1.54	0.044
KWBGQ48361762	62.64	28.41	1.57	0.044
KWBGQ48361763	63.61	28.85	1.59	0.045
KWBGQ48361764	64.58	29.29	1.61	0.046
KWBGQ48361765	65.56	29.74	1.64	0.046
KWBGQ48361766	66.53	30.18	1.66	0.047
KWBGQ48361767	67.50	30.62	1.69	0.048
KWBGQ48361768	68.47	31.06	1.71	0.048
KWBGQ48361769	69.44	31.50	1.74	0.049
KWBGQ48361770	70.42	31.94	1.76	0.050
KWBGQ48361771	71.39	32.38	1.78	0.051
KWBGQ48361772	72.36	32.82	1.81	0.051
KWBGQ48361773	73.33	33.26	1.83	0.052
KWBGQ48361774	74.31	33.70	1.86	0.053
KWBGQ48361775	75.28	34.15	1.88	0.053
KWBGQ48361776	76.25	34.59	1.91	0.054
KWBGQ48361777	77.22	35.03	1.93	0.055
KWBGQ48361778	78.19	35.47	1.95	0.055
KWBGQ48361779	79.17	35.91	1.98	0.056
KWBGQ48361780	80.14	36.35	2.00	0.057
KWBGQ48361781	81.11	36.79	2.03	0.057
KWBGQ48361782	82.08	37.23	2.05	0.058
KWBGQ48361783	83.06	37.67	2.08	0.059
KWBGQ48361784	84.03	38.11	2.10	0.059
KWBGQ48362048	49.44	22.43	1.24	0.035
KWBGQ48362049	50.42	22.87	1.26	0.036
KWBGQ48362050	51.39	23.31	1.28	0.036
KWBGQ48362051	52.36	23.75	1.31	0.037
KWBGQ48362052	53.33	24.19	1.33	0.038
KWBGQ48362053	54.31	24.63	1.36	0.038
KWBGQ48362054	55.28	25.07	1.38	0.039
KWBGQ48362055	56.25	25.51	1.41	0.040
KWBGQ48362056	57.22	25.96	1.43	0.041
KWBGQ48362057	58.19	26.40	1.45	0.041
KWBGQ48362058	59.17	26.84	1.48	0.042
KWBGQ48362059	60.14	27.28	1.50	0.043
KWBGQ48362060	61.11	27.72	1.53	0.043
KWBGQ48362061	62.08	28.16	1.55	0.044
KWBGQ48362062	63.06	28.60	1.58	0.045
KWBGQ48362063	64.03	29.04	1.60	0.045
KWBGQ48362064	65.00	29.48	1.63	0.046
KWBGQ48362065	65.97	29.92	1.65	0.047
KWBGQ48362066	66.94	30.37	1.67	0.047
KWBGQ48362067	67.92	30.81	1.70	0.048
KWBGQ48362068	68.89	31.25	1.72	0.049
KWBGQ48362069	69.86	31.69	1.75	0.049
KWBGQ48362070	70.83	32.13	1.77	0.050
KWBGQ48362071	71.81	32.57	1.80	0.051
KWBGQ48362072	72.78	33.01	1.82	0.052
KWBGQ48362073	73.75	33.45	1.84	0.052
KWBGQ48362074	74.72	33.89	1.87	0.053
KWBGQ48362075	75.69	34.33	1.89	0.054

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3.00</sup>	M <sup>3</sup>
KWBGQ48362076	76.67	34.78	1.92	0.054
KWBGQ48362077	77.64	35.22	1.94	0.055
KWBGQ48362078	78.61	35.66	1.97	0.056
KWBGQ48362079	79.58	36.10	1.99	0.056
KWBGQ48362080	80.56	36.54	2.01	0.057
KWBGQ48362081	81.53	36.98	2.04	0.058
KWBGQ48362082	82.50	37.42	2.06	0.058
KWBGQ48362083	83.47	37.86	2.09	0.059
KWBGQ48362084	84.44	38.30	2.11	0.060
KWBGQ48362448	50.00	22.68	1.25	0.035
KWBGQ48362449	50.97	23.12	1.27	0.036
KWBGQ48362450	51.94	23.56	1.30	0.037
KWBGQ48362451	52.92	24.00	1.32	0.037
KWBGQ48362452	53.89	24.44	1.35	0.038
KWBGQ48362453	54.86	24.88	1.37	0.039
KWBGQ48362454	55.83	25.33	1.40	0.040
KWBGQ48362455	56.81	25.77	1.42	0.040
KWBGQ48362456	57.78	26.21	1.44	0.041
KWBGQ48362457	58.75	26.65	1.47	0.042
KWBGQ48362458	59.72	27.09	1.49	0.042
KWBGQ48362459	60.69	27.53	1.52	0.043
KWBGQ48362460	61.67	27.97	1.54	0.044
KWBGQ48362461	62.64	28.41	1.57	0.044
KWBGQ48362462	63.61	28.85	1.59	0.045
KWBGQ48362463	64.58	29.29	1.61	0.046
KWBGQ48362464	65.56	29.74	1.64	0.046
KWBGQ48362465	66.53	30.18	1.66	0.047
KWBGQ48362466	67.50	30.62	1.69	0.048
KWBGQ48362467	68.47	31.06	1.71	0.048
KWBGQ48362468	69.44	31.50	1.74	0.049
KWBGQ48362469	70.42	31.94	1.76	0.050
KWBGQ48362470	71.39	32.38	1.78	0.051
KWBGQ48362471	72.36	32.82	1.81	0.051
KWBGQ48362472	73.33	33.26	1.83	0.052
KWBGQ48362473	74.31	33.70	1.86	0.053
KWBGQ48362474	75.28	34.15	1.88	0.053
KWBGQ48362475	76.25	34.59	1.91	0.054
KWBGQ48362476	77.22	35.03	1.93	0.055
KWBGQ48362477	78.19	35.47	1.95	0.055
KWBGQ48362478	79.17	35.91	1.98	0.056
KWBGQ48362479	80.14	36.35	2.00	0.057
KWBGQ48362480	81.11	36.79	2.03	0.057
KWBGQ48362481	82.08	37.23	2.05	0.058
KWBGQ48362482	83.06	37.67	2.08	0.059
KWBGQ48362483	84.03	38.11	2.10	0.059
KWBGQ48362484	85.00	38.56	2.13	0.060
KWBGQ54421748	55.69	25.26	1.39	0.039
KWBGQ54421749	56.81	25.77	1.42	0.040
KWBGQ54421750	57.92	26.27	1.45	0.041
KWBGQ54421751	59.03	26.77	1.48	0.042
KWBGQ54421752	60.14	27.28	1.50	0.043
KWBGQ54421753	61.25	27.78	1.53	0.043
KWBGQ54421754	62.36	28.29	1.56	0.044
KWBGQ54421755	63.47	28.79	1.59	0.045
KWBGQ54421756	64.58	29.29	1.61	0.046
KWBGQ54421757	65.69	29.80	1.64	0.047
KWBGQ54421758	66.81	30.30	1.67	0.047

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWBGQ54421759	67.92	30.81	1.70	0.048
KWBGQ54421760	69.03	31.31	1.73	0.049
KWBGQ54421761	70.14	31.81	1.75	0.050
KWBGQ54421762	71.25	32.32	1.78	0.050
KWBGQ54421763	72.36	32.82	1.81	0.051
KWBGQ54421764	73.47	33.33	1.84	0.052
KWBGQ54421765	74.58	33.83	1.86	0.053
KWBGQ54421766	75.69	34.33	1.89	0.054
KWBGQ54421767	76.81	34.84	1.92	0.054
KWBGQ54421768	77.92	35.34	1.95	0.055
KWBGQ54421769	79.03	35.85	1.98	0.056
KWBGQ54421770	80.14	36.35	2.00	0.057
KWBGQ54421771	81.25	36.85	2.03	0.058
KWBGQ54421772	82.36	37.36	2.06	0.058
KWBGQ54421773	83.47	37.86	2.09	0.059
KWBGQ54421774	84.58	38.37	2.11	0.060
KWBGQ54421775	85.69	38.87	2.14	0.061
KWBGQ54421776	86.81	39.37	2.17	0.061
KWBGQ54421777	87.92	39.88	2.20	0.062
KWBGQ54421778	89.03	40.38	2.23	0.063
KWBGQ54421779	90.14	40.89	2.25	0.064
KWBGQ54421780	91.25	41.39	2.28	0.065
KWBGQ54421781	92.36	41.89	2.31	0.065
KWBGQ54421782	93.47	42.40	2.34	0.066
KWBGQ54421783	94.58	42.90	2.36	0.067
KWBGQ54421784	95.69	43.41	2.39	0.068
KWBGQ54422048	56.11	25.45	1.40	0.040
KWBGQ54422049	57.22	25.96	1.43	0.041
KWBGQ54422050	58.33	26.46	1.46	0.041
KWBGQ54422051	59.44	26.96	1.49	0.042
KWBGQ54422052	60.56	27.47	1.51	0.043
KWBGQ54422053	61.67	27.97	1.54	0.044
KWBGQ54422054	62.78	28.48	1.57	0.044
KWBGQ54422055	63.89	28.98	1.60	0.045
KWBGQ54422056	65.00	29.48	1.63	0.046
KWBGQ54422057	66.11	29.99	1.65	0.047
KWBGQ54422058	67.22	30.49	1.68	0.048
KWBGQ54422059	68.33	31.00	1.71	0.048
KWBGQ54422060	69.44	31.50	1.74	0.049
KWBGQ54422061	70.56	32.00	1.76	0.050
KWBGQ54422062	71.67	32.51	1.79	0.051
KWBGQ54422063	72.78	33.01	1.82	0.052
KWBGQ54422064	73.89	33.52	1.85	0.052
KWBGQ54422065	75.00	34.02	1.88	0.053
KWBGQ54422066	76.11	34.52	1.90	0.054
KWBGQ54422067	77.22	35.03	1.93	0.055
KWBGQ54422068	78.33	35.53	1.96	0.055
KWBGQ54422069	79.44	36.04	1.99	0.056
KWBGQ54422070	80.56	36.54	2.01	0.057
KWBGQ54422071	81.67	37.04	2.04	0.058
KWBGQ54422072	82.78	37.55	2.07	0.059
KWBGQ54422073	83.89	38.05	2.10	0.059
KWBGQ54422074	85.00	38.56	2.13	0.060
KWBGQ54422075	86.11	39.06	2.15	0.061
KWBGQ54422076	87.22	39.56	2.18	0.062
KWBGQ54422077	88.33	40.07	2.21	0.063
KWBGQ54422078	89.44	40.57	2.24	0.063
KWBGQ54422079	90.56	41.08	2.26	0.064

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWBGQ54422080	91.67	41.58	2.29	0.065
KWBGQ54422081	92.78	42.08	2.32	0.066
KWBGQ54422082	93.89	42.59	2.35	0.066
KWBGQ54422083	95.00	43.09	2.38	0.067
KWBGQ54422084	96.11	43.60	2.40	0.068
KWBGQ54422448	56.67	25.70	1.42	0.040
KWBGQ54422449	57.78	26.21	1.44	0.041
KWBGQ54422450	58.89	26.71	1.47	0.042
KWBGQ54422451	60.00	27.22	1.50	0.042
KWBGQ54422452	61.11	27.72	1.53	0.043
KWBGQ54422453	62.22	28.22	1.56	0.044
KWBGQ54422454	63.33	28.73	1.58	0.045
KWBGQ54422455	64.44	29.23	1.61	0.046
KWBGQ54422456	65.56	29.74	1.64	0.046
KWBGQ54422457	66.67	30.24	1.67	0.047
KWBGQ54422458	67.78	30.74	1.69	0.048
KWBGQ54422459	68.89	31.25	1.72	0.049
KWBGQ54422460	70.00	31.75	1.75	0.050
KWBGQ54422461	71.11	32.26	1.78	0.050
KWBGQ54422462	72.22	32.76	1.81	0.051
KWBGQ54422463	73.33	33.26	1.83	0.052
KWBGQ54422464	74.44	33.77	1.86	0.053
KWBGQ54422465	75.56	34.27	1.89	0.053
KWBGQ54422466	76.67	34.78	1.92	0.054
KWBGQ54422467	77.78	35.28	1.94	0.055
KWBGQ54422468	78.89	35.78	1.97	0.056
KWBGQ54422469	80.00	36.29	2.00	0.057
KWBGQ54422470	81.11	36.79	2.03	0.057
KWBGQ54422471	82.22	37.30	2.06	0.058
KWBGQ54422472	83.33	37.80	2.08	0.059
KWBGQ54422473	84.44	38.30	2.11	0.060
KWBGQ54422474	85.56	38.81	2.14	0.061
KWBGQ54422475	86.67	39.31	2.17	0.061
KWBGQ54422476	87.78	39.82	2.19	0.062
KWBGQ54422477	88.89	40.32	2.22	0.063
KWBGQ54422478	90.00	40.82	2.25	0.064
KWBGQ54422479	91.11	41.33	2.28	0.064
KWBGQ54422480	92.22	41.83	2.31	0.065
KWBGQ54422481	93.33	42.34	2.33	0.066
KWBGQ54422482	94.44	42.84	2.36	0.067
KWBGQ54422483	95.56	43.34	2.39	0.068
KWBGQ54422484	96.67	43.85	2.42	0.068

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Shared Wedge Worksurface (D-Style) (KWWHQ)</b>				
KWWHQ204830	22.22	10.08	0.56	0.016
KWWHQ204930	22.69	10.29	0.57	0.016
KWWHQ205030	23.15	10.50	0.58	0.016
KWWHQ205130	23.61	10.71	0.59	0.017
KWWHQ205230	24.07	10.92	0.60	0.017
KWWHQ205330	24.54	11.13	0.61	0.017
KWWHQ205430	25.00	11.34	0.63	0.018
KWWHQ205530	25.46	11.55	0.64	0.018
KWWHQ205630	25.93	11.76	0.65	0.018
KWWHQ205730	26.39	11.97	0.66	0.019
KWWHQ205830	26.85	12.18	0.67	0.019
KWWHQ205930	27.31	12.39	0.68	0.019
KWWHQ206030	27.78	12.60	0.69	0.020
KWWHQ206130	28.24	12.81	0.71	0.020
KWWHQ206230	28.70	13.02	0.72	0.020
KWWHQ206330	29.17	13.23	0.73	0.021
KWWHQ206430	29.63	13.44	0.74	0.021
KWWHQ206530	30.09	13.65	0.75	0.021
KWWHQ206630	30.56	13.86	0.76	0.022
KWWHQ206730	31.02	14.07	0.78	0.022
KWWHQ206830	31.48	14.28	0.79	0.022
KWWHQ206930	31.94	14.49	0.80	0.023
KWWHQ207030	32.41	14.70	0.81	0.023
KWWHQ207130	32.87	14.91	0.82	0.023
KWWHQ207230	33.33	15.12	0.83	0.024
KWWHQ207330	33.80	15.33	0.84	0.024
KWWHQ207430	34.26	15.54	0.86	0.024
KWWHQ207530	34.72	15.75	0.87	0.025
KWWHQ207630	35.19	15.96	0.88	0.025
KWWHQ207730	35.65	16.17	0.89	0.025
KWWHQ207830	36.11	16.38	0.90	0.026
KWWHQ207930	36.57	16.59	0.91	0.026
KWWHQ208030	37.04	16.80	0.93	0.026
KWWHQ208130	37.50	17.01	0.94	0.027
KWWHQ208230	37.96	17.22	0.95	0.027
KWWHQ208330	38.43	17.43	0.96	0.027
KWWHQ208430	38.89	17.64	0.97	0.028
KWWHQ208530	39.35	17.85	0.98	0.028
KWWHQ208630	39.81	18.06	1.00	0.028
KWWHQ208730	40.28	18.27	1.01	0.029
KWWHQ208830	40.74	18.48	1.02	0.029
KWWHQ208930	41.20	18.69	1.03	0.029
KWWHQ209030	41.67	18.90	1.04	0.029
KWWHQ209130	42.13	19.11	1.05	0.030
KWWHQ209230	42.59	19.32	1.06	0.030
KWWHQ209330	43.06	19.53	1.08	0.030
KWWHQ209430	43.52	19.74	1.09	0.031
KWWHQ209530	43.98	19.95	1.10	0.031
KWWHQ209630	44.44	20.16	1.11	0.031
KWWHQ244836	26.67	12.10	0.67	0.019
KWWHQ244936	27.22	12.35	0.68	0.019
KWWHQ245036	27.78	12.60	0.69	0.020
KWWHQ245136	28.33	12.85	0.71	0.020
KWWHQ245236	28.89	13.10	0.72	0.020
KWWHQ245336	29.44	13.36	0.74	0.021
KWWHQ245436	30.00	13.61	0.75	0.021

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWWHQ245536	30.56	13.86	0.76	0.022
KWWHQ245636	31.11	14.11	0.78	0.022
KWWHQ245736	31.67	14.36	0.79	0.022
KWWHQ245836	32.22	14.62	0.81	0.023
KWWHQ245936	32.78	14.87	0.82	0.023
KWWHQ246036	33.33	15.12	0.83	0.024
KWWHQ246136	33.89	15.37	0.85	0.024
KWWHQ246236	34.44	15.62	0.86	0.024
KWWHQ246336	35.00	15.88	0.88	0.025
KWWHQ246436	35.56	16.13	0.89	0.025
KWWHQ246536	36.11	16.38	0.90	0.026
KWWHQ246636	36.67	16.63	0.92	0.026
KWWHQ246736	37.22	16.88	0.93	0.026
KWWHQ246836	37.78	17.14	0.94	0.027
KWWHQ246936	38.33	17.39	0.96	0.027
KWWHQ247036	38.89	17.64	0.97	0.028
KWWHQ247136	39.44	17.89	0.99	0.028
KWWHQ247236	40.00	18.14	1.00	0.028
KWWHQ247336	40.56	18.40	1.01	0.029
KWWHQ247436	41.11	18.65	1.03	0.029
KWWHQ247536	41.67	18.90	1.04	0.029
KWWHQ247636	42.22	19.15	1.06	0.030
KWWHQ247736	42.78	19.40	1.07	0.030
KWWHQ247836	43.33	19.66	1.08	0.031
KWWHQ247936	43.89	19.91	1.10	0.031
KWWHQ248036	44.44	20.16	1.11	0.031
KWWHQ248136	45.00	20.41	1.13	0.032
KWWHQ248236	45.56	20.66	1.14	0.032
KWWHQ248336	46.11	20.92	1.15	0.033
KWWHQ248436	46.67	21.17	1.17	0.033
KWWHQ248536	47.22	21.42	1.18	0.033
KWWHQ248636	47.78	21.67	1.19	0.034
KWWHQ248736	48.33	21.92	1.21	0.034
KWWHQ248836	48.89	22.18	1.22	0.035
KWWHQ248936	49.44	22.43	1.24	0.035
KWWHQ249036	50.00	22.68	1.25	0.035
KWWHQ249136	50.56	22.93	1.26	0.036
KWWHQ249236	51.11	23.18	1.28	0.036
KWWHQ249336	51.67	23.44	1.29	0.037
KWWHQ249436	52.22	23.69	1.31	0.037
KWWHQ249536	52.78	23.94	1.32	0.037
KWWHQ249636	53.33	24.19	1.33	0.038
KWWHQ304842	33.33	15.12	0.83	0.024
KWWHQ304942	34.03	15.43	0.85	0.024
KWWHQ305042	34.72	15.75	0.87	0.025
KWWHQ305142	35.42	16.06	0.89	0.025
KWWHQ305242	36.11	16.38	0.90	0.026
KWWHQ305342	36.81	16.69	0.92	0.026
KWWHQ305442	37.50	17.01	0.94	0.027
KWWHQ305542	38.19	17.32	0.95	0.027
KWWHQ305642	38.89	17.64	0.97	0.028
KWWHQ305742	39.58	17.95	0.99	0.028
KWWHQ305842	40.28	18.27	1.01	0.029
KWWHQ305942	40.97	18.58	1.02	0.029
KWWHQ306042	41.67	18.90	1.04	0.029
KWWHQ306142	42.36	19.21	1.06	0.030

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWWHQ306242	43.06	19.53	1.08	0.030
KWWHQ306342	43.75	19.84	1.09	0.031
KWWHQ306442	44.44	20.16	1.11	0.031
KWWHQ306542	45.14	20.47	1.13	0.032
KWWHQ306642	45.83	20.79	1.15	0.032
KWWHQ306742	46.53	21.10	1.16	0.033
KWWHQ306842	47.22	21.42	1.18	0.033
KWWHQ306942	47.92	21.73	1.20	0.034
KWWHQ307042	48.61	22.05	1.22	0.034
KWWHQ307142	49.31	22.36	1.23	0.035
KWWHQ307242	50.00	22.68	1.25	0.035
KWWHQ307342	50.69	22.99	1.27	0.036
KWWHQ307442	51.39	23.31	1.28	0.036
KWWHQ307542	52.08	23.62	1.30	0.037
KWWHQ307642	52.78	23.94	1.32	0.037
KWWHQ307742	53.47	24.25	1.34	0.038
KWWHQ307842	54.17	24.57	1.35	0.038
KWWHQ307942	54.86	24.88	1.37	0.039
KWWHQ308042	55.56	25.20	1.39	0.039
KWWHQ308142	56.25	25.51	1.41	0.040
KWWHQ308242	56.94	25.83	1.42	0.040
KWWHQ308342	57.64	26.14	1.44	0.041
KWWHQ308442	58.33	26.46	1.46	0.041
KWWHQ308542	59.03	26.77	1.48	0.042
KWWHQ308642	59.72	27.09	1.49	0.042
KWWHQ308742	60.42	27.40	1.51	0.043
KWWHQ308842	61.11	27.72	1.53	0.043
KWWHQ308942	61.81	28.03	1.55	0.044
KWWHQ309042	62.50	28.35	1.56	0.044
KWWHQ309142	63.19	28.66	1.58	0.045
KWWHQ309242	63.89	28.98	1.60	0.045
KWWHQ309342	64.58	29.29	1.61	0.046
KWWHQ309442	65.28	29.61	1.63	0.046
KWWHQ309542	65.97	29.92	1.65	0.047
KWWHQ309642	66.67	30.24	1.67	0.047
KWWHQ364848	40.00	18.14	1.00	0.028
KWWHQ364948	40.83	18.52	1.02	0.029
KWWHQ365048	41.67	18.90	1.04	0.029
KWWHQ365148	42.50	19.28	1.06	0.030
KWWHQ365248	43.33	19.66	1.08	0.031
KWWHQ365348	44.17	20.03	1.10	0.031
KWWHQ365448	45.00	20.41	1.13	0.032
KWWHQ365548	45.83	20.79	1.15	0.032
KWWHQ365648	46.67	21.17	1.17	0.033
KWWHQ365748	47.50	21.55	1.19	0.034
KWWHQ365848	48.33	21.92	1.21	0.034
KWWHQ365948	49.17	22.30	1.23	0.035
KWWHQ366048	50.00	22.68	1.25	0.035
KWWHQ366148	50.83	23.06	1.27	0.036
KWWHQ366248	51.67	23.44	1.29	0.037
KWWHQ366348	52.50	23.81	1.31	0.037
KWWHQ366448	53.33	24.19	1.33	0.038
KWWHQ366548	54.17	24.57	1.35	0.038
KWWHQ366648	55.00	24.95	1.38	0.039
KWWHQ366748	55.83	25.33	1.40	0.040
KWWHQ366848	56.67	25.70	1.42	0.040

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWWHQ366948	57.50	26.08	1.44	0.041
KWWHQ367048	58.33	26.46	1.46	0.041
KWWHQ367148	59.17	26.84	1.48	0.042
KWWHQ367248	60.00	27.22	1.50	0.042
KWWHQ367348	60.83	27.59	1.52	0.043
KWWHQ367448	61.67	27.97	1.54	0.044
KWWHQ367548	62.50	28.35	1.56	0.044
KWWHQ367648	63.33	28.73	1.58	0.045
KWWHQ367748	64.17	29.11	1.60	0.045
KWWHQ367848	65.00	29.48	1.63	0.046
KWWHQ367948	65.83	29.86	1.65	0.047
KWWHQ368048	66.67	30.24	1.67	0.047
KWWHQ368148	67.50	30.62	1.69	0.048
KWWHQ368248	68.33	31.00	1.71	0.048
KWWHQ368348	69.17	31.37	1.73	0.049
KWWHQ368448	70.00	31.75	1.75	0.050
KWWHQ368548	70.83	32.13	1.77	0.050
KWWHQ368648	71.67	32.51	1.79	0.051
KWWHQ368748	72.50	32.89	1.81	0.051
KWWHQ368848	73.33	33.26	1.83	0.052
KWWHQ368948	74.17	33.64	1.85	0.053
KWWHQ369048	75.00	34.02	1.88	0.053
KWWHQ369148	75.83	34.40	1.90	0.054
KWWHQ369248	76.67	34.78	1.92	0.054
KWWHQ369348	77.50	35.15	1.94	0.055
KWWHQ369448	78.33	35.53	1.96	0.055
KWWHQ369548	79.17	35.91	1.98	0.056
KWWHQ369648	80.00	36.29	2.00	0.057
KWWHQ424854	46.67	21.17	1.17	0.033
KWWHQ424954	47.64	21.61	1.19	0.034
KWWHQ425054	48.61	22.05	1.22	0.034
KWWHQ425154	49.58	22.49	1.24	0.035
KWWHQ425254	50.56	22.93	1.26	0.036
KWWHQ425354	51.53	23.37	1.29	0.036
KWWHQ425454	52.50	23.81	1.31	0.037
KWWHQ425554	53.47	24.25	1.34	0.038
KWWHQ425654	54.44	24.70	1.36	0.039
KWWHQ425754	55.42	25.14	1.39	0.039
KWWHQ425854	56.39	25.58	1.41	0.040
KWWHQ425954	57.36	26.02	1.43	0.041
KWWHQ426054	58.33	26.46	1.46	0.041
KWWHQ426154	59.31	26.90	1.48	0.042
KWWHQ426254	60.28	27.34	1.51	0.043
KWWHQ426354	61.25	27.78	1.53	0.043
KWWHQ426454	62.22	28.22	1.56	0.044
KWWHQ426554	63.19	28.66	1.58	0.045
KWWHQ426654	64.17	29.11	1.60	0.045
KWWHQ426754	65.14	29.55	1.63	0.046
KWWHQ426854	66.11	29.99	1.65	0.047
KWWHQ426954	67.08	30.43	1.68	0.047
KWWHQ427054	68.06	30.87	1.70	0.048
KWWHQ427154	69.03	31.31	1.73	0.049
KWWHQ427254	70.00	31.75	1.75	0.050
KWWHQ427354	70.97	32.19	1.77	0.050
KWWHQ427454	71.94	32.63	1.80	0.051
KWWHQ427554	72.92	33.07	1.82	0.052



# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KWWHQ427654	73.89	33.52	1.85	0.052
KWWHQ427754	74.86	33.96	1.87	0.053
KWWHQ427854	75.83	34.40	1.90	0.054
KWWHQ427954	76.81	34.84	1.92	0.054
KWWHQ428054	77.78	35.28	1.94	0.055
KWWHQ428154	78.75	35.72	1.97	0.056
KWWHQ428254	79.72	36.16	1.99	0.056
KWWHQ428354	80.69	36.60	2.02	0.057
KWWHQ428454	81.67	37.04	2.04	0.058
KWWHQ428554	82.64	37.48	2.07	0.059
KWWHQ428654	83.61	37.93	2.09	0.059
KWWHQ428754	84.58	38.37	2.11	0.060
KWWHQ428854	85.56	38.81	2.14	0.061
KWWHQ428954	86.53	39.25	2.16	0.061
KWWHQ429054	87.50	39.69	2.19	0.062
KWWHQ429154	88.47	40.13	2.21	0.063
KWWHQ429254	89.44	40.57	2.24	0.063
KWWHQ429354	90.42	41.01	2.26	0.064
KWWHQ429454	91.39	41.45	2.28	0.065
KWWHQ429554	92.36	41.89	2.31	0.065
KWWHQ429654	93.33	42.34	2.33	0.066

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Source Laminate Rectangular Worksurface (KUWS)</b>				
KUWS2424	18.43	8.37	0.50	0.014
KUWS2430	23.04	10.46	0.63	0.018
KUWS2436	39.17	17.78	1.06	0.030
KUWS2442	45.70	20.75	1.24	0.035
KUWS2448	36.86	16.74	1.00	0.028
KUWS2454	40.50	18.37	1.13	0.020
KUWS2460	46.08	20.92	1.25	0.035
KUWS2472	55.30	25.10	1.50	0.042
KUWS3024	23.04	10.46	0.63	0.018
KUWS3030	28.80	13.08	0.78	0.022
KUWS3036	39.17	17.78	1.06	0.030
KUWS3042	45.70	20.75	1.24	0.035
KUWS3048	46.08	20.92	1.25	0.035
KUWS2454	50.63	22.96	1.37	0.030
KUWS3060	57.60	26.15	1.56	0.044
KUWS3072	69.12	31.38	1.88	0.053

## Worksurfaces &amp; Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Source Laminate Curved Corner Worksurface (KUSC)</b>				
KUSC193619	21.89	9.94	0.59	0.017
KUSC193624	27.65	12.55	0.75	0.021
KUSC194219	25.54	11.59	0.69	0.019
KUSC194224	32.26	14.64	0.88	0.025
KUSC194824	36.86	16.74	1.00	0.028
KUSC243619	35.00	15.89	0.80	0.022
KUSC243624	36.40	16.53	0.80	0.022
KUSC243630	37.35	16.96	1.00	0.028
KUSC244219	45.65	20.73	0.93	0.026
KUSC244224	47.30	21.47	0.93	0.026
KUSC244230	48.85	22.18	1.16	0.033
KUSC244819	57.00	25.88	1.06	0.030
KUSC244824	59.30	26.92	1.06	0.030
KUSC244830	61.40	27.88	0.32	0.037
KUSC245424	36.00	16.33	0.84	0.020
KUSC246024	36.00	16.33	0.94	0.030
KUSC303624	37.35	16.96	1.00	0.028
KUSC304224	48.85	22.18	1.16	0.033
KUSC304230	50.40	22.88	1.16	0.033
KUSC304824	61.40	27.88	1.32	0.037
KUSC304830	63.50	28.83	1.32	0.037
KUSC305430	65.00	29.48	1.05	0.030

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Source Laminate Standard Corner Worksurface (KUPS)</b>				
KUPS193619	21.89	9.94	0.59	0.017
KUPS193624	27.65	12.55	0.75	0.021
KUPS194219	25.54	11.59	0.69	0.019
KUPS194224	32.26	14.64	0.88	0.025
KUPS194824	36.86	16.74	1.00	0.028
<hr/>				
KUPS243619	35.00	15.89	0.80	0.022
KUPS243624	36.40	16.53	0.80	0.022
KUPS243630	37.35	16.96	1.00	0.028
KUPS244219	45.65	20.73	0.93	0.026
KUPS244224	47.30	21.47	0.93	0.026
KUPS244230	48.85	22.18	1.16	0.033
KUPS244819	57.00	25.88	1.06	0.030
KUPS244824	59.30	26.92	1.06	0.030
KUPS244830	61.40	27.88	1.32	0.037
KUPS245424	40.50	18.37	0.84	0.020
KUPS246024	45.00	20.41	0.94	0.030
<hr/>				
KUPS303624	37.35	16.96	1.00	0.028
KUPS303630	38.30	17.39	1.00	0.028
KUPS304224	48.85	22.18	1.16	0.033
KUPS304230	50.40	22.88	1.16	0.033
KUPS304824	61.40	27.88	1.32	0.037
KUPS304830	63.50	28.83	1.32	0.037
KUPS305430	50.63	22.96	1.05	0.030

## Worksurfaces & Countertops

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Source Laminate Transition Worksurface (KUWD)</b>				
KUWD244830	36.86	16.74	1.00	0.028
KUWD245430	43.00	19.50	1.05	0.030
KUWD246030	46.08	20.92	1.25	0.035
KUWD247230	55.30	25.10	1.50	0.042

# leverage weights & volumes

## Worksurfaces & Countertops

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Source Laminate Rectangular Countertop (KUCS)</b>				
KUCS1524	11.52	5.23	0.31	0.009
KUCS1530	14.40	6.54	0.39	0.011
KUCS1533	15.84	7.19	0.43	0.012
KUCS1536	17.28	7.85	0.47	0.013
KUCS1539	18.72	8.50	0.51	0.014
KUCS1542	20.16	9.15	0.55	0.015
KUCS1545	21.60	9.81	0.59	0.016
KUCS1548	23.04	10.46	0.63	0.018
KUCS1551	24.48	11.11	0.66	0.019
KUCS1557	27.36	12.42	0.74	0.021

## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Handed Cantilever (CT)</b>				
CT12	3.00	1.36	0.14	0.004
CT18	3.80	1.73	0.38	0.011
CT22	4.20	1.91	0.55	0.015

# leverage weights & volumes

## Worksurface Supports & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>C-Leg (CL29)</b>				
<b>CL29</b>	9.40	4.20	1.67	0.047



## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Intermediate C-Leg (KCM)</b>				
<b>KCM</b>	9.40	4.20	1.67	0.047

# leverage weights & volumes

## Worksurface Supports & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Mid Gable – Laminate (KGMFL)				
KGMFL12	11.69	5.30	0.42	0.012
KGMFL18	15.46	7.02	0.63	0.018

## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Mid Gable – Metal (KGMFM)				
KGMFM12	11.69	5.30	0.42	0.012
KGMFM18	15.46	7.02	0.63	0.018

# leverage weights & volumes

## Worksurface Supports & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Mid Gable – Wood (KGMFW)				
KGMFW12	11.69	5.30	0.42	0.012
KGMFW18	15.46	7.02	0.63	0.018

## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Corner Bracket (KBC)				
KBC	0.40	0.20	0.04	0.001

# leverage weights & volumes

## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Flush Plates (TLFP)</b>				
TLFP	0.60	0.30	0.10	0.002

## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Structural Flush Plate (UNRFS)</b>				
UNRFS	2.51	1.14	1.69	0.048

# leverage weights & volumes

## Worksurface Supports & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Worksurface Reinforcement Channel (UNRC)</b>				
UNRC36	4.05	1.84	0.13	0.004
UNRC42	4.72	2.14	0.15	0.004
UNRC48	5.40	2.45	0.17	0.005
UNRC54	6.07	2.75	0.19	0.005
UNRC60	6.74	3.06	0.21	0.006
UNRC66	7.42	3.37	0.23	0.006
UNRC72	8.09	3.67	0.25	0.007
UNRC78	8.77	3.98	0.27	0.008
UNRC84	9.44	4.28	0.29	0.008
UNRC90	10.12	4.59	0.31	0.009
UNRC96	10.79	4.90	0.33	0.009



## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Flush End Gable – Wood (KFENW)</b>				
KFENW17	13.69	6.21	0.59	0.017
KFENW20	15.70	7.13	0.69	0.020
KFENW24	18.39	8.34	0.83	0.024
KFENW30	22.42	10.17	1.04	0.030
KFENW36	26.44	12.00	1.25	0.035

# leverage weights & volumes

## Worksurface Supports & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Flush End Gable – Metal (KFENM)</b>				
<b>KFENM17</b>	14.84	6.73	0.59	0.017
<b>KFENM20</b>	16.72	7.59	0.69	0.020
<b>KFENM24</b>	19.23	8.73	0.83	0.024
<b>KFENM30</b>	23.01	10.44	1.04	0.030
<b>KFENM36</b>	26.79	12.15	1.25	0.035

## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Flush End Gable – Laminate (KFENL)</b>				
KFENL17	13.69	6.21	0.59	0.017
KFENL20	15.70	7.13	0.69	0.020
KFENL24	18.39	8.34	0.83	0.024
KFENL30	22.42	10.17	1.04	0.030
KFENL36	26.44	12.00	1.25	0.035

# leverage weights & volumes

## Worksurface Supports & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Pedestal Supporting Bracket (KSBN)</b>				
KSB1824	4.40	2.00	0.81	0.023
KSB1830	6.60	3.00	0.81	0.023
KSB2024	4.00	1.80	0.81	0.023
KSB2030	6.00	2.72	0.81	0.023
KSB2224	3.00	1.36	0.81	0.023
KSB2230	5.40	2.50	0.81	0.023
KSB2830	3.00	1.36	0.81	0.023
KSBN1824	4.40	2.00	0.81	0.023
KSBN1830	6.60	3.00	0.81	0.023
KSBN2024	4.00	1.80	0.81	0.023
KSBN2030	6.00	2.72	0.81	0.023
KSBN2224	3.00	1.36	0.81	0.023
KSBN2230	5.40	2.50	0.81	0.023
KSBN2830	3.00	1.36	0.81	0.023

## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
xm Post Leg (TXPL)				
TXPL	9.00	4.09	0.85	0.020

# leverage weights & volumes

## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Monoleg (CZ29)</b>				
<b>CZ29</b>	7.70	3.50	0.28	0.008

## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Slim Post Leg (KLP)</b>				
KLP1	7.70	3.50	0.28	0.008
KLP2	9.20	4.17	0.28	0.008
KLP3	7.65	3.47	0.28	0.008
KLP4	7.65	3.47	0.28	0.008

# leverage weights & volumes

## Worksurface Supports & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>W/R/S Mounted Worksurface Bracket (CVWB)</b>				
CVWB1836	1.23	0.56	0.01	0.000
CVWB3796	1.85	0.84	0.01	0.000
<hr/>				
CVWB1836	1.45	0.66	0.02	0.001
CVWB3796	2.10	0.95	0.02	0.001



## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Worksurface-to-Tower Bracket Kit (UWBT)</b>				
<b>UWBTBB</b>	6.00	2.72	1.50	0.043
<b>UWBTBF</b>	6.00	2.72	1.50	0.043

# leverage weights & volumes

## Worksurface Supports & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Height-Adjustable Worksurface-to-Tower Support (UWBTH)</b>				
<b>UWBTHBB</b>	7.00	3.18	0.15	0.004
<b>UWBTFB</b>	5.00	2.27	0.15	0.004

## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Low Credenza-to-Worksurface Support (UNCPWN)</b>				
UNCPWNF	5.00	2.27	0.24	0.007
UNCPWNH	6.00	2.72	0.24	0.007

# leverage weights & volumes

## Worksurface Supports & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Reconfigurable Low Credenza-to-Worksurface Support (UWCPWN)</b>				
<b>UWCPWNF</b>	12.00	5.41	2.00	0.057

## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Storage-to-Panel Bracket (KUSPB)</b>				
KUSPBEBL	3.00	1.36	0.08	0.002
KUSPBEBR	3.00	1.36	0.08	0.002
KUSPBEFL	3.00	1.36	0.08	0.002
KUSPBEFR	3.00	1.36	0.08	0.002
KUSPBEPL	3.00	1.36	0.08	0.002
KUSPBEPR	3.00	1.36	0.08	0.002
KUSPBSBL	3.00	1.36	0.08	0.002
KUSPBSBR	3.00	1.36	0.08	0.002
KUSPBSFL	3.00	1.36	0.08	0.002
KUSPBSFR	3.00	1.36	0.08	0.002
KUSPBSPL	3.00	1.36	0.08	0.002
KUSPBSPR	3.00	1.36	0.08	0.002

# leverage weights & volumes

## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Mini Leg (UNCLN)				
UNCLN	6.00	2.72	0.25	0.007

## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Wire Tray (KZW)				
KZW24	1.15	0.52	0.28	0.008
KZW30	1.34	0.61	0.35	0.010
KZW36	1.54	0.70	0.41	0.012
KZW42	1.73	0.78	0.48	0.014
KZW48	1.92	0.87	0.55	0.015
KZW54	2.10	0.96	0.61	0.019
KZW60	2.40	1.09	0.69	0.019
KZW72	2.88	1.31	0.83	0.023

# leverage weights & volumes

## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Modesty Panel (KWMP)				
KWMP	0.15	0.32	0.76	0.260



# leverage weights & volumes

## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Desk Edge Screen – Glass (KSDEG)</b>				
KSDEG1323	13.52	6.13	2.02	0.057
KSDEG1324	13.95	6.33	2.11	0.060
KSDEG1325	14.39	6.53	2.20	0.062
KSDEG1326	14.82	6.73	2.29	0.065
KSDEG1327	15.26	6.92	2.38	0.067
KSDEG1328	15.69	7.12	2.46	0.070
KSDEG1329	16.13	7.32	2.55	0.072
KSDEG1330	16.56	7.52	2.64	0.075
KSDEG1331	17.00	7.71	2.73	0.077
KSDEG1332	17.44	7.91	2.82	0.080
KSDEG1333	17.87	8.11	2.90	0.082
KSDEG1334	18.31	8.31	2.99	0.085
KSDEG1335	18.74	8.50	3.08	0.087
KSDEG1336	19.18	8.70	3.17	0.090
KSDEG1337	19.61	8.90	3.26	0.092
KSDEG1338	20.05	9.10	3.34	0.095
KSDEG1339	20.48	9.29	3.43	0.097
KSDEG1340	20.92	9.49	3.52	0.100
KSDEG1341	21.35	9.69	3.61	0.102
KSDEG1342	21.79	9.89	3.69	0.105
KSDEG1343	22.23	10.08	3.78	0.107
KSDEG1344	22.66	10.28	3.87	0.110
KSDEG1345	23.10	10.48	3.96	0.112
KSDEG1346	23.53	10.68	4.05	0.115
KSDEG1347	23.97	10.87	4.13	0.117
KSDEG1348	24.40	11.07	4.22	0.120
KSDEG1349	24.84	11.27	4.31	0.122
KSDEG1350	25.27	11.47	4.40	0.125
KSDEG1351	25.71	11.67	4.49	0.127
KSDEG1352	26.15	11.86	4.57	0.130
KSDEG1353	26.58	12.06	4.66	0.132
KSDEG1354	27.02	12.26	4.75	0.135
KSDEG1355	27.45	12.46	4.84	0.137
KSDEG1356	27.89	12.65	4.93	0.140
KSDEG1357	28.32	12.85	5.01	0.142
KSDEG1358	28.76	13.05	5.10	0.144
KSDEG1359	29.19	13.25	5.19	0.147
KSDEG1360	29.63	13.44	5.28	0.149
KSDEG1361	30.06	13.64	5.37	0.152
KSDEG1362	30.50	13.84	5.45	0.154
KSDEG1363	30.94	14.04	5.54	0.157
KSDEG1364	31.37	14.23	5.63	0.159
KSDEG1365	31.81	14.43	5.72	0.162
KSDEG1366	32.24	14.63	5.81	0.164
KSDEG1367	32.68	14.83	5.89	0.167
KSDEG1368	33.11	15.02	5.98	0.169
KSDEG1369	33.55	15.22	6.07	0.172
KSDEG1370	33.98	15.42	6.16	0.174
KSDEG1371	34.42	15.62	6.25	0.177
KSDEG1372	34.86	15.81	6.33	0.179
KSDEG1373	35.29	16.01	6.42	0.182
KSDEG1374	35.73	16.21	6.51	0.184
KSDEG1375	36.16	16.41	6.60	0.187
KSDEG1376	36.60	16.60	6.69	0.189
KSDEG1377	37.03	16.80	6.77	0.192
KSDEG1378	37.47	17.00	6.86	0.194

## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
KSDEG1379	37.90	17.20	6.95	0.197
KSDEG1380	38.34	17.40	7.04	0.199
KSDEG1381	38.77	17.59	7.13	0.202
KSDEG1382	39.21	17.79	7.21	0.204
KSDEG1383	39.65	17.99	7.30	0.207
KSDEG1384	40.08	18.19	7.39	0.209
KSDEG1385	40.52	18.38	7.48	0.212
KSDEG1386	40.95	18.58	7.57	0.214
KSDEG1387	41.39	18.78	7.65	0.217
KSDEG1388	41.82	18.98	7.74	0.219
KSDEG1389	42.26	19.17	7.83	0.222
KSDEG1390	42.69	19.37	7.92	0.224
KSDEG1391	43.13	19.57	8.01	0.227
KSDEG1392	43.56	19.77	8.09	0.229
KSDEG1393	44.00	19.96	8.18	0.232
KSDEG1394	44.44	20.16	8.27	0.234
KSDEG1395	44.87	20.36	8.36	0.237
KSDEG1396	45.31	20.56	8.44	0.239

# leverage weights & volumes

## Worksurface Supports & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Desk Edge Screen – Full Height Glass (KSFDG)</b>				
KSFDG1323	17.67	8.02	2.98	0.084
KSFDG1324	18.29	8.30	3.11	0.088
KSFDG1325	18.90	8.58	3.24	0.092
KSFDG1326	19.52	8.86	3.37	0.095
KSFDG1327	20.14	9.14	3.50	0.099
KSFDG1328	20.75	9.42	3.63	0.103
KSFDG1329	21.37	9.69	3.76	0.106
KSFDG1330	21.98	9.97	3.89	0.110
KSFDG1331	22.60	10.25	4.02	0.114
KSFDG1332	23.22	10.53	4.15	0.117
KSFDG1333	23.83	10.81	4.28	0.121
KSFDG1334	24.45	11.09	4.41	0.125
KSFDG1335	25.06	11.37	4.54	0.128
KSFDG1336	25.68	11.65	4.67	0.132
KSFDG1337	26.30	11.93	4.80	0.136
KSFDG1338	26.91	12.21	4.93	0.140
KSFDG1339	27.53	12.49	5.06	0.143
KSFDG1340	28.14	12.77	5.19	0.147
KSFDG1341	28.76	13.05	5.32	0.151
KSFDG1342	29.38	13.33	5.44	0.154
KSFDG1343	29.99	13.61	5.57	0.158
KSFDG1344	30.61	13.89	5.70	0.162
KSFDG1345	31.23	14.17	5.83	0.165
KSFDG1346	31.84	14.45	5.96	0.169
KSFDG1347	32.46	14.73	6.09	0.173
KSFDG1348	33.07	15.01	6.22	0.176
KSFDG1349	33.69	15.29	6.35	0.180
KSFDG1350	34.31	15.57	6.48	0.184
KSFDG1351	34.92	15.84	6.61	0.187
KSFDG1352	35.54	16.12	6.74	0.191
KSFDG1353	36.15	16.40	6.87	0.195
KSFDG1354	36.77	16.68	7.00	0.198
KSFDG1355	37.39	16.96	7.13	0.202
KSFDG1356	38.00	17.24	7.26	0.206
KSFDG1357	38.62	17.52	7.39	0.209
KSFDG1358	39.23	17.80	7.52	0.213
KSFDG1359	39.85	18.08	7.65	0.217
KSFDG1360	40.47	18.36	7.78	0.220
KSFDG1361	41.08	18.64	7.91	0.224
KSFDG1362	41.70	18.92	8.04	0.228
KSFDG1363	42.32	19.20	8.17	0.231
KSFDG1364	42.93	19.48	8.30	0.235
KSFDG1365	43.55	19.76	8.43	0.239
KSFDG1366	44.16	20.04	8.56	0.242
KSFDG1367	44.78	20.32	8.69	0.246
KSFDG1368	45.40	20.60	8.82	0.250
KSFDG1369	46.01	20.88	8.94	0.253
KSFDG1370	46.63	21.16	9.07	0.257
KSFDG1371	47.24	21.44	9.20	0.261
KSFDG1372	47.86	21.72	9.33	0.264

## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Desk Top Mounted Screen (KSBWS)</b>				
KSBWS1320	6.30	2.86	0.30	0.009
KSBWS1324	7.56	3.43	0.36	0.010
KSBWS1330	9.45	4.29	0.45	0.013
KSBWS1336	11.34	5.15	0.54	0.015

# leverage weights & volumes

## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Fixed Height Thin Panel Mount Bracket (Lyft) (HWB)				
HBW	1.00	0.46	0.14	0.004

## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Adjustable Height Thin Panel Mount Bracket (Lyft) (HWBA)</b>				
HBWA	3.00	1.37	0.87	0.025

# leverage weights & volumes

## Worksurface Supports & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>End Gable (Lyft) (HEG)</b>				
<b>HEG240</b>	11.00	5.00	3.86	0.109
<b>HEG300</b>	12.00	5.46	4.87	0.138
<b>HEG241</b>	14.00	6.37	3.86	0.109
<b>HEG301</b>	18.00	8.19	4.87	0.138

## Worksurface Supports & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Worksurface Supporting Pedestal Kit (Lyft) (HWP)</b>				
HWP18240	2.00	0.91	0.26	0.007
HWP18300	2.50	1.13	0.26	0.007
HWP20240	2.00	0.91	0.26	0.007
HWP20300	2.50	1.13	0.26	0.007
HWP22240	1.50	0.68	0.26	0.007
HWP22300	2.50	1.13	0.26	0.007
HWP28300	1.50	0.68	0.26	0.007
<hr/>				
HWP18241	8.00	3.63	0.81	0.023
HWP18301	10.00	4.54	0.81	0.023
HWP20241	8.00	3.63	0.81	0.023
HWP20301	10.00	4.54	0.81	0.023
HWP22241	6.00	2.72	0.81	0.023
HWP22301	10.00	4.54	0.81	0.023
HWP28301	6.00	2.72	0.81	0.023





## Mounted Storage & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Overhead Cabinet (KSF)</b>				
KSF1424	22.57	10.25	2.98	0.083
KSF1430	28.15	12.78	3.71	0.104
KSF1436	33.73	15.31	4.45	0.125
KSF1442	38.39	17.43	5.06	0.142
KSF1448	44.00	19.98	5.80	0.162
KSF1454	52.04	23.62	6.52	0.183
KSF1460	60.07	27.27	7.24	0.203

# leverage weights & volumes

## Mounted Storage & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Overhead Upmount (KSU)</b>				
KSU24	24.57	11.16	3.48	0.098
KSU30	30.15	13.69	4.21	0.119
KSU36	35.73	16.22	4.95	0.140
KSU42	40.39	18.34	5.56	0.157
KSU48	46.00	20.88	6.29	0.178
KSU54	54.04	24.53	7.02	0.199
KSU60	62.07	28.18	7.74	0.219

## Mounted Storage & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Overhead Upmount Retrofit Kit (KSR)				
KSR	2.00	0.91	0.50	0.014

# leverage weights & volumes

## Mounted Storage & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Centermount Overhead Storage Bracket (KUOHC)</b>				
KUOHC	5.00	2.27	0.25	0.007

## Mounted Storage & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Shelves (KSS)</b>				
KSS24	6.92	3.14	1.45	0.041
KSS30	8.69	3.94	1.83	0.051
KSS36	10.46	4.75	2.20	0.062
KSS42	12.22	5.55	2.57	0.072
KSS48	14.00	6.36	2.94	0.082
KSS54	16.66	7.56	3.31	0.093
KSS60	19.31	8.77	3.67	0.103

# leverage weights & volumes

## Mounted Storage & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Suspension Shelf (KSSN)</b>				
KSSN24	6.00	2.75	0.03	0.001
KSSN30	7.50	3.45	0.37	0.010
KSSN36	9.00	4.10	0.04	0.001
KSSN42	10.50	4.80	0.05	0.001
KSSN48	12.00	5.45	0.06	0.002

## Mounted Storage & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Hang-On Whiteboard (KMW)</b>				
KMW2424	5.50	2.50	2.28	0.064
KMW2430	6.94	3.15	2.88	0.081
KMW2436	8.37	3.80	3.47	0.097
KMW2442	9.81	4.45	4.07	0.114
KMW2448	11.24	5.10	4.67	0.131
<b> </b>				
KMW3024	6.85	3.11	2.84	0.080
KMW3030	8.63	3.92	3.58	0.100
KMW3036	10.42	4.73	4.32	0.121
KMW3042	12.21	5.54	5.07	0.142
KMW3048	14.00	6.36	5.81	0.163

# leverage weights & volumes

## Mounted Storage & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Accessory Rail (KMA)				
KMA24	1.70	0.77	0.10	0.003
KMA30	2.13	0.97	0.13	0.004
KMA36	2.57	1.17	0.15	0.004
KMA42	3.00	1.36	0.18	0.005
KMA48	3.50	0.59	0.21	0.006
KMA54	3.95	1.79	0.23	0.006
KMA60	4.40	2.00	0.26	0.007



## Mounted Storage &amp; Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Table Rail (ACTR)</b>				
ACTR24	7.75	3.52	0.60	0.020
ACTR27	8.50	3.86	0.68	0.020
ACTR30	9.25	4.20	0.76	0.020
ACTR33	10.00	4.54	0.83	0.020
ACTR36	10.75	4.88	0.91	0.030
ACTR39	11.50	5.22	0.99	0.030
ACTR42	12.25	5.56	1.07	0.030
ACTR45	13.00	5.90	1.15	0.030
ACTR48	13.75	6.24	1.22	0.030
ACTR51	14.50	6.58	1.30	0.040
ACTR54	15.25	6.92	1.38	0.040
ACTR57	16.00	7.26	1.46	0.040
ACTR60	16.75	7.60	1.54	0.040

# leverage weights & volumes

## Mounted Storage & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Table Screen (ACTS)</b>				
ACTS24	7.60	3.45	0.27	0.010
ACTS27	8.20	3.72	0.30	0.010
ACTS30	8.80	4.00	0.34	0.010
ACTS33	9.40	4.27	0.37	0.010
ACTS36	10.00	4.54	0.41	0.010
ACTS39	10.60	4.81	0.44	0.010
ACTS42	11.20	5.08	0.47	0.010
ACTS45	11.80	5.36	0.51	0.010
ACTS48	12.40	5.63	0.54	0.020
ACTS51	13.00	5.90	0.58	0.020
ACTS54	13.60	6.17	0.61	0.020
ACTS57	14.20	6.45	0.65	0.020
ACTS60	14.80	6.72	0.68	0.020

## Mounted Storage & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Shelf Divider (BK61)				
BK61	1.70	0.77	0.20	0.006

# leverage weights & volumes

## Mounted Storage & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Lock & Keys (K)				
K	0.60	0.27	0.00	0.000

## Freestanding Storage & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Pedestal (KDN)</b>				
KDNBBF1815	56.09	25.45	4.22	0.119
KDNBBF2215	60.78	27.58	5.16	0.146
KDNBBF2815	67.81	30.77	6.56	0.186
KDNBF1815	56.09	25.45	4.22	0.119
KDNBF2215	60.78	27.58	5.16	0.146
KDNBF2815	67.81	30.77	6.56	0.186
KDNLF1815	56.09	25.45	4.22	0.119
KDNLF2215	60.78	27.58	5.16	0.146
KDNLF2815	67.81	30.77	6.56	0.186
KDNPBF1815	56.09	25.45	4.22	0.119
KDNPBF2215	60.78	27.58	5.16	0.146
KDNPBF2815	67.81	30.77	6.56	0.186

# leverage weights & volumes

## Freestanding Storage & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Stretch Pedestal (KDEN)</b>				
KDENLF1830	120.39	54.62	8.44	0.239
KDENLF1836	133.47	60.56	10.13	0.287
KDENLF1842	146.55	66.49	11.81	0.335

## Freestanding Storage

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Mobile Pedestal with Seat (KDSN)</b>				
KDSNBF2215	70.00	31.78	4.40	0.120
KDSNSF2215	70.00	31.78	4.40	0.120

# leverage weights & volumes

## Freestanding Storage & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Mobile Pedestal (KDWN)</b>				
KDWNBF1815	73.50	33.41	3.700	0.105
KDWNBF2215	79.10	35.95	4.500	0.129
KDWNBF2815	87.70	39.86	5.800	0.164
KDWNPSF1815	81.60	37.09	4.000	0.112
KDWNPSF2215	88.00	40.00	4.900	0.137
KDWNPSF2815	97.90	44.50	6.200	0.175
LPWBBF1815	92.10	41.86	4.700	0.134
LPWBBF2215	98.80	44.91	5.800	0.163
LPWBBF2815	109.30	49.68	7.300	0.208
KDWNLF1815	80.60	36.64	4.700	0.134
KDWNLF2215	86.50	39.32	5.800	0.163
KDWNLF2815	95.70	43.50	7.300	0.208



## Freestanding Storage

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Front Open Locker (KSLF)</b>				
KSLF4024	105.00	47.73	16.53	0.120
KSLF5024	135.00	61.36	21.87	0.120

# leverage weights & volumes

## Freestanding Storage & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Side Open Locker (KSLS)</b>				
KSLS402424	115.00	52.27	16.53	0.470
KSLS402430	120.00	54.55	20.67	0.590
KSLS502424	145.00	65.91	21.87	0.620
KSLS502430	155.00	70.45	27.33	0.770

## Freestanding Storage

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Pedestal Accessories (DA)</b>				
DAB	2.00	0.91	0.50	0.014
DAS	2.00	0.91	0.50	0.014
DAT	2.00	0.91	0.50	0.014

# leverage weights & volumes

## Freestanding Storage & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Stretch Pedestal Accessories (FA)</b>				
SFA01	3.00	1.36	0.50	0.014
SFA07	2.00	0.91	0.50	0.014
SFA10	4.00	1.82	0.50	0.014
SFA11	2.00	0.91	0.50	0.014
SFA20	3.00	1.36	0.50	0.014

## Freestanding Storage

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Casters &amp; Counterweights (W)</b>				
W1	24.7	11.2	0.67	0.02
W2	24.3	11	0.63	0.02



## Lighting, Electrics & Communications

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Universal Light (TU)</b>				
TU220	2.90	1.30	0.33	0.009
TU222	3.70	1.70	0.33	0.009

# leverage weights & volumes

## Lighting, Electrics & Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Slim Profile Utility Light (TYRQ)</b>				
TYRQ180S	6.80	3.09	0.67	0.019
TYRQ182S	6.80	3.09	0.67	0.019
TYRQ240E	9.20	4.18	0.89	0.025
TYRQ240S	9.20	4.18	0.89	0.025
TYRQ242E	9.20	4.18	0.89	0.025
TYRQ242S	9.20	4.18	0.89	0.025
TYRQ360E	12.80	5.81	1.34	0.038
TYRQ360S	12.80	5.81	1.34	0.038
TYRQ362E	12.80	5.81	1.34	0.038
TYRQ362S	12.80	5.81	1.34	0.038
TYRQ480E	18.50	8.40	1.78	0.050
TYRQ480S	18.50	8.40	1.78	0.050
TYRQ482E	18.50	8.40	1.78	0.050
TYRQ482S	18.50	8.40	1.78	0.050



## Lighting, Electrics & Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Base Feed (EKBF)</b>				
EKBF8K72	7.00	3.18	0.33	0.001
EKBF8T72	7.00	3.18	0.33	0.001

# leverage weights & volumes

## Lighting, Electrics & Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Split Base Feed (EKBFS)</b>				
EKBFS8K18	6.00	2.72	0.38	0.001
EKBFS8K72	6.70	3.04	0.45	0.001
EKBFS8T18	6.00	2.72	0.38	0.001
EKBFS8T72	6.70	3.04	0.45	0.001

## Lighting, Electrics & Communications

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Communications Base Feed (EBFQC)</b>				
EBFQC	1.00	0.45	0.04	0.001

# leverage weights & volumes

## Lighting, Electrics & Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Ceiling Feed (EKCF)</b>				
EKCF8K120	6.00	2.72	0.33	0.001
EKCF8T120	6.00	2.72	0.33	0.001

## Lighting, Electrics & Communications

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Power Pole (ECPQ)</b>				
ECPQ48	7.10	3.23	0.70	0.020
ECPQ72	9.00	4.09	1.03	0.029
ECPQ96	13.20	6.00	1.37	0.038

# leverage weights & volumes

## Lighting, Electrics & Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>End of Run Power Pole (ECPQR)</b>				
ECPQR3048	8.00	3.63	0.60	0.017
ECPQR3072	11.00	4.99	0.80	0.023
ECPQR3096	13.00	5.89	1.20	0.034
ECPQR4248	9.00	4.09	0.60	0.017
ECPQR4272	12.00	5.45	0.80	0.023
ECPQR4296	14.00	6.36	1.20	0.03

## Lighting, Electrics &amp; Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Power Harness (EKBH)</b>				
EKBH8K120	6.48	2.94	0.06	0.002
EKBH8K144	7.12	3.23	0.08	0.002
EKBH8K24	0.68	0.31	0.01	0.001
EKBH8K48	2.11	0.96	0.03	0.001
EKBH8K72	4.38	1.99	0.04	0.001
EKBH8K96	5.43	2.46	0.05	0.001
EKBH8T120	6.48	2.94	0.06	0.002
EKBH8T144	7.12	3.23	0.08	0.002
EKBH8T24	0.68	0.31	0.01	0.001
EKBH8T48	2.11	0.96	0.03	0.001
EKBH8T72	4.38	1.99	0.04	0.001
EKBH8T96	5.43	2.46	0.05	0.001

# leverage weights & volumes

## Lighting, Electrics & Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Distribution Box (EKDB)</b>				
<b>EKDB</b>	0.09	0.04	0.01	0.001



# leverage weights & volumes

## Lighting, Electrics & Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Power Box (EKQP)</b>				
EKQPD	1.43	0.65	0.06	0.002
EKQPS	1.07	0.49	0.05	0.001

# leverage weights & volumes

## Lighting, Electrics & Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Receptacle Outlet (EKRO)</b>				
<b>EKRO</b>	0.23	0.10	0.02	0.001

## Lighting, Electrics & Communications

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Outlet Cover Cap (EDCC)				
EDCC	1.00	0.45	0.04	0.001

# leverage weights & volumes

## Lighting, Electrics & Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Power Bezel (EKZP)</b>				
EKZP	1.00	0.45	0.04	0.001

# leverage weights & volumes

## Lighting, Electrics & Communications

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Communications Bezel (ERZC)				
ERZC	1.00	0.45	0.04	0.001

# leverage weights & volumes

## Lighting, Electrics & Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Data Extender Plate (EKDE)				
EKDE	0.05			0.600

## Lighting, Electrics & Communications

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Chicago Base Feed (EKBFCH)				
EKBFCH72	6.00	2.72	0.33	0.001

# leverage weights & volumes

## Lighting, Electrics & Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Chicago Ceiling Feed (EKCFCH)</b>				
EKCFCH120	6.00	2.72	0.30	0.001



## Lighting, Electrics & Communications

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Chicago Power Box (EKQPCH)</b>				
EKQPCHDA	3.13	1.42	0.33	0.001
EKQPCHDB	3.56	1.61	0.33	0.001
EKQPCHSA	1.71	0.78	0.70	0.002
EKQPCHSB	2.23	1.01	0.11	0.003

# leverage weights & volumes

## Lighting, Electrics & Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Compatibility Power Harness (EKCMP)</b>				
<b>EKCMP</b>	0.68	0.31	0.01	0.001

## Lighting, Electrics & Communications

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Base Cable Clips (Lyft) (HBCC)				
HBCC	0.08	0.04	0.02	0.001



## International Electrics

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Outlet Box (VED)</b>				
VED20EB	1.50	0.68	0.02	0.000
VED20EN	1.50	0.68	0.02	0.000
VED20ET	1.50	0.68	0.02	0.000
VED20EF	1.50	0.68	0.02	0.000
VED23EB	1.50	0.68	0.02	0.000
VED23EN	1.50	0.68	0.02	0.000
VED23ET	1.50	0.68	0.02	0.000
VED23EF	1.50	0.68	0.02	0.000
VED40EB	1.90	0.86	0.03	0.001
VED40EN	1.90	0.86	0.03	0.001
VED40ET	1.90	0.86	0.03	0.001
VED40EF	1.90	0.86	0.03	0.001
VED43EB	1.90	0.86	0.03	0.001
VED43EN	1.90	0.86	0.03	0.001
VED43ET	1.90	0.86	0.03	0.001
VED43EF	1.90	0.86	0.03	0.001

# leverage weights & volumes

## International Electrics

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Interconnecting Power Cable (VCC)</b>				
VCC1B	1.00	0.45	0.00	0.003
VCC1F	1.00	0.45	0.00	0.003
VCC1N	1.00	0.45	0.00	0.003
VCC1T	1.00	0.45	0.00	0.003
VCC2B	1.50	0.68	0.00	0.006
VCC2F	1.50	0.68	0.00	0.006
VCC2N	1.50	0.68	0.00	0.006
VCC2T	1.50	0.68	0.00	0.006
VCC3B	2.00	0.91	0.00	0.008
VCC3F	2.00	0.91	0.00	0.008
VCC3N	2.00	0.91	0.00	0.008
VCC3T	2.00	0.91	0.00	0.008

## International Electrics

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Input Power Cable (VEP)</b>				
VEP10	0.45	0.20	0.03	0.008
VEP20	0.75	0.34	0.03	0.008
VEP30	1.00	0.34	0.06	0.017

# leverage weights & volumes

## International Electrics

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Voice &amp; Data Box (VVD)</b>				
VVDBBBB	1.17	0.53	0.08	0.021
VVDSSSS	1.17	0.53	0.05	0.014



## International Electrics

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Voice &amp; Data Outlets (VDO)</b>				
VDOV	0.85	0.39	0.03	0.008
VDOD	0.85	0.39	0.03	0.008

# leverage weights & volumes

## International Electrics

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Electric Accessories (VAC)</b>				
VAC EB	0.01	0.01	0.02	0.004
VAC EC	0.01	0.01	0.02	0.004
VAC B6	0.02	0.01	0.02	0.004

# leverage weights & volumes

## International Electrics

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Leverage Outlet Box Panel Mount Brackets (VMBE)</b>				
<b>VMBE</b>	1.35	0.60	0.06	

# leverage weights & volumes

## International Electrics

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Leverage Outlet Box Bezel (VMBB)</b>				
<b>VMBB2</b>	0.09	0.04	0.02	
<b>VMBB4</b>	0.13	0.06	0.03	

# leverage weights & volumes

## International Electrics

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>International Communications Mounting Kit (VERZC)</b>				
VERZC	5.00	2.27	0.50	0.014