


wall cabinets

WALL CABINET BASICS	18
WALL CABINET COMPONENTS	20
WALL CABINET LOCK CHART	22
WALL CABINET DIVISION CHART	23
WALL CABINET GRAIN DIRECTION	24


wall cabinet basics

Wall Cabinets are available in many styles and dimensions for maximum configuration possibilities. They can be used alone or mounted above base cabinets to provide convenient open or closed storage.

- Overall dimensions are the actual dimensions of the finished product; depth includes Wall Supports (RHAWS) and doors
- Metal or Laminate End Panels are available to conceal the 3/4" gap between cabinet and wall, where visible
- Most cabinets are available with or without doors (see product map)
- Compatible with Altos Walls, except Corner Wall Cabinets (RHWCD and RHWCDG)
- Pigeonhole dividers are colored to match the case
- Horizontal pigeonhole dividers are adjustable. Vertical dividers are fixed




Also available:



Corner Wall Cabinet (RHWC)

- Available with or without doors
- Comes with standard hinges only




Corner Wall Cabinet with Glass Door (RHWCDG)

No pull or touch-latch is provided. The recessed light deflector allows door opening

wall cabinet basics (continued)


Standard Wall Cabinet and Glass Door(s) (RHWSGDG)



Wall Cabinet with Pigeonhole Section and Glass Door(s) (RHWHDG)


- Available with laminate or metal horizontal dividers, or laminate vertical dividers (pigeonhole section only)
- Metal horizontal dividers are 8 mm thick
- Laminate horizontal or vertical dividers are 11/16" thick

Also available:



Wall Cabinet with Pigeonhole Section (RHWH)

Available with or without doors



Pigeonhole Wall Cabinet (RHWP)

- Available with laminate or metal horizontal dividers or laminate vertical dividers
- Metal horizontal dividers are 8 mm thick
- Laminate horizontal or vertical dividers are 11/16" thick


wall cabinet components

Shelves

- Number varies depending on cabinet height
- 11/16" thick
- Come with locking shelf supports
- Holes at 1 1/4" intervals on the inside wall of side panels allow for shelf adjustment
- Offered in Source Laminate colors only
- Shelf for Cabinet (RHASC) can be ordered separately, except for 48" wide cabinet; specify cabinet width

Hinges

- Standard (S) hinges allow doors to open up to 120°, except on glass doors, where they allow 94°
- Full Extension (F) hinges as an option on solid doors only allow an opening of 170°



Doors

- 12" to 21" wide cabinets come with one door
- 24" to 42" wide cabinets come with two doors
- 48" wide cabinet comes with four doors

Solid Doors


- Locks and Keys are optional and are available in brushed chrome finish only
- Available in Source Laminate and Foundation Laminate colors (with Straight Edge Trim) and in Flintwood Stains (with matching Flintwood Flat Edge Trim)

Glass Doors

- Glass doors have no pull; a touch-latch on each door is installed for the opening, except in Corner Wall Cabinet with Glass Door (RHWCDG)
- Not lockable
- Available in 5/32" (4 mm) tempered glass Clear (CL) or Frosted (FT) finishes
- Frame finish (Painted Aluminum) is available in Foundation or Mica colors

Pulls

- Five pull styles are available:



- Interchangeable within same group
- The pulls have a distance of 128 mm between holes
- Pulls have a hand clearance of:
 - Expansion Standard (1) = (16 mm)
 - Arched (6) = (20 mm)
 - Elliptical (7) = (20 mm)
 - Stainless (8) = (26 mm)
 - Rectilinear (9) = (15 mm)
- Rectilinear pull is centered horizontally on doors; other pulls are vertical
- Pulls are available in Foundation, Accent or Mica colors (except Stainless Pull)



Cases and Dividers


- 42" or 48" wide cabinet comes with one central divider
- Offered in Source Laminate colors only

wall components (continued)

applications


15" height

24" – 36" heights




altos wall applications (15" – 36" heights)

- Cabinet width must be the same as Altos Wall Fascia
- Cabinets are hooked into the Altos Vertical Post Packages, so they must be on-module
- Both installation types (Altos and Dry Wall) are interchangeable
- **Cannot** be installed in a corner
- Wall Cabinet Support Kits are not included with cabinets and must be ordered separately
- The end panel and top filler should not be used with Altos



lock chart

product code	description	wall cabinet width		
		12" to 21"	24" to 42"	48"
 RHWS	Door Configurations	Left  or  Right		
	Locks	1	1	2
 RHWS DG	Door Configurations	Left  or  Right		
	Locks	0	0	0
 RHWC	Door Configurations	n/a	Left  or  Right	n/a
	Locks	n/a	1	n/a
 RHWC DG	Door Configurations	n/a	Left  or  Right	n/a
	Locks	n/a	0	n/a
 RHWH	Door Configurations	Left  or  Right		n/a
	Locks	1	1	n/a
 RHWH DG	Door Configurations	Left  or  Right		n/a
	Locks	0	0	n/a
 RHWM	Door Configurations	n/a		n/a
	Locks	n/a	1	n/a
 RHWM DG	Door Configurations	n/a		n/a
	Locks	n/a	0	n/a

Lockable Double Doors
 Lockable Single Door
 Not Lockable


division chart



⚠ Interior depth of all pigeonholes is 12 3/4"

RHWPV (lamine vertical – fixed dividers)



		Cabinet width		12"	15"	18"	21"	24"	27"	30"	33"	36"
	30" high	Slot		6	8	8	10	12	12	14	16	18
		W		3 1/16"	2 7/8"	3 5/8"	3 3/8"	3 3/16"	3 11/16"	3 1/2"	3 5/16"	3 1/4"
		H		13 7/16"	13 7/16"	13 7/16"	13 7/16"	13 7/16"	13 7/16"	13 7/16"	13 7/16"	13 7/16"
	36" high	Slot		9	12	12	15	18	18	21	24	27
		W		3 1/16"	2 7/8"	3 5/8"	3 3/8"	3 3/16"	3 11/16"	3 1/2"	3 5/16"	3 1/4"
		H		10 3/4"	10 3/4"	10 3/4"	10 3/4"	10 3/4"	10 3/4"	10 3/4"	10 3/4"	10 3/4"



⚠ Metal dividers allow 3/8" more in slot height

RHWPH or RHWPM (lamine horizontal – adjustable dividers)

		1 column			2 columns			3 columns		
Cabinet width		12"	15"	18"	21"	24"	27"	30"	33"	36"
30" high	Slot	7	7	7	14	14	14	21	21	21
	W	10 5/8"	13 5/8"	16 5/8"	9 7/16"	10 15/16"	12 7/16"	9 1/16"	10 1/16"	11 1/16"
36" high	Slot	9	9	9	18	18	18	27	27	27
	W	10 5/8"	13 5/8"	16 5/8"	9 7/16"	10 15/16"	12 7/16"	9 1/16"	10 1/16"	11 1/16"




⚠ Metal dividers allow 1/4" more in slot height

RHWHDH, RHWHOH, RHWHDGH, RHWHDM, RHWHOM or RHWHDGM

(lamine horizontal – adjustable dividers)

		1 column			2 columns			3 columns		
Cabinet width		12"	15"	18"	21"	24"	27"	30"	33"	36"
30" high	Slot	3	3	3	6	6	6	9	9	9
	W	10 5/8"	13 5/8"	16 5/8"	9 7/16"	10 15/16"	12 7/16"	9 1/16"	10 1/16"	11 1/16"
36" high	Slot	3	3	3	6	6	6	9	9	9
	W	10 5/8"	13 5/8"	16 5/8"	9 7/16"	10 15/16"	12 7/16"	9 1/16"	10 1/16"	11 1/16"



RHWHDV, RHWHOV or RHWHDGV (lamine vertical – fixed dividers)

		Cabinet width		12"	15"	18"	21"	24"	27"	30"	33"	36"
	30" high	Slot		3	4	4	5	6	6	7	8	9
		W		3 1/16"	2 7/8"	3 5/8"	3 3/8"	3 3/16"	3 11/16"	3 1/2"	3 5/16"	3 1/4"
		H		13"	13"	13"	13"	13"	13"	13"	13"	13"
	36" high	Slot		3	4	4	5	6	6	7	8	9
		W		3 1/16"	2 7/8"	3 5/8"	3 3/8"	3 3/16"	3 11/16"	3 1/2"	3 5/16"	3 1/4"
		H		13"	13"	13"	13"	13"	13"	13"	13"	13"

grain direction

- ◆ Grain/patterns are **not** "centered" on storage unit
- ◆ Includes Source Laminate, Foundation Laminate and Flintwood (Standard, Finegrain and Straightgrain)
- ◆ Drawer and door front grain direction will always be vertical

Laminate Grains \longleftrightarrow = Grain Direction = 