


learning tables

Xpress

THPR Rectangular Instructor Worksurface



Adaptable Legs (S)

This instructor table allows the use of seating position with the integration of a Pivoting Lectern and minimal footprint on the worksurface.

WHAT'S INCLUDED

1 worksurface, reinforcing bar(s) (if applicable), power/data center, grommet and/or cup holder (if specified), pivoting lectern (if specified), and mounting hardware.

WHAT'S EXCLUDED

Adaptable Legs and Modesty Panel.

NOTES

Cannot be used with 33" high Adaptable Legs with casters or ADA Height Extension Kit (THCLE) and with casters.

The number and location of grommets/accessories vary, refer Application Guide for details.

The Accessory Finish option is applicable with Grommet/Accessory Styles (G1 and GC) only.

Not all finishes, corner details and edge trim styles are available in Xpress. Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Pivoting Lectern Configuration	Depth	Width	Grommet/Accessory Style	Support Configuration	Edge Trim Style	Edge Trim Finish	Accessory Finish (If Applicable)
D 1"	L Left	24, 30	48, 54, 60, 66, 72, 78, 84	G1 One Grommet	S Adaptable Legs	6 Straight Trim	Edge Trim Colors (for Straight Trim only)	Foundation
M 1 3/16"	R Right (Shown)			9 Flintwood Flat Trim				
	N None			P1 One Power/Data Center	Worksurface Finish Source Laminate Foundation Laminate Flintwood	Corner Detail		Power/Data Center Finish (If Applicable)
			NA None			R Radius (Shown)	Lectern Finish (If Applicable)	
						S Standard	Foundation Mica Accent	

SAMPLE ORDER CODE

THPR M	R	24	54	GC	S	LW	6	S	SD	7	7
--------	---	----	----	----	---	----	---	---	----	---	---

DIMENSIONS INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
24 / 610	78 / 1981
24 / 610	84 / 2134
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134

NONE PIVOTING LECTERN CONFIGURATION (N)

GROMMET/ACCESSORY STYLE		
Grommet/None (G1/NA)	Grommet/Cup Holder (GC)	Power/Data Center (P1)
1" (D)		
SOURCE LAMINATE		
Straight Trim (6)	Straight Trim (6)	Straight Trim (6)
447	485	739
494	532	788
529	566	824
564	606	860
711	753	1007
766	806	1060
835	877	1132
512	553	807
572	611	865
622	661	915
672	710	966
824	863	1117
885	926	1181
967	1007	1263

Pricing is continued on the following page.

T H P R

Rectangular Instructor Worksurface (Continued)

**DIMENSIONS
INCHES / MM**

NONE PIVOTING LECTERN CONFIGURATION (N)

GROMMET/ACCESSORY STYLE

		Grommet/None (G1/NA)	Grommet/Cup Holder (GC)	Power/Data Center (P1)
1 3/16" (M)				
FOUNDATION LAMINATE				
D	W	Straight Trim (6)	Straight Trim (6)	Straight Trim (6)
24 / 610	48 / 1219	495	534	789
24 / 610	54 / 1372	552	589	848
24 / 610	60 / 1524	676	715	972
24 / 610	66 / 1676	737	777	1031
24 / 610	72 / 1829	817	855	1109
24 / 610	78 / 1981	878	916	1175
24 / 610	84 / 2134	1043	1085	1336
<hr/>				
30 / 762	48 / 1219	590	631	886
30 / 762	54 / 1372	661	701	956
30 / 762	60 / 1524	807	849	1102
30 / 762	66 / 1676	882	922	1179
30 / 762	72 / 1829	977	1017	1273
30 / 762	78 / 1981	1056	1094	1351
30 / 762	84 / 2134	1228	1268	1522

1 3/16" (M)

FLINTWOOD

		Flintwood Flat Trim (9)	Flintwood Flat Trim (9)	Flintwood Flat Trim (9)
24 / 610	48 / 1219	1600	1640	1895
24 / 610	54 / 1372	1719	1760	2014
24 / 610	60 / 1524	1966	2008	2261
24 / 610	66 / 1676	2095	2134	2390
24 / 610	72 / 1829	2220	2260	2514
24 / 610	78 / 1981	2439	2478	2734
24 / 610	84 / 2134	2658	2697	2953
<hr/>				
30 / 762	48 / 1219	1764	1803	2057
30 / 762	54 / 1372	1895	1936	2190
30 / 762	60 / 1524	2130	2170	2424
30 / 762	66 / 1676	2293	2335	2590
30 / 762	72 / 1829	2458	2500	2755
30 / 762	78 / 1981	2691	2731	2986
30 / 762	84 / 2134	2922	2961	3217

Pricing is continued on the following page.

T H P R

Rectangular Instructor Worksurface (Continued)

DIMENSIONS
INCHES / MM

LEFT OR RIGHT PIVOTING LECTERN CONFIGURATION (L/R)

GROMMET/ACCESSORY STYLE

		Grommet/None (G1/NA)	Grommet/Cup Holder (GC)	Power/Data Center (P1)
1" (D)		SOURCE LAMINATE		
D	W	Straight Trim (6)	Straight Trim (6)	Straight Trim (6)
24 / 610	48 / 1219	1774	1814	2068
24 / 610	54 / 1372	1819	1861	2115
24 / 610	60 / 1524	1858	1897	2152
24 / 610	66 / 1676	1894	1934	2189
24 / 610	72 / 1829	2040	2080	2335
24 / 610	78 / 1981	2095	2134	2390
24 / 610	84 / 2134	2166	2203	2458
30 / 762	48 / 1219	1840	1880	2137
30 / 762	54 / 1372	1899	1940	2194
30 / 762	60 / 1524	1949	1989	2245
30 / 762	66 / 1676	1998	2039	2292
30 / 762	72 / 1829	2152	2191	2449
30 / 762	78 / 1981	2214	2254	2508
30 / 762	84 / 2134	2293	2335	2590

1 3/16" (M)

FOUNDATION LAMINATE

		Straight Trim (6)	Straight Trim (6)	Straight Trim (6)
24 / 610	48 / 1219	1820	1862	2117
24 / 610	54 / 1372	1878	1920	2173
24 / 610	60 / 1524	2006	2045	2300
24 / 610	66 / 1676	2066	2104	2363
24 / 610	72 / 1829	2143	2184	2437
24 / 610	78 / 1981	2204	2246	2501
24 / 610	84 / 2134	2372	2413	2668
30 / 762	48 / 1219	1921	1962	2216
30 / 762	54 / 1372	1989	2028	2285
30 / 762	60 / 1524	2137	2174	2428
30 / 762	66 / 1676	2212	2249	2506
30 / 762	72 / 1829	2305	2346	2600
30 / 762	78 / 1981	2380	2422	2677
30 / 762	84 / 2134	2554	2596	2851

Pricing is continued on the following page.

T H P R
Rectangular Instructor Worksurface
(Continued)

DIMENSIONS
INCHES / MM

LEFT OR RIGHT PIVOTING LECTERN CONFIGURATION (L/R)

GROMMET/ACCESSORY STYLE

		Grommet/None (G1/NA)	Grommet/Cup Holder (GC)	Power/Data Center (P1)
		1 3/16" (M)		
		FLINTWOOD		
D	W	Flintwood Flat Trim (9)	Flintwood Flat Trim (9)	Flintwood Flat Trim (9)
24 / 610	48 / 1219	2928	2970	3224
24 / 610	54 / 1372	3047	3088	3341
24 / 610	60 / 1524	3296	3335	3591
24 / 610	66 / 1676	3423	3463	3719
24 / 610	72 / 1829	3548	3588	3841
24 / 610	78 / 1981	3769	3809	4062
24 / 610	84 / 2134	3987	4028	4280
30 / 762	48 / 1219	3090	3131	3385
30 / 762	54 / 1372	3224	3264	3517
30 / 762	60 / 1524	3458	3500	3751
30 / 762	66 / 1676	3623	3662	3916
30 / 762	72 / 1829	3787	3827	4083
30 / 762	78 / 1981	4018	4060	4316
30 / 762	84 / 2134	4249	4292	4544