


# ability tables

|   |     |
|---|-----|
| WORK TABLE BASICS . . . . .                       | 152 |
| WORK TABLE EDGE TRIM STYLE OVERVIEW . . . . .     | 153 |
| WORK TABLE GRAIN DIRECTION/USER EDGE . . . . .    | 153 |
| PARTNER TABLE BASICS . . . . .                    | 154 |
| PLANNING WITH PARTNER TABLES . . . . .            | 155 |
| PARTNER TABLE EDGE TRIM STYLE OVERVIEW . . . . .  | 156 |
| PARTNER TABLE GRAIN DIRECTION/USER EDGE . . . . . | 156 |
| DESK-MOUNTED TABLE ACCESSORY BASICS . . . . .     | 157 |
| PLANNING WITH THE TABLE TRAY . . . . .            | 158 |
| COMBINING TABLE RAILS & TABLE TRAYS . . . . .     | 158 |


# work table basics

**Work Tables are multi-purpose mobile tables that can be moved easily within and between open plan and systems environments.**

- Ability Work Tables are functionally and aesthetically compatible with T/O/S, Transit and Leverage systems
- Work Table surfaces are 1" thick and are available in a selection of Flintwood stains and Foundation and colors with four edge trim styles, Bullnose, Flat, Flintwood Bullnose and Flintwood Flat
- Two dual leg supports are the standard surface support for all Work Tables and are available in Foundation and Mica colors
- Can be ordered with casters, levelers, or lockable casters (two back casters will be lockable, if lockable casters are specified). Casters and levelers are Black
- A Table Tray can be ordered as part of all Work Tables, excluding the Bean Table (AWBE), or it can be ordered as a separate product. The Table Tray is Black
- All dimensions and dimension codes are nominal



- Leg Supports**
- Height can be adjusted, (in 1" increments) by simply adjusting the screw positions on each leg
  - Height adjustment range of 26" – 32" with levelers
  - Height adjustment range of 27" – 33" with casters



Rectangular Table (AWRE)

Racetrack Table (AWRA)

# work table edge trim style overview

The chart below indicates which edge trim style can be specified with all Ability table surface finishes.


⚠ Shading indicates user edge

|                                     | Foundation Laminate Surface | Flintwood Surface |
|-------------------------------------|-----------------------------|-------------------|
| Flat (8)<br>All Edges               |                             | n/a               |
| Bullnose (2)<br>All Edges           |                             | n/a               |
| Flintwood Flat (9)<br>All Edges     |                             |                   |
| Flintwood Bullnose (3)<br>All Edges |                             |                   |


# work table grain direction/user edge

Grain direction is an important factor when planning adjacent desks. The direction of grain pattern varies depending on the type of desk specified.

⚠ Shading indicates user edge



Rectangular Table (AWRE)




Racetrack Table (AWRA)

# partner table basics




**Partner Tables are collaborative mobile tables that can be moved easily within and between open plan and systems environments providing a surface to accommodate up to four guests.**

- Ability Partner Tables are functionally and aesthetically compatible with T/O/S, Transit and Leverage systems
- Four single leg supports are the standard surface support for all Partner Tables and are available in Foundation and Mica colors
- Surfaces are 1" thick and are available in a selection of Flintwood stains and Foundation colors with four edge trim styles, Bullnose, Flat, Flintwood Bullnose and Flintwood Flat
- Can be ordered with casters, levelers, or lockable casters. When lockable casters are specified, all four casters will be lockable. Casters and levelers are Black
- Partner Tables do **not** accept Table Accessories
- Partner Tables are wider than standard doorways; therefore, they **cannot** be rolled through doorways
- All dimensions and dimension codes are nominal



### Leg Supports


- Height can be adjusted, (in 1" increments) by simply adjusting the screw positions on each leg
- Height adjustment range of 26" – 32" with levelers
- Height adjustment range of 27" – 33" with casters




Adds approx. 1" height to table

1" leveling range


### Surface Shape Options



Hoola (APHO)



Blink (APBL)






Dew (APDE)

# planning with partner tables

Partner Tables are collaborative mobile tables that can be moved easily within and between open plan and systems environments providing a surface to accommodate up to four guests.

- ❗ Depth dimensions listed on the pricing pages include an additional 1"
- This additional 1" accounts for the wire management gap which is provided between a Transit worksurface and the panel to which it is mounted



**1** A single Partner Table provides a surface for individual work or small meetings

**2** Blink (APBL) or Dew (APDE) Tables can be combined to create larger meeting areas in an open environment

**3** When space is at a premium, a Partner Table's height can be adjusted below the worksurface height. It can slide underneath the worksurface either partially, to still provide an additional workspace, or completely (depending on the depth of the worksurface and the table) for storage until future use

**2**

## partner table edge trim style overview

The chart below indicates which edge trim style can be specified with all Ability table surface finishes.


! Shading indicates user edge

|                                     | Foundation Laminate Surface | Flintwood Surface |
|-------------------------------------|-----------------------------|-------------------|
| Flat (8)<br>All Edges               |                             | n/a               |
| Bullnose (2)<br>All Edges           |                             | n/a               |
| Flintwood Flat (9)<br>All Edges     |                             |                   |
| Flintwood Bullnose (3)<br>All Edges |                             |                   |


## partner table grain direction/user edge

Grain direction is an important factor when planning adjacent desks. The direction of grain pattern varies depending on the type of desk specified.


! Shading indicates user edge



Hoola (APHO)



Blink (APBL)




Dew (APDE)

## desk-mounted table accessory basics


Ability offers desk-mounted accessories to enhance workspace organization.

! All dimensions and dimension codes are nominal



#### Modesty Panel (ACMP)

- Provides non-tackable seated privacy at Ability Tables
- Mounts beneath the surface between the rear legs
- Should be positioned 7 1/2" from the edge of the surface for adequate knee space
- Can be applied in conjunction with table accessories such as Table Rail (ACTR) and Table Tray (ACTT)
- A 1" **wire management gap** at the top allows cables to be brought to worksurface level
- Modesty Panel widths differ depending on the size and shape of the table to which is it being applied
- Available in Foundation and Mica colors





#### Table Tray (ACTT)

- Attaches to the underside of a table and is intended for routing wires externally from a panel environment to the table or from table-to-table
- **Not** intended for the routing of extension cords
- Can be used only on straight edges
- **Not** visible above the worksurface
- Can be ordered as part of the table or separately
- **Cannot** be used on the Bean Table
- Tray widths differ depending on the size and shape of the table to which is it being applied. See chart on the following pages
- If a Table Tray (ACTT) is being applied to the same surface as the Table Rail (ACTR), the Table Tray width must be at least 12" (nominal) less than the Table Rail width in order to clear the Table Rail clamps
- Finished in Black


## planning with the table tray

The following chart identifies the proper fit between Ability Work Tables and Ability Table Trays.

| work tables   | table depth | table tray width |                |                |                |                |                |
|---|-------------|------------------|----------------|----------------|----------------|----------------|----------------|
|   |             | 42" wide table   | 48" wide table | 54" wide table | 60" wide table | 66" wide table | 72" wide table |
| <br>Rectangular Table (AWRE) | 24"d        | n/a              | 36"            | 42"            | 48"            | 54"            | 60"            |
|   | 30"d        | n/a              | 36"            | 42"            | 48"            | 48"            | 48"            |
|   | 36"d        | n/a              | 36"            | 42"            | 48"            | 48"            | 48"            |
| <br>Racetrack Table (AWRA)   | 24"d        | n/a              | 30"            | 36"            | 42"            | 48"            | 48"            |
|   | 30"d        | n/a              | 27"            | 33"            | 39"            | 45"            | 48"            |
|   | 36"d        | n/a              | 21"            | 27"            | 33"            | 39"            | 45"            |

## combining table rails & table trays

table tray & table rail width

|  |      |      |      |      |      |      |      |      |      |      |      |      |      |
|--|------|------|------|------|------|------|------|------|------|------|------|------|------|
| <br>Table Tray (ACTT) | 24"  | 27"  | 30"  | 33"  | 36"  | 39"  | 42"  | 45"  | 48"  | 51"  | 54"  | 57"  | 60"  |
|  | Rail | Rail | Rail | Rail | Rail | Rail | Rail | Rail | Rail | Rail | Rail | Rail | Rail |