


elements

PRODUCT MAP	114
ELEMENT BASICS	116
PRODUCT LISTING	118

product map


T H A Acoustic Element

Page 118
Height: 6" - 30" / Width: 18" - 60"




T T A Tackable Element

Page 119
Height: 15" / Width: 18" - 60"



T A D Access Door Element


Page 120
Height: 15" / Width (Single): 18" - 60" / Width (Double): 36" - 60"



Single Double

T P C Power/Communications Element


Page 121
Height: 15" / Width: 36" - 60"



Level 2 only Level 1 or 3 Level 2


T F E C Wood Power/Communications Element

Page 122
Height: 15" / Width: 36" - 60"



V T P C N International Power/Communication Element


Page 123
Height: 15" / Width: 24" - 60"



II4

T G Glazed Element – Single or Double


Page 124
Height: 15" / Width: 18" - 60"



Single Double

T A G Architectural Glazed Element – Single or Double


Page 125
Height: 15" & 30" / Width: 18" - 60"



Double, Square Solo Double, Square Collective Louvered


T A E Accessory Element

Page 126
Height: 6" & 15" / Width: 18" - 60"



T W E N Whiteboard Element


Page 127
Height: 15" & 30" / Width: 18" - 60"



No Tray With Tray

T G N Open Element


Page 128
Height: 15" & 30" / Width: 18" - 60"



product map


T H F Perforated Element

Page 129
Height: 15" / Width: 18" - 60




T A R Architectural Element

Page 130
Height: 15" & 30" / Width: 18" - 60




Embossed,
Square Solo



Embossed,
Square Collective


T L E Laminate Element

Page 131
Height: 6" & 75" / Width: 18" - 60




T F E Wood Element

Page 132
Height: 6" & 75" / Width: 18" - 60




T _ B Baseboard Element


Page 133
Height: 6" / Width: 18" - 60



Laminate



Flintwood




Metal

element basics

Elements are installed on both sides of a bare frame to complete the panel assembly and are available in a wide variety of fabric and finishes. The following Elements are commonly found on the inside of a workstation.


- Elements must be specified on the Panel Matrix
- Glazed and Open Elements finish both sides of the panel
- Perforated Elements cannot be used at level 2 on Raceway panels or at any level where electrical cables are present
- Elements are interchangeable in the field
- Overheads (TSF), Shelves (TSS), and the Off-Module Bracket (TUC) and worksurfaces cannot be applied to 30" high elements



element basics (continued)

Elements can be installed on both sides of a bare panel frame and are available in a wide variety of types. The following Elements are typically found on the outside of a workstation.

- ❗ Perforated and Glazed Elements cannot be used at level 2 on panels with Raceway or at any level where electrical cables are present
- Elements are interchangeable in the field if required



Baseboard Element (T_B)


- Is an optional trim piece that finishes the baseboard level of one or both sides of a panel
- Cannot be applied to the 6" Add-On-Module or to a panel with a Privacy Screen
- Blocks the opening for the base feed entry
- Available in Metal, Laminate or Flintwood

Glazed Elements – Single or Double (TG)

- Made of a single or double pane of tempered glass
- Single pane makes a shallow sill on one side
- 15" high can be used at all levels without a raceway
- 30" high can only be applied to 30" Add-On Module


Perforated Element (THF)

- Allows passive air circulation (50% open)
- Cannot be used with on-module worksurface supports at level 1 or 2




Architectural Element (TAR)

- Perforated and Embossed metal Elements with paramagnetic qualities
- Perforated Element provides limited visual access and passive air circulation
- Embossed Element has an indented pattern



Square Solo



Square Collective

Flintwood Element (TFE)

- Provides a wood finish for the panel surface
- Can be used on the 6" high Add-On Module
- 30" high Element covers any two levels with or without a raceway
- Available up to 75" high

Laminate Element (TLE) (Cathedral Grain shown)

- Provides a low-pressure laminate finish for the panel surface
- Can be used on the 6" high Add-On Module
- 30" high Element covers any two levels with or without a raceway