


## W B U

### Rectangular Height-Adjustable Worksurface



Rectangular Height-Adjustable Worksurface is to be paired with Navigate Height-Adjustable Built-In Base (YGU) to create an Upstage specific integrated Height-Adjustable table that can also support curved screens.

#### WHAT'S INCLUDED

1 worksurface.

#### NOTES

Worksurfaces only include a cut out when cut out style and location are specified.

Rectangle Grommet (HTEG) must be ordered separately.

Cut out locations are not available on the same side as a Post and T-Leg (PTL/PTR).

#### PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width
<b>TML</b> T-Legs (Left Leg Corridor, Right Leg Stage Module)	<b>7S</b> Standard Range Electric (27" - 43") <b>9C</b> Extended Electric-Restricted (25" - 48.6")	25, 31	53, 59, 65, 71, 77, 83
<b>TMR</b> T-Legs (Right Leg Corridor, Left Leg Stage Module)			
<b>TCL</b> T-Legs (Left Leg Credenza, Right Leg Stage Module)			
<b>TCR</b> T-Legs (Right Leg Credenza, Left Leg Stage Module)			
<b>PTL</b> Post and T-Leg (Left Post Credenza, Right Leg Stage Module)			
<b>PTR</b> Post and T-Leg (Right Post Credenza, Left Leg Stage Module)			

#### SAMPLE ORDER CODE

<b>WBU TML</b>	<b>7S</b>	<b>31</b>	<b>71</b>
----------------	-----------	-----------	-----------

#### PRODUCT OPTIONS (CONTINUED)

Cut Out Style	Cut Out Location	Surface Finish	Edge Trim Style	Edge Trim Finish
<b>N</b> None	<b>N</b> None	Foundation Laminate	<b>8</b> Flat (with Foundation)	Edge Trim Colors
<b>R</b> Rectangular (Diamond Shaped Cut Out)	<b>C</b> Center	Seamless	<b>9</b> Flat (with Flintwood & Natural Veneer)	
	<b>L</b> Left	Flintwood	<b>G</b> Flat (with Seamless)	
	<b>R</b> Right	Natural Veneer	<b>H</b> Full Knife (with all but Seamless)	
			<b>X</b> Full Knife (with Seamless)	

#### SAMPLE ORDER CODE (CONTINUED)

<b>R</b>	<b>C</b>	<b>LW</b>	<b>8</b>	<b>ST</b>
----------	----------	-----------	----------	-----------

See Pricing on the following page.

## Rectangular Height-Adjustable Worksurface (Continued)

**DIMENSIONS  
INCHES / MM**

**PRICING**

DIMENSIONS		STANDARD RANGE ELECTRIC BASE MECHANISM							
INCHES / MM		T-Legs (Left/Right Leg Corridor, Right/Left Stage Module)							
D	W	FOUNDATION		SEAMLESS		FLINTWOOD		VENEER	
		Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
25 / 635	53 / 1346	392	551	438	438	903	973	920	995
25 / 635	59 / 1499	421	589	465	465	964	1039	981	1061
25 / 635	65 / 1651	452	632	500	500	1021	1105	1042	1126
25 / 635	71 / 1803	478	668	529	529	1043	1129	1066	1151
25 / 635	77 / 1956	545	765	605	605	1109	1200	1132	1222
25 / 635	83 / 2108	584	819	650	650	1170	1263	1192	1287
31 / 787	53 / 1346	392	551	438	438	903	973	920	995
31 / 787	59 / 1499	421	589	465	465	964	1039	981	1061
31 / 787	65 / 1651	452	632	500	500	1021	1105	1042	1126
31 / 787	71 / 1803	478	668	529	529	1043	1129	1066	1151
31 / 787	77 / 1956	545	765	605	605	1109	1200	1132	1222
31 / 787	83 / 2108	584	819	650	650	1170	1263	1192	1287
		T-Legs (Left/Right Leg Credenza, Right/Left Leg Stage Module)							
D	W	FOUNDATION		SEAMLESS		FLINTWOOD		VENEER	
		Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
31 / 787	65 / 1651	529	738	588	588	1226	1348	1250	1376
31 / 787	71 / 1803	575	803	637	637	1337	1470	1363	1499
31 / 787	77 / 1956	668	936	741	741	1381	1518	1409	1550
31 / 787	83 / 2108	716	1003	797	797	1418	1560	1446	1591
		Post & T-Legs (Left/Right Leg Post Credenza, Right/Left Leg Stage Module)							
D	W	FOUNDATION		SEAMLESS		FLINTWOOD		VENEER	
		Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
31 / 787	65 / 1651	529	738	588	588	1226	1348	1250	1376
31 / 787	71 / 1803	575	803	637	637	1337	1470	1363	1499
31 / 787	77 / 1956	668	936	741	741	1381	1518	1409	1550
31 / 787	83 / 2108	716	1003	797	797	1418	1560	1446	1591

If Rectangular Cut Out is specified, add 65 for each

Pricing is continued on the following page.

## W B U

### Rectangular Height-Adjustable Worksurface (Continued)

#### DIMENSIONS INCHES / MM

D	W
25 / 635	53 / 1346
25 / 635	59 / 1499
25 / 635	65 / 1651
25 / 635	71 / 1803
25 / 635	77 / 1956
25 / 635	83 / 2108
31 / 787	53 / 1346
31 / 787	59 / 1499
31 / 787	65 / 1651
31 / 787	71 / 1803
31 / 787	77 / 1956
31 / 787	83 / 2108

#### PRICING

#### EXTENDED ELECTRIC-RESTRICTED BASE MECHANISM

##### T-Legs (Left/Right Leg Corridor, Right/Left Stage Module)

FOUNDATION		SEAMLESS		FLINTWOOD		VENEER	
Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
392	551	438	438	903	973	920	995
421	589	465	465	964	1039	981	1061
452	632	500	500	1021	1105	1042	1126
478	668	529	529	1043	1129	1066	1151
545	765	605	605	1109	1200	1132	1222
584	819	650	650	1170	1263	1192	1287
449	629	498	498	1043	1147	1066	1172
479	670	530	530	1164	1280	1186	1305
529	738	588	588	1226	1348	1250	1376
575	803	637	637	1337	1470	1363	1499
668	936	741	741	1381	1518	1409	1550
716	1003	797	797	1418	1560	1446	1591

##### T-Legs (Left/Right Leg Credenza, Right/Left Leg Stage Module)

FOUNDATION		SEAMLESS		FLINTWOOD		VENEER	
Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
529	738	588	588	1226	1348	1250	1376
575	803	637	637	1337	1470	1363	1499
668	936	741	741	1381	1518	1409	1550
716	1003	797	797	1418	1560	1446	1591

##### Post & T-Legs (Left/Right Leg Post Credenza, Right/Left Leg Stage Module)

FOUNDATION		SEAMLESS		FLINTWOOD		VENEER	
Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
529	738	588	588	1226	1348	1250	1376
575	803	637	637	1337	1470	1363	1499
668	936	741	741	1381	1518	1409	1550
716	1003	797	797	1418	1560	1446	1591

If Rectangular Cut Out is specified, add 65 for each