


height-adjustability

W J U

Rectangular Height-Adjustable Worksurface with Radius Corners



Rectangular Height-Adjustable Worksurface with Radius Corners is to be paired with Navigate Height-Adjustable Built-In Base (YGU) to create an Upstage specific integrated Height-Adjustable table that can also support curved screens.

WHAT'S INCLUDED

1 worksurface.

NOTES

Worksurfaces only include a cut out when cut out style and location are specified.

Rectangle Grommet (HTEG) must be ordered separately.

Cut Out locations are not available on the same side as a specified Post Leg (PTL and PTR).

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width
TML T-Legs (Left Leg Corridor, Right Leg Stage Module)	7S Standard Range Electric (27" - 43")	25, 31	53, 59, 65, 71, 77, 83
TMR T-Legs (Right Leg Corridor, Left Leg Stage Module)			
TCL T-Legs (Left Leg Credenza, Right Leg Stage Module)	9C Extended Electric-Restricted (25" - 48.6")		
TCR T-Legs (Right Leg Credenza, Left Leg Stage Module)			
PTL Post and T-Leg (Left Post Credenza, Right Leg Stage Module)			
PTR Post and T-Leg (Right Post Credenza, Left Leg Stage Module)			

SAMPLE ORDER CODE

WJU TML	7S	31	71
----------------	-----------	-----------	-----------

PRODUCT OPTIONS (CONTINUED)

Cut Out Style	Cut Out Location	Surface Finish	Edge Trim Style	Edge Trim Finish
N None	N None	Foundation Laminate	8 Flat (with Foundation)	Edge Trim Colors
R Rectangular (Diamond Shaped Cut Out)	C Center	Seamless	9 Flat (with Flintwood & Natural Veneer)	
	L Left	Flintwood	G Flat (with Seamless)	
	R Right	Natural Veneer	H Full Knife (with all but Seamless)	
			X Full Knife (with Seamless)	

SAMPLE ORDER CODE (CONTINUED)

R	C	LW	8	ST
----------	----------	-----------	----------	-----------

See Pricing on the following page.

**Rectangular Height-Adjustable
Worksurface with Radius Corners
(Continued)**

**DIMENSIONS
INCHES / MM**

PRICING

STANDARD RANGE ELECTRIC BASE MECHANISM

T-Legs (Left/Right Leg Corridor, Right/Left Stage Module)

D	W	FOUNDATION		SEAMLESS		FLINTWOOD		VENEER	
		Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
25 / 635	53 / 1346	392	551	438	438	994	1070	1012	1094
25 / 635	59 / 1499	421	589	465	465	1060	1144	1079	1168
25 / 635	65 / 1651	452	632	500	500	1124	1215	1147	1239
25 / 635	71 / 1803	478	668	529	529	1148	1242	1172	1266
25 / 635	77 / 1956	545	765	605	605	1220	1320	1245	1344
25 / 635	83 / 2108	584	819	650	650	1287	1389	1311	1416
31 / 787	53 / 1346	392	551	438	438	994	1070	1012	1094
31 / 787	59 / 1499	421	589	465	465	1060	1144	1079	1168
31 / 787	65 / 1651	452	632	500	500	1124	1215	1147	1239
31 / 787	71 / 1803	478	668	529	529	1148	1242	1172	1266
31 / 787	77 / 1956	545	765	605	605	1220	1320	1245	1344
31 / 787	83 / 2108	584	819	650	650	1287	1389	1311	1416

T-Legs (Left/Right Leg Credenza, Right/Left Leg Stage Module)

	FOUNDATION		SEAMLESS		FLINTWOOD		VENEER		
	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	
31 / 787	65 / 1651	529	738	588	588	1348	1483	1376	1513
31 / 787	71 / 1803	575	803	637	637	1471	1616	1499	1649
31 / 787	77 / 1956	668	936	741	741	1519	1670	1551	1705
31 / 787	83 / 2108	716	1003	797	797	1559	1716	1591	1750

Post & T-Legs (Left/Right Leg Post Credenza, Right/Left Leg Stage Module)

	FOUNDATION		SEAMLESS		FLINTWOOD		VENEER		
	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	
31 / 787	65 / 1651	529	738	588	588	1348	1483	1376	1513
31 / 787	71 / 1803	575	803	637	637	1471	1616	1499	1649
31 / 787	77 / 1956	668	936	741	741	1519	1670	1551	1705
31 / 787	83 / 2108	716	1003	797	797	1559	1716	1591	1750

If Rectangular Cut Out is specified, add 65 for each

Pricing is continued on the following page.

W J U

Rectangular Height-Adjustable Worksurface with Radius Corners (Continued)

DIMENSIONS
INCHES / MM

PRICING

DIMENSIONS		EXTENDED ELECTRIC-RESTRICTED BASE MECHANISM							
		T-Legs (Left/Right Leg Corridor, Right/Left Stage Module)							
D	W	FOUNDATION		SEAMLESS		FLINTWOOD		VENEER	
		Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
25 / 635	53 / 1346	392	551	438	438	994	1070	1012	1094
25 / 635	59 / 1499	421	589	465	465	1060	1144	1079	1168
25 / 635	65 / 1651	452	632	500	500	1124	1215	1147	1239
25 / 635	71 / 1803	478	668	529	529	1148	1242	1172	1266
25 / 635	77 / 1956	545	765	605	605	1220	1320	1245	1344
25 / 635	83 / 2108	584	819	650	650	1287	1389	1311	1416
31 / 787	53 / 1346	449	629	498	498	1148	1262	1172	1289
31 / 787	59 / 1499	479	670	530	530	1280	1407	1304	1436
31 / 787	65 / 1651	529	738	588	588	1348	1483	1376	1513
31 / 787	71 / 1803	575	803	637	637	1471	1616	1499	1649
31 / 787	77 / 1956	668	936	741	741	1519	1670	1551	1705
31 / 787	83 / 2108	716	1003	797	797	1559	1716	1591	1750
		T-Legs (Left/Right Leg Credenza, Right/Left Leg Stage Module)							
D	W	FOUNDATION		SEAMLESS		FLINTWOOD		VENEER	
		Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
31 / 787	65 / 1651	529	738	588	588	1348	1483	1376	1513
31 / 787	71 / 1803	575	803	637	637	1471	1616	1499	1649
31 / 787	77 / 1956	668	936	741	741	1519	1670	1551	1705
31 / 787	83 / 2108	716	1003	797	797	1559	1716	1591	1750
		Post & T-Legs (Left/Right Leg Post Credenza, Right/Left Leg Stage Module)							
D	W	FOUNDATION		SEAMLESS		FLINTWOOD		VENEER	
		Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
31 / 787	65 / 1651	529	738	588	588	1348	1483	1376	1513
31 / 787	71 / 1803	575	803	637	637	1471	1616	1499	1649
31 / 787	77 / 1956	668	936	741	741	1519	1670	1551	1705
31 / 787	83 / 2108	716	1003	797	797	1559	1716	1591	1750

If Rectangular Cut Out is specified, add 65 for each