


Y V U

Navigate Height-Adjustable Built-in Gable Base

One Table
One Plug



Navigate Height-Adjustable Built-In Gable Base is to be paired with Rectangular Height-Adjustable Worksurface Gable to create a specific upStage integrated Height-Adjustable Table.

WHAT'S INCLUDED

1 electric height-adjustable base, leg and foot configuration as specified, integrated Vertical Wire Carrier Cable Manager.

NOTES

Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

For Switch details, see the Application Guide section.

Vertical Wire Carrier includes Cross-Channel bracket and mounts into Module.

The height-adjustable worksurface must be specified separately.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to Complements: Teknion's Ergonomics & Accessories Program.

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Base Finish
GTL Gable & T-Leg (L Gable Corr, R Leg Stage Module)	7S Standard Range Electric (27" - 43")	30	47, 53, 59, 65, 71, 77, 83	Foundation
GTR Gable & T-Leg (R Gable Corr, L Leg Stage Module)	9C Extended Electric-Restricted (25" - 48.7")			Mica Accent

SAMPLE ORDER CODE

YVU GTL	9C	30	65	52
----------------	-----------	-----------	-----------	-----------

PRODUCT OPTIONS (CONTINUED)

Water Fall Finish	Switch Style	Switch Finish	Powerbar	Undersurface Cable Management	Vertical Wire Carrier (Optional)
Foundation	S Standard Up/Down	E Ebony Coordinate	N None	N None	N None
Flintwood	D Display with Up/Down Memory	X Anthracite	I Cross Channel Integrated - 4 Outlets	1 Cable Organizer with Felt Cover	E Ebony Coordinate
Natural Veneer	T Toggle Up/Down	7 Platinum	C Cross Channel Integrated - 3 Outlets + 1 IEC	3 Dual Plastic Trays and Powerbar	7 Platinum Coordinate
	X Display toggle with Memory and Navigate GPS	6 Crisp Grey		4 Dual Plastic Trays	V Very White Coordinate
				5 Dual Plastic Trays + Powerbar with IEC	

SAMPLE ORDER CODE (CONTINUED)

VZ	X	X	I	1	N
-----------	----------	----------	----------	----------	----------

See Pricing on the following page.

Y V U

Navigate Height-Adjustable Built-in
Gable Base (Continued)DIMENSIONS
INCHES / MM

D	W
30 / 762	47 / 1194
30 / 762	53 / 1346
30 / 762	59 / 1499
30 / 762	65 / 1651
30 / 762	71 / 1803
30 / 762	77 / 1956
30 / 762	83 / 2108

D	W
30 / 762	47 / 1194
30 / 762	53 / 1346
30 / 762	59 / 1499
30 / 762	65 / 1651
30 / 762	71 / 1803
30 / 762	77 / 1956
30 / 762	83 / 2108

PRICING

STANDARD RANGE ELECTRIC BASE MECHANISM (7S)

Foundation	Mica/Accent
4938	5044
4997	5103
5031	5137
5110	5215
5152	5258
5258	5364
5311	5418

EXTENDED ELECTRIC-RESTRICTED RANGE BASE MECHANISM (9C)

Foundation	Mica/Accent
5333	5439
5394	5500
5433	5537
5515	5619
5597	5665
5707	5775
5767	5832

If Flintwood Water Fall Finish is specified,

47" Width:	830
53" Width	793
59" Width	872
65" Width	997
71" Width	1078
77" Width	851
83" Width	929

If Veneer Water Fall Finish is specified,

47" Width:	897
53" Width	863
59" Width	948
65" Width	1078
71" Width	1163
77" Width	942
83" Width	1024

If Display with Up/Down Memory (D) switch is specified, add 184

If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 184

If Dual Plastic Trays are specified, add 59

If Dual Plastic Trays + Powerbar is specified, add 285

If Cable Organizer with Felt Cover is specified, add 292

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 247

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 308

If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 533

If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 605

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover is specified, add 541

If Vertical Wire Carrier is specified, add 334