


# height-adjustability

## Y V U

### Navigate Height-Adjustable Built-in Gable Base

One Table  
One Plug



Navigate Height-Adjustable Built-In Gable Base is to be paired with Rectangular Height-Adjustable Worksurface Gable to create a specific upStage integrated Height-Adjustable Table.

#### WHAT'S INCLUDED

1 electric height-adjustable base, leg and foot configuration as specified, integrated Vertical Wire Carrier Cable Manager.

#### NOTES

Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

For Switch details, see the Application Guide section.

Vertical Wire Carrier includes Cross-Channel bracket and mounts into Module.

The height-adjustable worksurface must be specified separately.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to Complements: Teknion's Ergonomics & Accessories Program.

#### PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Base Finish
<b>GTL</b> Gable & T-Leg (L Gable Corr, R Leg Stage Module)	<b>7S</b> Standard Range Electric (27" - 43")	30	47, 53, 59, 65, 71, 77, 83	Foundation
<b>GTR</b> Gable & T-Leg (R Gable Corr, L Leg Stage Module)				Mica Accent
	<b>9C</b> Extended Electric-Restricted (25" - 48.7")			

#### SAMPLE ORDER CODE

<b>YVU GTL</b>	<b>9C</b>	<b>30</b>	<b>65</b>	<b>52</b>
----------------	-----------	-----------	-----------	-----------

#### PRODUCT OPTIONS (CONTINUED)

Water Fall Finish	Switch Style	Switch Finish	Powerbar	Undersurface Cable Management	Vertical Wire Carrier (Optional)
Foundation	<b>S</b> Standard Up/Down	<b>E</b> Ebony Coordinate	<b>N</b> None	<b>N</b> None	<b>N</b> None
Flintwood	<b>D</b> Display with Up/Down Memory	<b>X</b> Anthracite	<b>I</b> Cross Channel Integrated - 4 Outlets	<b>1</b> Cable Organizer with Felt Cover	<b>E</b> Ebony Coordinate
Natural Veneer	<b>T</b> Toggle Up/Down	<b>7</b> Platinum	<b>C</b> Cross Channel Integrated - 3 Outlets +1 IEC	<b>3</b> Dual Plastic Trays and Powerbar	<b>7</b> Platinum Coordinate
	<b>X</b> Display toggle with Memory and Navigate GPS	<b>6</b> Crisp Grey		<b>4</b> Dual Plastic Trays	<b>V</b> Very White Coordinate
				<b>5</b> Dual Plastic Trays + Powerbar with IEC	

#### SAMPLE ORDER CODE (CONTINUED)

<b>VZ</b>	<b>X</b>	<b>X</b>	<b>I</b>	<b>1</b>	<b>N</b>
-----------	----------	----------	----------	----------	----------

See Pricing on the following page.

Y V U

## Navigate Height-Adjustable Built-in Gable Base (Continued)

**DIMENSIONS  
INCHES / MM**

D	W
30 / 762	47 / 1194
30 / 762	53 / 1346
30 / 762	59 / 1499
30 / 762	65 / 1651
30 / 762	71 / 1803
30 / 762	77 / 1956
30 / 762	83 / 2108

D	W
30 / 762	47 / 1194
30 / 762	53 / 1346
30 / 762	59 / 1499
30 / 762	65 / 1651
30 / 762	71 / 1803
30 / 762	77 / 1956
30 / 762	83 / 2108

**PRICING**

**STANDARD RANGE ELECTRIC BASE MECHANISM (7S)**

Foundation	Mica/Accent
4753	4855
4809	4911
4842	4944
4918	5019
4959	5061
4660	4763
4690	4793

**EXTENDED ELECTRIC-RESTRICTED RANGE BASE MECHANISM (9C)**

Foundation	Mica/Accent
5133	5235
5192	5294
5229	5329
5268	5368
5309	5411
5016	5118
5048	5150

If Flintwood Water Fall Finish is specified,

47" Width:	799
53" Width	763
59" Width	839
65" Width	960
71" Width	1038
77" Width	819
83" Width	894

If Veneer Water Fall Finish is specified,

47" Width:	863
53" Width	831
59" Width	912
65" Width	1038
71" Width	1119
77" Width	907
83" Width	986

If Display with Up/Down Memory (D) switch is specified, add 177

If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 177

If Dual Plastic Trays are specified, add 57

If Dual Plastic Trays + Powerbar is specified, add 274

If Cable Organizer with Felt Cover is specified, add 281

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 238

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 296

If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 513

If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 582

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover is specified, add 521

If Vertical Wire Carrier is specified, add 321