


Z N W S U

Semi-Supported Worksurface for upStage Integration

Semi-Supported Worksurface for upStage Integration is sized and shaped precisely to fit within upStage line of products. In combination with Semi-Supported Worksurface Support Kit (ZNWSK), it brings Zones refined aesthetic to systems workstations.

WHAT'S INCLUDED
1 worksurface.



PRODUCT OPTIONS

| Depth | Width (1" increments) | Cut Out | Edge Radius | Orientation | Worksurface Finish | Edge Trim Style |
|------------|--------------------------|---|---|---------------------------------|--|--|
| 24, 30, 36 | 46 - 70 | N No Cut Out U upStage Cut Out | 2 Two Corners 4 Four Corners | L Left R Right | Zones Worksurface Laminate Zones Seamless Zones Veneer | 8 Flat (with Zone's Worksurface Laminate) H Full Knife (with Zone's Worksurface Laminate) X Full Knife (with Zone's Seamless) 9 Flat (with Zone's Veneer) H Full Knife (with Zone's Veneer) |

SAMPLE ORDER CODE

| | | | | | | |
|----------|----|---|---|---|----|---|
| ZNWSU 24 | 62 | U | 2 | L | LW | 8 |
|----------|----|---|---|---|----|---|

See pricing on following page.

Semi-Supported Worksurface for upStage Integration (Continued)

DIMENSIONS INCHES / MM

| D | W |
|----------|-----------|
| 24 / 610 | 46 / 1168 |
| 24 / 610 | 47 / 1198 |
| 24 / 610 | 48 / 1219 |
| 24 / 610 | 49 / 1244 |
| 24 / 610 | 50 / 1270 |
| 24 / 610 | 51 / 1295 |
| 24 / 610 | 52 / 1320 |
| 24 / 610 | 53 / 1346 |
| 24 / 610 | 54 / 1371 |
| 24 / 610 | 55 / 1397 |
| 24 / 610 | 56 / 1422 |
| 24 / 610 | 57 / 1448 |
| 24 / 610 | 58 / 1473 |
| 24 / 610 | 59 / 1499 |
| 24 / 610 | 60 / 1524 |
| 24 / 610 | 61 / 1549 |
| 24 / 610 | 62 / 1575 |
| 24 / 610 | 63 / 1600 |
| 24 / 610 | 64 / 1625 |
| 24 / 610 | 65 / 1651 |
| 24 / 610 | 66 / 1676 |
| 24 / 610 | 67 / 1702 |
| 24 / 610 | 68 / 1727 |
| 24 / 610 | 69 / 1753 |
| 24 / 610 | 70 / 1778 |
| 30 / 762 | 46 / 1168 |
| 30 / 762 | 47 / 1198 |
| 30 / 762 | 48 / 1219 |
| 30 / 762 | 49 / 1244 |
| 30 / 762 | 50 / 1270 |
| 30 / 762 | 51 / 1295 |
| 30 / 762 | 52 / 1320 |
| 30 / 762 | 53 / 1346 |
| 30 / 762 | 54 / 1371 |
| 30 / 762 | 55 / 1397 |
| 30 / 762 | 56 / 1422 |
| 30 / 762 | 57 / 1448 |
| 30 / 762 | 58 / 1473 |
| 30 / 762 | 59 / 1499 |
| 30 / 762 | 60 / 1524 |
| 30 / 762 | 61 / 1549 |
| 30 / 762 | 62 / 1575 |
| 30 / 762 | 63 / 1600 |
| 30 / 762 | 64 / 1625 |
| 30 / 762 | 65 / 1651 |
| 30 / 762 | 66 / 1676 |
| 30 / 762 | 67 / 1702 |
| 30 / 762 | 68 / 1727 |
| 30 / 762 | 69 / 1753 |
| 30 / 762 | 70 / 1778 |

PRICING

| WORKSURFACE LAMINATE | | SEAMLESS | VENEER | |
|----------------------|-----------------|-----------------|-----------|-----------------|
| Flat Edge | Full Knife Edge | Full Knife Edge | Flat Edge | Full Knife Edge |
| 203 | 261 | 271 | 498 | 572 |
| 204 | 262 | 273 | 504 | 578 |
| 204 | 263 | 275 | 530 | 611 |
| 265 | 343 | 311 | 536 | 617 |
| 266 | 343 | 313 | 541 | 624 |
| 266 | 344 | 315 | 548 | 630 |
| 267 | 346 | 318 | 553 | 637 |
| 268 | 347 | 320 | 559 | 644 |
| 269 | 348 | 322 | 565 | 650 |
| 269 | 349 | 324 | 571 | 656 |
| 270 | 350 | 326 | 577 | 663 |
| 270 | 351 | 328 | 582 | 669 |
| 271 | 352 | 330 | 589 | 675 |
| 272 | 353 | 332 | 595 | 682 |
| 273 | 354 | 334 | 611 | 702 |
| 273 | 356 | 337 | 616 | 708 |
| 274 | 357 | 339 | 622 | 714 |
| 275 | 358 | 340 | 629 | 721 |
| 275 | 359 | 343 | 634 | 727 |
| 276 | 360 | 345 | 640 | 734 |
| 276 | 361 | 347 | 647 | 741 |
| 279 | 362 | 349 | 652 | 747 |
| 279 | 363 | 351 | 658 | 752 |
| 280 | 364 | 353 | 664 | 760 |
| 280 | 366 | 356 | 670 | 766 |
| 222 | 284 | 298 | 568 | 654 |
| 223 | 285 | 300 | 575 | 661 |
| 223 | 286 | 303 | 591 | 682 |
| 272 | 352 | 337 | 598 | 689 |
| 273 | 353 | 339 | 605 | 696 |
| 274 | 356 | 342 | 611 | 704 |
| 275 | 357 | 344 | 617 | 711 |
| 275 | 358 | 347 | 625 | 717 |
| 276 | 359 | 349 | 631 | 725 |
| 277 | 360 | 352 | 637 | 732 |
| 279 | 361 | 356 | 644 | 740 |
| 280 | 362 | 358 | 650 | 747 |
| 280 | 363 | 360 | 657 | 754 |
| 281 | 364 | 363 | 664 | 762 |
| 282 | 366 | 365 | 671 | 769 |
| 283 | 367 | 368 | 677 | 775 |
| 284 | 368 | 370 | 684 | 783 |
| 284 | 370 | 372 | 710 | 817 |
| 285 | 371 | 376 | 716 | 824 |
| 286 | 372 | 378 | 723 | 831 |
| 287 | 373 | 381 | 730 | 839 |
| 288 | 375 | 383 | 736 | 846 |
| 289 | 376 | 386 | 743 | 852 |
| 289 | 377 | 388 | 749 | 860 |
| 290 | 378 | 391 | 755 | 867 |

Pricing is continued on the following page

Z N W S U

Semi-Supported Worksurface for upStage Integration (Continued)

DIMENSIONS INCHES / MM

PRICING

| D | W | WORKSURFACE LAMINATE | | SEAMLESS | VENEER | |
|----------|-----------|----------------------|-----------------|-----------------|-----------|-----------------|
| | | Flat Edge | Full Knife Edge | Full Knife Edge | Flat Edge | Full Knife Edge |
| 36 / 914 | 46 / 1168 | 301 | 397 | 379 | 628 | 723 |
| 36 / 914 | 47 / 1198 | 303 | 398 | 382 | 635 | 731 |
| 36 / 914 | 48 / 1219 | 304 | 399 | 385 | 642 | 740 |
| 36 / 914 | 49 / 1244 | 424 | 558 | 456 | 650 | 747 |
| 36 / 914 | 50 / 1270 | 425 | 559 | 459 | 657 | 755 |
| 36 / 914 | 51 / 1295 | 426 | 561 | 462 | 665 | 764 |
| 36 / 914 | 52 / 1320 | 427 | 562 | 465 | 691 | 798 |
| 36 / 914 | 53 / 1346 | 428 | 563 | 468 | 698 | 806 |
| 36 / 914 | 54 / 1371 | 429 | 565 | 471 | 706 | 813 |
| 36 / 914 | 55 / 1397 | 430 | 567 | 475 | 713 | 822 |
| 36 / 914 | 56 / 1422 | 431 | 568 | 478 | 721 | 829 |
| 36 / 914 | 57 / 1448 | 433 | 570 | 480 | 728 | 838 |
| 36 / 914 | 58 / 1473 | 434 | 571 | 484 | 735 | 846 |
| 36 / 914 | 59 / 1499 | 435 | 572 | 487 | 742 | 853 |
| 36 / 914 | 60 / 1524 | 436 | 574 | 490 | 749 | 862 |
| 36 / 914 | 61 / 1549 | 436 | 575 | 493 | 756 | 870 |
| 36 / 914 | 62 / 1575 | 437 | 576 | 497 | 764 | 878 |
| 36 / 914 | 63 / 1600 | 438 | 577 | 499 | 771 | 886 |
| 36 / 914 | 64 / 1625 | 439 | 579 | 502 | 798 | 920 |
| 36 / 914 | 65 / 1651 | 440 | 580 | 505 | 805 | 928 |
| 36 / 914 | 66 / 1676 | 441 | 581 | 509 | 812 | 936 |
| 36 / 914 | 67 / 1702 | 442 | 582 | 512 | 820 | 944 |
| 36 / 914 | 68 / 1727 | 443 | 584 | 515 | 827 | 953 |
| 36 / 914 | 69 / 1753 | 444 | 586 | 518 | 835 | 960 |
| 36 / 914 | 70 / 1778 | 445 | 587 | 521 | 842 | 968 |

If upStage Cut Out is specified, add 18 (grommet not included)

If Four Corner Edge Radius is specified, add 32