


Z N W S U

Semi-Supported Worksurface for upStage Integration

Semi-Supported Worksurface for upStage Integration is sized and shaped precisely to fit within upStage line of products. In combination with Semi-Supported Worksurface Support Kit (ZNWSK), it brings Zones refined aesthetic to systems workstations.

WHAT'S INCLUDED
1 worksurface.



PRODUCT OPTIONS

Depth	Width (1" increments)	Cut Out	Edge Radius	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish
24, 30, 36	46 - 70	N No Cut Out U upStage Cut Out	2 Two Corners 4 Four Corners	L Left R Right	Zones Foundation Laminate Grade 2 Laminate Zones Veneer	8 Flat (with Laminates) 9 Flat (with Veneer) H Full Knife	Zones Edge Trim Colors

SAMPLE ORDER CODE

ZNWSU 24	62	U	2	L	LW	8	4G
----------	----	---	---	---	----	---	----

See pricing on following page.

Z N W S U

Semi-Supported Worksurface for
upStage Integration (Continued)DIMENSIONS
INCHES / MM

PRICING

D	W	FOUNDATION LAMINATE		GRADE 2 LAMINATE		ZONES VENEER	
		Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
24 / 610	46 / 1168	267	345	347	425	654	753
24 / 610	47 / 1198	268	346	348	426	664	761
24 / 610	48 / 1219	268	347	387	466	698	803
24 / 610	49 / 1244	349	450	469	570	705	812
24 / 610	50 / 1270	350	450	470	570	711	821
24 / 610	51 / 1295	350	451	470	571	720	828
24 / 610	52 / 1320	351	455	471	574	728	838
24 / 610	53 / 1346	353	456	472	575	735	848
24 / 610	54 / 1371	354	458	473	578	742	855
24 / 610	55 / 1397	354	461	473	580	752	863
24 / 610	56 / 1422	355	462	474	581	760	872
24 / 610	57 / 1448	355	463	474	582	766	880
24 / 610	58 / 1473	356	464	476	583	775	887
24 / 610	59 / 1499	357	465	477	585	783	897
24 / 610	60 / 1524	358	466	478	586	803	923
24 / 610	61 / 1549	358	469	508	618	811	931
24 / 610	62 / 1575	360	470	509	619	819	940
24 / 610	63 / 1600	361	471	510	621	827	948
24 / 610	64 / 1625	361	472	510	622	834	956
24 / 610	65 / 1651	362	473	512	623	842	966
24 / 610	66 / 1676	362	474	512	624	851	974
24 / 610	67 / 1702	367	476	516	625	857	983
24 / 610	68 / 1727	367	477	516	626	865	989
24 / 610	69 / 1753	369	478	519	628	873	1000
24 / 610	70 / 1778	369	480	519	630	882	1007
30 / 762	46 / 1168	292	375	392	474	747	860
30 / 762	47 / 1198	293	376	393	476	757	870
30 / 762	48 / 1219	293	377	400	484	777	897
30 / 762	49 / 1244	357	464	507	614	788	907
30 / 762	50 / 1270	358	465	508	615	796	915
30 / 762	51 / 1295	360	469	509	618	803	926
30 / 762	52 / 1320	361	470	510	619	812	936
30 / 762	53 / 1346	361	471	510	621	822	943
30 / 762	54 / 1371	362	472	512	622	829	954
30 / 762	55 / 1397	363	473	513	623	838	964
30 / 762	56 / 1422	367	474	516	624	848	973
30 / 762	57 / 1448	369	476	519	625	855	983
30 / 762	58 / 1473	369	477	519	626	864	992
30 / 762	59 / 1499	370	478	520	628	873	1002
30 / 762	60 / 1524	372	480	522	630	883	1012
30 / 762	61 / 1549	374	483	523	632	890	1020
30 / 762	62 / 1575	375	484	524	633	900	1030
30 / 762	63 / 1600	375	487	524	637	935	1074
30 / 762	64 / 1625	376	488	525	638	942	1085
30 / 762	65 / 1651	377	491	527	640	951	1093
30 / 762	66 / 1676	378	492	528	641	960	1103
30 / 762	67 / 1702	379	494	529	644	969	1114
30 / 762	68 / 1727	380	495	530	645	977	1121
30 / 762	69 / 1753	380	496	530	646	985	1131
30 / 762	70 / 1778	382	498	531	647	994	1141

Pricing is continued on the following page

Z N W S U

Semi-Supported Worksurface for upStage Integration (Continued)

DIMENSIONS INCHES / MM

PRICING

DIMENSIONS		PRICING					
INCHES / MM		FOUNDATION LAMINATE		GRADE 2 LAMINATE		ZONES VENEER	
D	W	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
36 / 914	46 / 1168	396	523	554	682	826	951
36 / 914	47 / 1198	399	524	558	683	835	962
36 / 914	48 / 1219	401	525	560	684	846	973
36 / 914	49 / 1244	558	734	757	934	855	983
36 / 914	50 / 1270	559	735	759	935	864	994
36 / 914	51 / 1295	560	738	760	937	876	1005
36 / 914	52 / 1320	561	739	761	938	909	1050
36 / 914	53 / 1346	563	740	762	940	918	1060
36 / 914	54 / 1371	564	742	763	942	929	1070
36 / 914	55 / 1397	565	746	764	945	938	1082
36 / 914	56 / 1422	566	747	766	947	948	1090
36 / 914	57 / 1448	568	749	768	949	958	1102
36 / 914	58 / 1473	571	752	770	951	967	1114
36 / 914	59 / 1499	572	753	771	952	976	1122
36 / 914	60 / 1524	573	756	773	956	985	1133
36 / 914	61 / 1549	573	757	872	1057	995	1145
36 / 914	62 / 1575	575	759	875	1058	1005	1155
36 / 914	63 / 1600	577	760	876	1059	1014	1166
36 / 914	64 / 1625	579	762	878	1061	1050	1210
36 / 914	65 / 1651	580	763	879	1063	1059	1220
36 / 914	66 / 1676	581	764	880	1064	1068	1232
36 / 914	67 / 1702	582	766	882	1065	1079	1241
36 / 914	68 / 1727	583	768	883	1067	1088	1254
36 / 914	69 / 1753	585	770	884	1070	1099	1263
36 / 914	70 / 1778	586	771	885	1071	1108	1274

If upStage Cut-Out is specified, add 28 (Grommet must be specified separately)

